

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3201 CLASS B (PART A) -- 8030-00-275-8117

===== Product Identification =====

Product ID:CS 3201 CLASS B (PART A)

MSDS Date:06/13/1997

FSC:8030

NIIN:00-275-8117

Status Code:A

MSDS Number: CJZPM

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num

:818-982-1650

Emergency Phone Num:(800)424-9300

Chemtrec Ind/Phone:(800)424-9300

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

===== Composition/Information on Ingredients =====

Ingred Name:LIQUID POLYSULFIDE POLYMER

CAS:68611-50-7

= Wt:65.

===== Hazards Identification =====

Health Haz

ards Acute and Chronic:POSSIBLE SKIN IRRITATION AFTER
PROLONGED CONTACT, WITH RESULTING DERMATITIS. NOT CONSIDERED TO BE
A PRIMARY SKIN IRRITANT.

Effects of Overexposure:SKIN OR IRRITATION.

=====
First Aid Measures
=====

First Aid:EYES-FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.
SKIN-WASH WITH SOAP AND WATER. INGESTION- INDUCE VOMITING,
CONSULT PHYSICIAN.

=====
Fire Fighting Measures
=====

FI
ash Point Method:TCC
Flash Point:=93.3C, 200.F
200F
Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.

=====
Accidental Release Measures
=====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR
REACTION WITH CURING AGENT. CLEANUP RESIDUE WITH AEROMATIC
NAPHTHA/SAND/SWEEPING COMPOUND. WASH AREA WITH SOAP AND WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY F
ROM
STRONG ACIDS.
Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER
HANDLING THIS PRODUCT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE
Ventilation:LOCAL EXHAUST: AIR. MECHANICAL: FAN.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.
Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS
PRODUCT.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pres:NIL
Vapor Density:NIL
Spec Gravity:1.50
Evaporation Rate & Reference:1
Solubility in Water:NEGLEGABLE
Appearance and Odor:BLACK PASTE, POLYSULFIDE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS AND STRONG ACIDS
Stability Condition to Avoid:OPEN FLAME
Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

=====

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS HAZARDOUS WASTE, NON-MIX , NON-HAZARDOUS.

===== MSDS Transport Information =====

Transport Information:SHIPPING NAME: ADHESIVE N.O.S. HAZARD CLASS:
NON-HAZARDOUS UNIT CAONTAINER: 12 OZ IN 16 OZ METAL CAN. US
POSTAL REGULATIONS: PARA 124.142 HARMFUL MATTER. DISPOSAL INFO:
INCINERATION OR LAN D DISPOSAL, MIXED WITH PART
B, HAZARDOUS WASTE,
NON-MIX, NON-HAZARDOUS. EPA CODE: CADO62064746. WASTE
CHARACTERISTICS: SLUDGE. DISPOSAL METHODS: INCINERATION OR LAND
DISPOSAL, DISPOSE WASTE ACCOR DING TO FEDERAL, STATE AND LOCAL
REGULATIONS. APPLICABLE REGULATIONS: 49 CFR, IMO, IATA.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressl

y or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.