

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3201 CLASS B BLACK (PART A) --  
8030-01-262-9041

===== Product Identification =====

Product ID:CS 3201 CLASS B BLACK (PART A)  
MSDS Date:06/13/1997  
FSC:8030  
NIIN:01-262-9041  
Status Code:A  
MSDS Number: CJZRQ  
=== Responsible Party ===  
Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV  
Address:11120 SHERMAN WAY  
City:SUN VALLEY  
State:CA  
ZIP:91352-4949  
Country:US  
In  
fo Phone Num:818-982-1650  
Emergency Phone Num:(800)424-9300  
Chemtec Ind/Phone:(800)424-9300  
CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV  
Address:11120 SHERMAN WAY  
Box:City:SUN VALLEY  
State:CA  
ZIP:91352-4949  
Country:US  
Phone:818-982-1650  
CAGE:14439

===== Composition/Information on Ingredients =====

Ingred Name:LIQUID POLYSULFIDE POLYMER  
CAS:68611-50-7  
= Wt:65.

===== Hazards Identification =====

Health Hazards Acute and Chronic:POSSIBLE SKIN IRRITATION AFTER  
PROLONGED CONTACT, WITH RESULTING DERMATITIS. NOT CONSIDERED TO BE  
A PRIMARY SKIN IRRITANT.

Effects of Overexposure:SKIN OR IRRITATION.

=====  
===== First Aid Measures =====

First Aid:EYES-FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.  
SKIN-WASH WITH SOAP AND WATER. INGESTION- INDUCE VOMITING,  
CONSULT PHYSICIAN.

=====  
===== Fire Fighting Measures =====

=====

Flash Point Method:TCC

Flash Point:~93.3C, 200.F

200F

Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR  
REACTION WITH CURING AGENT. CLEANUP RESIDUE WITH AEROMATIC  
NAPHTHA/SAND/SWEEPING COMPOUND. WASH AREA WITH SOAP AND WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY  
AREA AWAY FROM  
STRONG ACIDS.

Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER  
HANDLING THIS PRODUCT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:LOCAL EXHAUST: AIR. MECHANICAL: FAN.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.

Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS  
PRODUCT.

Supplemental Safet

=====  
Physical/Chemical Properties  
=====

Vapor Density:NIL  
Spec Gravity:1.50  
Evaporation Rate & Reference:1  
Solubility in Water:NEGLEGABLE  
Appearance and Odor:BLACK PASTE, POLYSULFIDE ODOR.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS AND STRONG ACIDS  
Stability Condition to Avoid:OPEN FLAME  
Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS HAZARDOUS WASTE, NON-MIX , NON-HAZARDOUS.

=====  
MSDS Transport Information  
=====

Transport Information:UNIT CONTAINER: 6 OZ IN 1/2-PINT METAL  
CAN.SHIPPING NAME: ADHESIVE N.O.S. HAZARD CLASS: NON-HAZARDOUS  
UNIT CAONTAINER: 12 OZ IN 16 OZ METAL CAN. US POSTAL  
REGULATIONS: PARA 124.142 HARMFUL M ATTER. DISPOSAL INFO:

INCINERATION OR LAND DISPOSAL, MIXED WITH PART B, HAZARDOUS WASTE,  
NON-MIX, NON-HAZARDOUS. EPA CODE: CADO62064746. WASTE  
CHARACTERISTICS: SLUDGE. DISPOSAL METHODS: INCINER ATION OR LAND  
DISPOSAL, DISPOSE WASTE ACCORDING TO FEDERAL, STATE AND LOCAL  
REGULATIONS. APPLICABLE REGULATIONS: 49 CFR, IMO, IATA.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States  
of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.