View NSN Online: https://aerobasegroup.com/nsn/7930-01-462-8436

AIRKEM PROFESSIONAL PRODUCTS -- FIRST PLACE SS POL 12-180Z NER AND POLISH --7930-01-462-8436

Product ID: FIRST PLACE SS POL 12-180Z NER AND POLISH MSDS Date:12/16/1991 FSC:7930 NIIN:01-462-8436 Status Code:A MSDS Number: CJZYW === Responsible Party === Company Name: AIRKEM PROFESSIONAL PRODUCTS Address: ECOLAB CENTER City:ST. PAUL State:MN ZIP:55102 Country:US Inf o Phone Num:800-247-5362 Emergency Phone Num:800-328-0026 Resp. Party Other MSDS Num.:68704139 CAGE:0X662 === Contractor Identification === Company Name: AIRKEM PROFESSIONAL PRODUCTS Address: ECOLAB CENTER Box:City:ST. PAUL State:MN ZIP:55102 Country:US Phone:800-247-5362 CAGE:0X662 Company Name: AIRKEM PROFESSIONAL PRODUCTS/DIV OF ECOLAB INC Address:370 N WABASHA STREET Box:City:ST. PAUL State:MN ZIP:55102-1307 Country:US Phone:800-328-0026 CAGE:89044

======= Composition/Information on Ing

redients =========

Ingred Name:PROPANE (AN ACGIH ASPHYXIANT) CAS:74-98-6 RTECS #:TX2275000 = Wt:10. OSHA PEL:1800 MG/M3;1000 PPM Code:F

Ingred Name:BUTANE CAS:106-97-8 RTECS #:EJ4200000 = Wt:10. ACGIH TLV:1900 MG/M3;800 PPM

Ingred Name:C8-C9 ISOPAROFFIN CAS:64742-48-9 = Wt:5.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:E YES: MAY CAUSE IRRITATION DEPENDING ON DEGREE OF EXPOSURE. SKIN: MAY CAUSE IRRITATION DEPENDING ON DEGREE OF EXPOSURE. INGESTION: HARFUL OR FATAL IF SWALLOWED. INHALATION: DELIBERATE INHALATION CAN BE HARMFUL OR FATAL. EXCESSIVE AIRBORNE CONCENTRATIONS MAY CAUSE BREATHING DIFFICULTIES, DIZZINESS OR HEADACHES. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE LISTED BY MANUFACTURER .

First Aid:EYES: FLUSH IMMEDIATELY WITH PLENTY OF COOL RUNNING WATER FOR AT LEAST 15 MINUTES. REMOVE CONTACT LENSES AND THEN FLUSH AGAIN. SKIN: FLUSH SKIN WITH WATER FOR AT LEAST 15 MINUTES, THEN WASH WITH SOAP AND WATER. INGESTION: RINSE MOUTH. DO NOT INDUCE VOMITING. IN CASE OF NAUSEA OR SPONTANEOUS VOMITING, KEEP VICTIM'S HEAD BELOW HIPS. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF SWALLO WED OR IN CASE OF PERSISTENT EYE OR SKIN IRRITATI

ON, CALL A
POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

======================================
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL OR FOAM. WATER MAY BE INEFFECTIVE. WATER MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.
Fire Fighting Procedures: USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS (SCBA) AND FULL PROTECTIVE EQUIPMENT . LEVEL 2 AEROSOL (NFPA 30B).
Unusual Fire/Explosion Hazard: CONTENTS UNDER PRESSURE.
====== ===============================
Spill Release Procedures: CLEANUP: REMOVE ALL SOURCES OF IGNITION. VENTILATE. AVOID BREATHING VAPORS AND REMOVE WITH INERT ABSORBENT.
======================================
Handling and Storage Precautions:DO NOT STORE ABOVE 120F. EXPOSURE TO SUNLIGHT OR OTHER HEAT MAY CAUSE BURSTING. Other Precautions:KEEP OUT OF REACH OF CHILDREN.
====== Exposure Controls/Personal Protection ====================================
Respiratory Protection:FOR CONCENTRATE: AVOID BREATHING MISTS OR VAPORS CONTAINING PRODUCT. Ventilation:USE WITH PROPER VENTILATION. Supplemental Safety and Health PRODUCT TYPE: AEROSOL STAINLESS STEEL CLEANER AND POLISH.
PRODUCT TYPE. AEROSOL STAINLESS STEEL CLEANER AND POLISH.
======================================
Spec Gravity:0.9 pH:7.2
Appearance and Odor: AEROSOL, LEMON ODOR.
======================================
Stability Indicator/Materials to Avoid:YES Stability Condition

to Avoid:STABLE UNDER NORMAL CONDITIONS OF HANDLING. DO NOT SPRAY NEAR FIRE OR OPEN FLAME. DO NOT STORE ABOVE 120F. EXPOSURE TO SUNLIGHT OR OTHER HEAT MAY CAUSE BURSTING.

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS . USE PROPER NIOSH APPROVED PROTECTIVE EQUIPMENT. DO NOT PUNCTURE OR INCINERATE CONTAINER.

Transport Information:DOT: DOT ORM-D (AIR).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.