View NSN Online: https://aerobasegroup.com/nsn/9150-00-834-5608

E/M CORPORATION -- KAL-GARD FA (40%) (PKGFA40) -- 9150-00-834-5608

Product ID:KAL-GARD FA (40%) (PKGFA40) MSDS Date:08/29/1995 FSC:9150 NIIN:00-834-5608 Status Code:A MSDS Number: CKBZW === Responsible Party === Company Name: E/M CORPORATION Address:100 COOPER CIRCLE Box:3969 City:PEACHTREE CITY State:GA ZIP:30269 Country:US Info Phone Num:770-261-4821 Emergency Phone Num:317-497-6100 Preparer's Name: CHEMICAL COMMUNICATIONS Chemtrec Ind/Phone:(800)424-9300 CAGE:8F024 === Contractor Identification === Company Name: E / M CO. DIV OF MORGAN CHEMICAL PRODUCTS INC Address:100 COOPER CIR Box:3969 City:PEACHTREE CITY State:GA ZIP:30269 Country:US Phone:770-261-4835 / FAX: 770-631-0833 Contract Num:SP0450-00-M-C094 CAGE:8F024

Ingred Name:METHYL ETHYL KETONE CAS:78-93-3 RTECS #:EL6475000 Minum um % Wt:25. Maxumum % Wt:35. OSHA PEL:590 MG/M3;200 PPM ACGIH TLV:590 MG/M3;200 PPM ACGIH STEL:885 MG/M3;300 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ETHANOL CAS:64-17-5 RTECS #:KQ6300000 Minumum % Wt:20. Maxumum % Wt:30. OSHA PEL:1900 MG/M3;1000 PPM ACGIH TLV:1880 MG/M3;1000 PPM

Ingred Name:LEAD OXIDE PHOSPHITE OR INORGANIC LEAD COMPOUND CAS:12141-20-7 Minumum % Wt:10. Maxumum % Wt:20. OSHA PEL:0.05 MG/M3 (AS PB) ACGIH TLV:0.15 MG/M3 (AS PB)

Ingred Name:ANTIMONY OXIDE OR INO RGANIC ANTIMONY COMPOUND CAS:1309-64-4 RTECS #:CC5650000 &It; Wt:10. OSHA PEL:0.5 MG/M3 ACGIH TLV:0.5 MG/M3 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:RESIDUAL PHENOL CAS:108-95-2 RTECS #:SJ3325000 < Wt:10. OSHA PEL:19 MG/M3;5 PPM ACGIH TLV:19 MG/M3;5 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:RESIDUAL FORMALDEHYDE CAS:50-00-0 RTECS #:LP8925000 Fraction by Wt: TRACE OSHA PEL:SEE 1910.1048 ACGIH STEL:C0.37 MG/M3;C0.3 PPM EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:METHYL ETHYL KETONE IS AN EYE & SKIN

IRRITANT, AFFECTS THE NERVOUS SYSTEM & IS A TERATOGEN IN LAB ANIMALS. ETHANOL IS A MILK IRRITANT TO RABBIT SKIN & A SEVERE EYE IRRITANT. ETHANOL IS REPORTED TO CA USE TERATOGENICITY, CNS DEPRESSION AND GASTROINTESTINAL DISTRESS FROM ORAL CONSUMPTION BY HUMANS. MOLYBDENUM COMPOUNDS MAY BE SLIGHTLY IRRITATING. INORGANIC LEAD COMPOUNDS HAVE THE POTENTIAL TO BIOACC UMULATE & CAUSE LEAD POISONING. CHRNIC OVEREXPOSURE TO LEAD HAS CAUSE TARGET ORGAN & REPRODUCTIVE EFFECTS. ANTIMONY COMPOUNDS HAVE CAUSED BENIGN & MALIGNANT LUNG TUMORS IN LAB ANIMALS. PHENOL IS TOXI C ORALLY; SEVERE SKIN & EYE IRRITANT.

Explanation of Carcinogenicity: INORGANIC LEAD IS LISTED

BY IARC AS AN

ANIMAL DEFINITE AND HUMAN INDEFINITE CARCINOGEN. FORMALDEHYDE IS LISTED BY IARC AS AN INDEFINITE HUMAN CARCINOGEN AND A POSITIVE ANIMAL CARCINOGEN. NTP LISTS FO RMALDEHYDE AS A "REASONABLY ANTICIPATED" CARCINOGEN. FORMALDEHYDE IS ALSO LISTED AS CARCINOGENIC BY NTP AND IARC.

Effects of Overexposure:EYES: IRRITATION, REDNESS, BLURRED VISION. SKIN-PROLONGED CONTACT CAN CAUSE IRRITATION, DERMATITIS. INHALATION-CAN CAUSE IRRITATION, DIZZINESS, NAUSEA, FATIGU

Е,

HEADACHE, UNCONSCIOUSNESS OR ASPHYXIATI ON. INGESTION-CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, DIARRHEA. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:SKIN: WASH WITH SOAP & WATER. EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER. GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS IMPAIRED, GET MEDICAL ATTENTION. INGESTION: DO NOT INDU CE VOM ITING! KEEP WARM. GET MEDICAL ATTENTION.

Flash Point Method:TCC Flash Point:=-4.4C, 24.F Lower Limits:1.0% Upper Limits:N/D Extinguishing Media:CARBON DIOXIDE (CO2), FOAM, DRY CHEMICAL, OR HALON. Fire Fighting Procedures:NONE. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: CLEAN SPILL WITH ABSORBENT MATERIAL. ELIMINATE IGNITION SOURCES

. WEAR GLOVES, GOGGLES AND GAS MASK IF TWA'S ARE EXCEEDED. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: PROTECT FROM PHYSICAL DAMAGE. STORE IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM ACIDS, ALKALIS, AND OPEN FLAMES. Other Precautions: FLAMMABLE! DO NOT SPRAY NEAR OPEN FLAMES. Respiratory Protection: USE NI **OSH APPROVED ORGANIC RESPIRATOR IF TWA/TLV** LIMITS ARE EXCEEDED. Ventilation: LOCAL EXHAUST-USE TO MAINTAIN LEVELS BELOW TWA LIMITS. MECHANICAL-USE NON SPARKING EQUIPMENT. Protective Gloves: CHEMICAL RESISTANT GLOVES. Eye Protection: WEAR SAFETY GLASSES OR GOGGLES. Other Protective Equipment:NONE. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

HCC:F2 Boiling Pt:B.P. Text:NOT AVAILABLE Melt/Freeze Pt:M.P/F.P Text:NOT AVAILABLE Vapor Pres:NOT AVAILABLE Vapor Density:>1(AIR=1) VOC Pounds/Gallon:671 Evaporation Rate & amp; Reference: