View NSN Online: https://aerobasegroup.com/nsn/6820-01-446-7489

## DOBER CHEMICAL CORP -- GLN1000-FA FLUORESCENT TRACER -- 6820-01-446-7489

Product ID:GLN1000-FA FLUORESCENT TRACER

MSDS Date:06/10/1998

FSC:6820

NIIN:01-446-7489

MSDS Number: CKDCV === Responsible Party ===

Company Name: DOBER CHEMICAL CORP

Address:333 WEST 195TH STREET

City:GLENWOOD

State:IL ZIP:60425 Country:US

Info Phone Num:708-755-5545 Emergency Phone Num:888

-745-5545

Preparer's Name: NOT PROVIDED.

CAGE:1K937

=== Contractor Identification ===

Company Name: CUMMINS ATLANTIC INC Address: 3900 DEEPWATER TERMINAL RD

Box:City:RICHMOND

State:VA

ZIP:23234-2225 Country:US

Phone:804-232-7891

Contract Num:SP0450-00-M-D657

CAGE:1F124

Company Name: CUMMINS ATLANTIC INC Address: 3900 DEEPWATER TERMINAL RD

Box:City:RICHMOND

State:VA

ZIP:23234-2225 Country:US

Phone:804-232-7891

Contract Num:SP0450-00-M-SB52

CAGE:1F124

Company Name: CUMMINS ENGINE CO INC

Address:500 JACK

SON STREET Box:3005/ City:COLUMBUS State:IN ZIP:47202-3005 Country:US Phone:812-377-3196 CAGE:15434 Company Name: CUMMINS ENGINE CO. Address:635 S MAPELTON STREET Box:3005 City:COLUMBUS State:IN ZIP:47201-7361 Country:US Phone:812-377-8233 CAGE:7R168 Company Name: DOBER CHEMICAL CORP Address:333 WEST 195TH STREET Box:City:GLENWOOD State:IL ZIP:60425 Country:US Phone:708-755-5545 CAGE:1K937 ======= Composition/Information on Ingredients ======== Ingred Name: NAPHTHENIC OIL HYDRATED CA S:64742-53-6 RTECS #:PY8036000 &lt: Wt:30. ACGIH TLV:5 MG/M3 Ingred Name: MINERAL OIL CAS:8042-47-5 RTECS #:PY8047000 < Wt:60. ACGIH TLV:5 MG/M3 Ingred Name: C. I. SOLVENT RED #175 CAS:68411-75-6 < Wt:30.

========== Hazards Identification =============

LD50 LC50 Mixture:NOT PROVIDED.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EFFECTS OF OVEREXPOSURE: INHALATION:

MIST MAY BE IRRITATING TO RESPIRATORY TRACT. SKIN CONTACT:

MAY BE

IRRITATING UPON PROLONGED OR REPEATED EXPOSURE. EYE CONTACT: MAY BE IRRITATING. INGESTION: NO DAT A AVAILABLE. ACUTE OVEREXPOSURE: SEE ABOVE. CHRONIC OVEREXPOSURE: SEE ABOVE.

**Explanation of Carcinogenicity: NONE** 

Effects of Overexposure:EFFECTS OF OVEREXPOSURE: INHALATION: MIST MAY BE IRRITATING TO RESPIRATORY TRACT. SKIN CONTACT: MAY BE IRRITATING UPON PROLONGED OR REPEATED EXPOSURE.

Medical Cond Aggravated by Exposure: NOT PROVIDED.

First Aid:INHALATION: REMOVE TO FRESH AIR. IF EFFECTS CONTINUE, CONTACT A PHYSICIAN. SKIN: WASH WITH MILD SOAP AND WATER. EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CONTACT A PHYSICIAN AT ONCE. I NGESTION: DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN AT ONCE.

Flash Point Method:COC Flash Point:>93.3C, 200.F

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. WATER SPRAY MUST BE USED WITH CAUTION TO AVOID SPREAD OF FLAMES.

Unusual Fire/Explosion Hazard:NONE.

======== Accidental Release Measures ===========

Spill Release Procedures: ABSORB ON SAND, CLAY OR OTHER ABSORBENT MATERIAL. SHOVEL INTO STEEL CONTAINER FOR DISPOSAL. Neutralizing Agent: NOT RELEVANT.

============= Handling and Storage ==========================

Handling and Storage Precautions:KE

EP CONTAINER CLOSED WHEN NOT IN USE.

KEEP OUT OF REACH OF CHILDREN. DO NOT CONTACT SKIN OR EYES. KEEP AWAY FROM HEAT OR OPEN FLAME.

Other Precautions: DO NOT TAKE INTERNALLY FOR INDUSTRIAL USE ONLY.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NOT REQUIRED WHEN MATERIAL IS USED AS INTENDED.

Ventilation: GENERAL EXHAUST.

Protective Gloves: IMPERVIOUS.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: OTHER PROTECTIVE CLOTHING D

EPENDING ON
DEGREE OF EXPOSURE.
Work Hygienic Practices:NOT PROVIDED.
Supplemental Safety and Health
NONE

========= Physical/Chemical Properties ==========

HCC:V5 NRC/State Lic Num:NOT RELEVANT. Boiling Pt:B.P. Text:300-600F@760 MM HG Vapor Pres: