View NSN Online: https://aerobasegroup.com/nsn/6850-01-446-9518

Product ID: IPA 411 MSDS Date:08/31/1999 FSC:6850 NIIN:01-446-9518 Status Code:A MSDS Number: CKFKX === Responsible Party === Company Name: BETZDEARBORN INC Address:4636 SOMERTON RD City:TREVOSE State:PA ZIP:19053 Country:US Info Phone Num:215-355-3300 Emergency Phone Num:800-877-1940 (USA) CAGE:TO564 === Contractor Identification === Company Name: BETZDEARBORN, DIVIDION OF HERCULES INC. Address:4636 SOMERTON RD Box:City:TREVOSE State:PA ZIP:19053 Country:US Phone:215-355-3300 CAGE:TO564 **Company Name: MEHRTRONICS INC** Address:134 E WILLIAMS AVE Box:City:BARRINGTON State:NJ ZIP:08007 Country:US Phone:856-672-0663 Contract Num:SP0450-00-M-D730 CAGE:01NQ2

Ingred Name:NITRILOTRIACETIC ACID TRISODIUM SALT CAS:5064-31-3 RTECS #:MB8400000

Ingred

Name:SODIUM TRIPOLYPHOSPHATE CAS:7758-29-4 RTECS #:YK4570000 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT CAS:64-02-8 RTECS #:AH5075000

Ingred Name:CARBONIC ACID DISODIUM SALT, COMPD. WITH HYDROGEN PEROXIDE (2:3) CAS:15630-89-4

Ingred Name:SODIUM CARBONATE CAS:497-19-8 RTECS #:VZ4050000

LD50 LC50 Mixture:ORAL LD50 RAT ESTIMATED 1,600 MG/KG Reports of Carcinogeni city:NTP:YES IARC:YES Health Hazards Acute and Chronic:TARGET ORGANS: PRODUCT OR PRODUCT COMPONENT MAY INCREASE THE RISK OF CANCER BASED ON LIMITED AMINAL DATA. ACUTE: SKIN: PRIMARY ROUTE OF EXPOSURE, MAY CAUSE SLIGHT IRRITATION TO THE SKIN. EYE: SEVERE I RRITANT TO THE EYES. RESPIRATORY: PRIMARY ROUTE OF EXPOSURE; DUSTS CAUSE IRRITATION TO THE UPPER RESPIRATORY TRACT. INGESTION: MAY CAUSE GASTROINTESTINAL IRRITATION. Explanation of Carcinogenicity:NITRILOTRIACETIC ACI

D, TRISODIUM SALT IS

LISTED AS A POSSIBLE HUMAN CARCINOGEN (IARC-2B; NTP=ANTICIPATED). Effects of Overexposure:CAUSES IRRITATION OF THE SKIN, EYES AND/OR RESPIRATORY SYSTEM.

Medical Cond Aggravated by Exposure:NOT KNOWN.

First Aid:SKIN: WASH THOROUGHLY WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ATTN IF IRRITATION DEVELOPS OR PERSISTS. EYE: REMOVE CONTACT LENSES. HOLD EYELIDS APART. IMMEDIATEL Y FLUSH EYES

WITH PLENTY OF WATER FOR AT LEAST 15 MINS. GET IMMEDIATE MEDICAL ATTENTION. INHALATION: IF NASAL, THROAT OR LUNG IRRITATION DEVELOPS-REMOVE TO FRESH AIR & GET MEDICAL ATTENTION. INGESTION: DO NOT FEED ANYT HING BY MOUTH TO AN UNCONSCIOUS OR CONVULSIVE VICTIM. DO NOT INDUCE VOMITING. IMMEDIATELY CONTACT PHYSICIAN. DILUTE CONTENTS OF STOMACH USING 3-4 GLASSES MILK OR WATER.

Flash Point Meth od:PMCC Flash Point:>93.3C, 200.F Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, FOAM OR WATER Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS (FULL FACE-PIECE TYPE) Unusual Fire/Explosion Hazard:NO DATA PROVIDED BY RESPONSIBLE PARTY.

Spill Release Procedures: VENTILATE AREA. USE SPECIFIED PROTECTIVE EQUIPMENT. CONTAIN AND ABSORB ON ABSORBENT MATERIAL. PLACE IN WASTE

DISPOSAL CONTAINER. FLUSH AREA WITH WATER. WET AREA MAY BE SLIPPERY. SPREAD SAND/GRIT Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY.

Handling and Storage Precautions: HANDLING: NORMAL CHEMICAL HANDLING.
STORAGE: KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP DRY. STORE
BELOC 104 DEG F AND AWAY FROM ACIDS AND OXIDIZERS.
Other Precautions: NO DATA PROVIDED BY RESPONSIBLE PARTY.

Respiratory Protection: A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE. USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS. (SEE SUPPLEMENTAL BELOW).

Ventilation: ADEQUATE VENTILATION.

Protective Gloves: NEOPRENE GLOVES-WASH OFF AFTER EACH USE

. REPLACE AS NECESSARY. Eye Protection:AIRTIGHT CHEMICAL GOGGLES. Other Protective Equipment:USE PROTECTIVE EQUIPMENT IN ACCORDANCE WITH 29CFR 1910 SUBPART 1. Work Hygienic Practices:NO DATA PROVIDED BY RESPONSIBLE PARTY. Supplemental Safety and Health RESPIRATORY PROTECTION CONTINUED: IF AIR-PURIFYING RESPIRATOR USE IS APPROPRIATE. USE A RESPIRATOR WITH DUST/MIST FILTERS.

HCC:N1 Vapor Pres:< 1.0 (MMHG) Vapor Dens ity: