

SYON CORPORATION -- 039-080055-030, 031, 058, 064, 078 PART B

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 00-776-9601  
MSDS Date: 01/01/1995  
MSDS Num: CKFZR  
Product ID: 039-080055-030, 031, 058, 064, 078 PART B  
MFN: 02  
Responsible Party  
Cage: 0SJM5  
Name: SYON CORPORATION  
Address: 280 ELLIOT STREET  
City: ASHL  
AND MA 01721  
Info Phone Number: 508-881-8852  
Emergency Phone Number: 1-800-255-3924  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 0SJM5  
Name: SYON CORPORATION  
Address: 280 ELLIOT STREET  
City: ASHLAND MA 01721  
Phone: 508-881-8852

=====  
Item Description Information  
=====

=====  
Item Manager: GSA  
Item Name: ADHESIVE  
Unit of Issue: KT  
=====

Health Hazards Data  
=====

Signs And Symptions Of Overexposure: CAUSES SEVERE EYE AND SKIN IRRITATION OR BURNS. MAY BE HARMFUL IF SWALLOWED.  
First Aid: INGESTION: DO NOT INDUCE VOMITING UNTIL AFTER CONSULTING A PHYSICIAN. IF CONSCIOUS - DILUTE WITH MILD OR WATER. SKIN: FLUSH WITH WATER. GET MEDICAL ATTENTION IF IRRIT

ATION PERSISTS. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

=====  
Handling and Disposal  
=====

Spill Release Procedures: WEAR APPROPRIATE CLOTHING AND RESPIRATOR. SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED WITH NONFLAMMABLE SOLVENT. INCINERATE IN ACCORDANCE WITH LOCAL POLLUTION REGULATIONS AND ORDINANCES.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: COC  
Flash Point: >260.C, 500.F  
Flash Point Text: >500F  
Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER.  
Fire Fighting Procedures: USE SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

=====  
Control Measures  
=====

Respiratory Protection: NIOSH APPROVED ORGANIC VAPOR RESPIRATOR  
Ventilation: LOCAL & MECHANICAL EXHAUST  
Protective Gloves: IMPERVIOUS GLOVES  
Eye Protection: SPLASH-PROOF GOGGLES  
Other Protective Equipment: SAFETY SHOWER, AND EYE WASH FACILITIES.

=====  
Physical/Chemical Properties  
=====

Spec Gravity: 0.97  
Appearance and Odor: VISCOUS AMBER LIQUID  
=====

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: STORAGE AT ELEVATED TEMPERATURES OVER LONG PERIODS OF TIME. EXCESSIVE EXOTHERMS WHEN CURED.  
Materials To Avoid: STRONG ACIDS  
Hazardous Decomposition Products: CO, CO2 AND NITROGEN OXIDES.  
Hazardous Polymerization Indicator: NO  
=====

=====  
Other Information  
=====

Other Info

Information: THE EPOXY COMPONENTS OF THIS PRODUCT ARE FORMED IN A REACTION USING EPICHLOROHYDRIN. THIS REACTION DEPLETES EPICHLOROHYDRIN TO A CONCENTRATION BELOW 4 PPM. CONCENTRATIONS BELOW 4 PPM ARE NOT EXPECTED TO BE HARMFUL WHEN IN LIQUID MIXTURE.

=====  
Transportation Information  
=====

Responsible Party Cage: 0SJM5  
Trans ID NO: 152217  
Product ID: 039-080055-030, 031, 058, 064, 078 PART B  
M  
SDS Prepared Date: 01/01/1995  
Review Date: 03/08/2000  
MFN: 2  
Multiple KIT Number: 0  
Unit Of Issue: KT  
=====

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping  
Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: 039-080055-030, 031, 058, 064, 078 PART B  
Cage: 0SJM5  
Company Name: SYON CORPORATION  
Street: 280 ELLIOT STREET  
City: ASHLAND MA  
Zipcode: 01721  
Health Emergency Phone: 1-800-255-3924  
Label Required IND: Y  
Date Of Label Review: 04/03/2000  
Status Code: A  
Origination Code: G  
=====

Disclaimer (provided with th

is information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use.

Any person

utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.