

ECOLINK INC -- RIPTIDE, BIODEGRADABLE SOLVENT -- 6850-01-394-0161

=====  
Product Identification  
=====

Product ID:RIPTIDE, BIODEGRADABLE SOLVENT

MSDS Date:09/29/1998

FSC:6850

NIIN:01-394-0161

Status Code:A

MSDS Number: CKGQR

=== Responsible Party ===

Company Name:ECOLINK INC

Address:1481 ROCK MOUNTAIN BLVD

City:STONE MOUNTAIN

State:GA

ZIP:30083-1505

Country:US

Info Phone Num:800-886-8240

Emergency

Phone Num:800-535-5053

CAGE:0WU71

=== Contractor Identification ===

Company Name:ECOLINK INC

Address:1481 ROCK MOUNTAIN BLVD

Box:City:STONE MOUNTAIN

State:GA

ZIP:30083-1505

Country:US

Phone:800-886-8240/770-621-8240

CAGE:0WU71

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Minumum % Wt:65.

Maxumum % Wt:75.

Ingred Name:NONYLPHENOXY POLYETHOXY ETHANOL

CAS:9016-45-9

RTECS #:AX0247000

Minumum % Wt:10.

Maxumum % Wt:15.

Ingred

Name:D-LIMONENE

CAS:5989-27-5

RTECS #:GW6360000

Minumum % Wt:5.

Maxumum % Wt:10.

Other REC Limits:PEL/TLV: 300 PPM

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION: CAN CAUSE GASSTROINTESTINAL IRRITATION. INHALATION: NO EXPOSURE LIMITS KNOWN, BREATHING DIRECT SPRAY MIST CAN CAUSE IRRITATION. EYES: CONTACT CAUSES TE

MPOPARY

IRRITATION. SKIN CONTACT; PROL ONGED EXPOSURE MAY CAUSE SKIN TO DRY AND CRACK.

Effects of Overexposure:INGESTION: CAN CAUSE GASSTROINTESTINAL

IRRITATION. INHALATION: NO EXPOSURE LIMITS KNOWN, BREATHING DIRECT SPRAY MIST CAN CAUSE IRRITATION. EYES: CONTACT CAUSES TEMPORARY

IRRITATION. SKIN CONTACT; PROL ONGED EXPOSURE MAY CAUSE SKIN TO DRY AND CRACK.

=====  
===== First Aid Measures =====

First Aid:INGESTION: DRINK 1 TO 2 GLASSES OF

WATER OR MILK, INDUCE

VOMITING. CONTACT PHYSICIAN. EYES: IRRIGATE IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN, IF IRRITATION PERSISTS.

SKIN: WA SH WITH SOAP AND WATER.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=83.9C, 183.F

Extinguishing Media:WATER

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Pro

