View NSN Online: https://aerobasegroup.com/nsn/9150-00-721-8581

EQUILON ENTERPRISES LLC -- AEROSHELL GREASE 14 (MIL-G-25537; MIL-G-25537C)

9150-00-721-8581

Product ID:AEROSHELL GREASE 14 (MIL-G-25537; MIL-G-25537C)

MSDS Date:01/04/1999

FSC:9150

NIIN:00-721-8581 MSDS Number: CKJLV === Responsible Party ===

Company Name: EQUILON ENTERPRISES LLC

Address:PRODUCT STEWARDSHIP

Box:674414 City:HOUSTON

State:TX

ZIP:77267-4414

Count ry:US

Info Phone Num:877-276-7285

Emergency Phone Num:877-276-7283

Resp. Party Other MSDS Num.:56200E-08

Preparer's Name: KAREN G. HAYNES Chemtrec Ind/Phone: (800)424-9300

CAGE:3N254

=== Contractor Identification ===

Company Name: EQUILON ENTERPRISES LLC PRODUCT STEWARDSHIP

Address:1111 BAGBY RD RM 4325D

Box:674414 City:HOUSTON

State:TX

ZIP:77267-4414

Country:US

Phone:877-276-7285

CAGE:3N254

Company Name: SDB CONSULTANTS LTD Address: 401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA ZIP:70056 Countr y:US

Phone: 504-366-9105

Contract Num:SP0450-00M-C216

CAGE:0PGK2

Company Name:SDB CONSULTANTS LTD Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA ZIP:70056 Country:US

Phone:504-366-9105

Contract Num:SP0450-01-M-C988

CAGE:0PGK2

Company Name: SDB CONSULTANTS LTD Address: 401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA ZIP:70056 Country:US

Phone:504-366-9105

Contract Num:SP0450-01-M-LM56

CAGE:0PGK2

======= Composition/Information on Ingredients ========

Ingred Name:DISTILL

ATES (PETROLEUM), HYDROTREATED MIDDLE OR SOLVENT REFINED, HYDROTREATED MIDDLE DISTILLATE

CAS:64742-46-7 RTECS #:JN9379645 Minumum % Wt:20.

Maxumum % Wt:30.

Ingred Name:DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC OR SOLVENT REFINED, HYDROTREATED LIGHT NAPHTHENIC DISTILLATE

CAS:64742-53-6 RTECS #:PY8036000 Minumum % Wt:20. Maxumum % Wt:30.

Ingred Name:DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC OR SOLVENT REFINED, HYDROTREATED LIGHT PARAFFINC DISTILLATE CAS:6

4742-56-9 RTECS #:PY8039500 Minumum % Wt:35. Maxumum % Wt:40.

Ingred Name: CALCIUM HYDROXYSTEARATE CAS: 3159-62-4

Minumum % Wt:10.

Maxumum % Wt:12.

Ingred Name:OTHER COMPONENTS & It: Wt:2.

============= Hazards Identification ========================

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE - EYE CONTACT: PRODUCT MAY BE MILDLY IRRITATING TO THE EYES. SKIN CONTACT: PROLONGED OR REPE ATED

CONTACT MAY CAUSE VARIOUS DISORDERS SUCH AS DERMATITIS, FOLLICULITIS OR OIL ACNE. RELEASE DURING HIGH PRESSURE USAGE MAY RESULT IN INJECTION OF GREASE INTO THE SKIN CAUSING LOCAL NECROSIS. INHALATION: NOT EXPECTED TO BE A RELEVANT ROUTE OF EXPOSURE; HOWEVER, UNDER HIGH TEMPERATURE CONDITIONS, VAP ORS IRRITATING TO NOSE, THROAT AND UPPER RESPIRATORY TRACT MAY BE PRODUCED. INGESTION: GREASES ARE GENERALLY CONSIDERED TO HAVE A LOW ORDER OF TOXICITY.

Explanation

- of Carcinogenicity:THIS PRODUCT AND ITS COMPONENTS ARE NOT CLASSIFIED AS CARCINOGENS BY INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC), NATIONAL TOXICOLOGY PROGRAM (NTP) OR OCCUPATIONAL SAFETY AND HEALTH ADMINISTRAT ION (OSHA).
- Effects of Overexposure:IRRITATION, LOCAL NECROSIS IS EVIDENCED BY DELAYED ONSET OF PAIN AND TISSUE DAMAGE A FEW HOURS FOLLOWING INJECTION.
- Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS P RODUCT.

First Aid:EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN CONTACT: REMOVE CONTAMINATED CLOTHING AND WIPE EXCESS OFF. WASH SKIN WITH SOAP AND WATER OR A WATER LESS HAND CLEANER FOLLWED BY SOAP AND WATER. IF INJECTED UNDER THE SKIN, GET MEDICAL ATTENTION PROMPTLY TO PREVENT SERIOUS DAMAGE. DO NOT WAIT FOR SYMPTOMS TO DEVELOP. INHALATION: REMOVE

VICTIM TO FRE SH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IN GENERAL, NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES OF PRODUCT ARE INGESTED. HOWEVER, GET MEDICAL ATTENTION.

========== Fire Fighting Measures ===============

Flash Point Method: PMCC Flash Point:=310.C, 590.F

BASE OIL

Lower Limits:N/AV Upper Limits:N/AV

Extinguishing Media: USE WATER FOG, DRY CHEMICAL OR CARBON DIOXIDE (C

O2). DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER.

Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING A NIOSH APPROVED SELF-COCNTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS SUROUNDING EQUIPMENT AND STRUCTURES WI TH WATER.

Unusual Fire/Explosion Hazard: NONE IDENTIFIED.

======== Accidental Release Measures ===========

Spill Release Procedures:SCO

OP UP EXCESS GREASE. CLEAN AREA WITH

APPROPRIATE CLEANER. MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACESHIELD, BUNKER COATS, GLOVS AND RUBBER BOOTS), INCLUDING A POSITIVE-PRESSURE, NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY.

============= Handling and Storage ==========================


Handling and

Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

Other Precautions:MINIMIZE SKIN CONTACT. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, APPLYING COSMETIC OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERL Y DISPOSE OF CONTAMINATED LEATHER ARTICLES INCLUDING SHOES THAT CANNOT BE DECONTAMINATED. KEEP OUT O F REACH OF CHILDREN.

=====

===== Exposure Controls/Personal Protection =======
Respiratory Protection:NOT ORDINARILY REQUIRED. Ventilation:NO DATA PROVIDED BY RESPONSIBLE PARTY. Protective Gloves:OIL RESISTANT GLOVES. Eye Protection:NO DATA PROVIDED BY RESPONSIBLE PARTY.
Other Protective Equipment:USE OIL RESISTANT GLOVES AND OTHER CLOTHING AS NEEDED TO MINIMIZE SKIN CONTACT. Work Hygienic Practices:GOOD PRACTICE REQUIRES THAT GROSS AMOUNT OF ANY
CHEMICAL BE REMOVED FROM THE SKIN AS SOON AS PRACTICAL. Supplemental Safety and Health
SHELL CODE: 70014.
======== Physical/Chemical Properties =========
HCC:V6
Boiling Pt:B.P. Text:NOT AVAILABLE Melt/Freeze Pt:=140.C, 284.F
M.P/F.P Text:DROP POINT
Vapor Pres:NOT AVAILABLE Spec Gravity:0.876
Evaporation Rate & Drawn; Reference: NOT AVAILABLE
Solubility in Water:NEGLIGIBLE
Appearance and Odor:TAN, SMOOTH, SLIGHT ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES AVOI
D CONTACT WITH STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:AVOID HEAT, OPEN FLAME. Hazardous Decomposition Products:DEPENDS HIGHLY ON THE COMBUSTION
CONDITION. A COMPLEX MIXTURE OF AIRBORNE SOLID, LIQUID, PARTICULATES AND GASES WILL EVOLVE. CARBON MONOXIDE AND
UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED. Conditions to Avoid Polymerization:HAZARDOUS POLYMERIZATION WILL NOT OCCUR.
========= Toxicological Information ==========
Toxicological Informat



ion:THIS SPECIFIC PRODUCT HAS NOT BEEN TESTED IN

SARA Title III Information:BASED ON THE DATA AVAILABLE THIS PRODUCT IS NOT REGULATED BY SARA TITLE I

II.

- Federal Regulatory Information:THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TOXIC SUBSTANCE CONTROL ACT (TSCA) INVENTORY OF CHEMICAL SUBSTANCES. THIS PRODUCT IS COVERED BY EPA'S COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENS ATION AND LIABILITY ACT (CERCLA) PETROLEUM EXCLUSION. THEREFORE, RELEASES TO AIR, LAND, OR WATER ARE NOT REPORTABLE UNDER CERCLA ("SUPERFUND"). HOWEVER, UNDER SECTION 311 OF EPA'S CLEAN WATER ACT (CW A), THIS PRODUCT IS CONSIDERED AN OI
- L. AS SUCH, SPILLS INTO OR LEADING TO SURFACE WATERS THAT CAUSE A SHEEN MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER, 800-424-8802.
- State Regulatory Information:THE FOLLOWING CHEMICALS ARE SPECIFICALLY LISTED BY INDIVIDUAL STATES; OTHER PRODUCT SPECIFIC HEALTH AND SAFETY DATA IN OTHER SECTIONS OF THE MSDS MAY ALSO BY APPLICABLE FOR STATE REQUIREMENTS. FOR DE TAILS ON YOUR REGULATORY REQUIREMENTS YOU SHOULD CONTACT THE APPROPRIATE STATE AGENCY. MASSACHUSETTS SUBS

Τ.	. LIST: SOLVENT REFINED, HYDROTREATED LIGHT
	PARAFFINC DISTILLATE, CAS# 64742-56-9, 35-40%; SOL VENT REFINED,
	HYDROTREATED LIGHT NAPHTHENIC DISTILLATE, CAS# 64742-53-6, 20-30%

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.