

GRIGGS PAINT -- MIL-L-81352A #17875 WHITE 700W03 -- 8010-00-935-6608

=====
Product Identification
=====

Product ID:MIL-L-81352A #17875 WHITE 700W03

MSDS Date:11/25/1997

FSC:8010

NIIN:00-935-6608

Status Code:A

MSDS Number: CKJNR

=== Responsible Party ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

City:PHOENIX

State:AZ

ZIP:85040

Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:80

0-424-9300 CHEMTREC

Preparer's Name:ROBERT COMMISSO

Chemtrek Ind/Phone:(800)424-9300

CAGE:DO312

=== Contractor Identification ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ

ZIP:85040

Country:US

Phone:602-243-3293

CAGE:58963

Company Name:GRIGGS PAINT

Address:3602 S 16TH PL

City:PHOENIX

State:AZ

ZIP:85040-1319

Phone:602-243-3293

CAGE:DO312

=====
Composition/Information on Ingredients
=====

Ingred Name:XYLENE (SARA 313) (CERCLA) (VAPOR PRESSURE

= 5.1MM HG @
68F)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 2%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:DIOCTYL PHTHALATE VAPOR PRESSURE: .2 MM HG @ 200 F

CAS:117-81-7

RTECS #:TI0350000

Fraction by Wt: 1%

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

He

alth Hazards Acute and Chronic:DIRECT CONTACT W/ EYES MAY CAUSE IRRITATION. PROLONGED/REPEATED CONTACT MAY CAUSE SKIN IRRITATION. INHALATION OF HIGH CONCENTRATIONS OF VAPORS MAY LEAD TO LUNG CHANGES, NAUSEA, VOMITING, COUGH, PULMONARY IRRITATION, CNS DEPRESSION. INGEST: ASPIRATION INTO LUNGS MAY CAUSE PNEUMONITIS, PULMONARY EDEMA, HEMORRHAGE. INGEST:GASTROINTESTINAL DISTURBANCES.

Effects of Overexposure:BREATHING OF HIGH VAPOR CONCENTRATIONS MAY CAUSE DROWSINESS, DIZZINE

SS, FATIGUE, FOLLOWED BY COMA. EYE: DIRECT CONTACT/CONTACT W/ VAPORS MAY CAUSE IRRITATION. SKIN: PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION/DERMATITIS. MAY BE ABSORBED THROUGH SKIN INDICATED BY MODERATE IRRITATION, DEFATTING, DERMATITIS. INGEST: ASPIRATION OF PRODUCT INTO LUNGS MAY CAUSE PNEUMONITIS, PULMONARY EDEMA, AND HEMORRHAGE. INGESTION MAY CAUSE GASTROINTESTINAL DISTURBANCES.

Medical Cond Aggravated by Exposure:INDIVIDUALS W/ PRE-EXISTING DISEASES IN OR HI

STORY OF AILMENTS INVOLVING SKIN, CENTRAL NERVOUS SYSTEM, LIVER AND KIDNEYS.

=====
=====
First Aid Measures
=====

First Aid:EYES: IMMEDIATELY FLUSH W/LARGE AMOUNTS WATER FOR 15 MINUTES. SEEK MED AID. SKIN: WASH THOROUGHLY W/SOAP & WATER. SEEK MED AID. INGEST: IMMEDIATELY SEEK MED AID. DONT INDUCE VOMITING. DONT GIVE ANYTHI NG BY MOUTH TO UNCONSCIOUS PERSON.

=====
=====
Fire Fighting Measures
=====

Flash Point Method:

TCC

Flash Point:=26.7C, 80.F

Autoignition Temp:Autoignition Temp Text:NA

Lower Limits:0.3

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:APPROVED GAS MASK REQUIRED FOR FIRE FIGHTING PERSONNEL. WATER MAY BE INEFFECTIVE, MAY BE USED TO COOL CONTAINERS. IF WATER IS USED, FOG NOZZLES ARE PREFERRED.

Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM IGNITION SOUCES. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT.

=====

=====
=====
Accidental Release Measures
=====

Spill Release Procedures:STOP LEAK IF NO RISK INVOLVED. REMOVE ALL SOURCES OF IGNITION. STAY UPWIND. ABSORB WITH INERT MATERIAL. FLUSH AREA W/WATER. VENTILATE AREA FOR AT LEAST 24 HOURS OR UNTIL AREA HAS BEEN DECLARED SAFE.

=====
=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED & UPRIGHT TO PREVENT LEAKAGE. AVOID FLAMES, WELDING, OPEN LIGHTS, ETC. AVO ID

BREATHING VAPORS/SPRAY MISTS. AVOID SKIN/EYE CONTACT. AVOID STORING MATERIAL NEXT TO/ NEAR OXIDIZING MATERIALS.

Other Precautions:MAINTAIN GOOD PERSONAL HYGIENE. DO NOT USE IN CONFINED AREAS, TANKS OR PITS WITHOUT ADEQUATE VENTILATION.

=====
=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE MSHA/NIOSH APPROVED UNITS. USE UNITS PER CURRENT 29 CFR 1910.134 REGULATIONS & FOLLOW MANUFACTURERS' INSTRUCTIONS & WARNINGS. AIR PURIFYING OV/

FILTER UNITS MAY BE
ACCEPTABLE.

Ventilation:LOCAL AND MECHANICAL EXHAUST.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:EYE BATH AND SAFETY SHOWER.

Work Hygienic Practices:MAINTAIN GOOD PERSON HYGIENE. DO NOT USE IN
CONFINED AREAS WITHOUT ADEQUATE VENTILATION.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:=137.8C, 280.F

Decomp Temp:Decomp Text:NA

Vapo

r Pres:SEE INGREDIENTS

Vapor Density:>AIR

Spec Gravity:1.1 WATER=1

VOC Pounds/Gallon:570

VOC Grams/Liter:4.76

Viscosity:NA

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:ESSENTIALLY NIL

Appearance and Odor:VISCIOUS LIQUID, W/ STRONG SOLVENT ODOR.

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:FLAMES, SPARKS, SMOKING, HEAT

Hazardous Decom

position Products:CO & CO2.

===== Disposal Considerations =====

Waste Disposal Methods:USE INERT ABSORBENT MATERIAL ON SPILLS. DISPOSE
IN ACCORDANCE WITH ALL FEDERAL, STATE & LOCAL REGULATIONS. THIS
PRODUCT IS A US EPA DEFINED IGNITIBLE HAZ WASTE. DISPOSE OF AS
IGNITIBLE HAZ WASTE IN A CCORDANCE W/ LOCAL/STATE/FED REGULATIONS.
AVOID STORING MATERIAL NEXT TO/ NEAR OXIDIZING MATERIALS. EPA
IGNITIBLE.

===== Regulatory Informat

ion =====

SARA Title III Information:XYLENE

State Regulatory Information:WARNING : THIS PRODUCT CONTAINS CHEMICALS
KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR
OTHER REPRODUCTIVE HARM.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be
accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.