View NSN Online: https://aerobasegroup.com/nsn/6830-01-050-0117

CIBA CORNING DIAGNOSTICS CORP A JOINT VENTURE -- P/N 477438, CALIBRATING GAS -- 6830-01-050-0117

Product ID:P/N 477438, CALIBRATING GAS MSDS Date:12/15/1986 FSC:6830 NIIN:01-050-0117 Status Code:A **MSDS Number: CKJXT** === Responsible Party === Company Name: CIBA CORNING DIAGNOSTICS CORP A JOINT VENTURE Address:63 NORTH ST City:MEDFIELD State:MA ZIP:02052-2308 Count ry:US Info Phone Num:508-359-7711/800-255-8769 Emergency Phone Num:800-255-3232 Preparer's Name: REGULATORY AFFAIRS CAGE:51404 === Contractor Identification === Company Name: CIBA CORNING DIAGNOSTICS CORP A JOINT VENTURE Address:63 NORTH ST Box:City:MEDFIELD State:MA ZIP:02052-2308 Country:US Phone: 508-359-7711/800-255-8769 CAGE:51404

Ingred Name:CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 = Wt:10. OSHA PEL:9000 MG/M3;5000 PPM ACGIH TLV:9000 MG/M3;5000 PPM ACGIH STEL:54000 MG/M3

Ingred Name:NITROGEN CAS:7727-37-9 RTECS #:QW9700000 Fraction by Wt: BALANCE

LD50 LC50 Mixture:NO DATA PROVIDED BY RESPONSIBLE PARTY. Health Hazards Acute and Chronic:SYMPTOMS INCLUDE HEADACHE, DIZZINESS, MUSCULAR INCOORDINATION AND RAPID RESPIRATION. HIGH CARBON DIOXIDE LEVELS CAN EFFECT THE NERVOUS SYSTEM CAUSING PARALYSIS OF THE BREATHING CONTROL CENTERS

Explanation of Carcinogenicity:NO DATA PROVIDED BY RESPONSIBLE PARTY. Effects of Overexposure:SYMPTOMS INCLUDE HEADACHE, DIZZINESS, MUSCULAR INCOORDINATION AND RAPID RESPIRATION. HIGH CARBON DIOXIDE LEVELS CAN EFFECT THE NERVOUS SYSTEM CAUSING PARALYSIS OF THE BREATHING CONTROL CENTERS.

Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY RESPONSIBLE PARTY.

First Aid:REMOVE VICTIM TO FRESH AIR. RESTORE AN D/OR SUPPORT BREATHING AS NECESSARY.

Fire Fighting Procedures: KEEP EXPOSED CYLINDERS COOL WITH WATER SPRAY. SHUT OFF GAS SOURCE AND REMOVE CYLINDERS IF POSSIBLE. Unusual Fire/Explosion Hazard: EXPOSURE TO TEMPERATURES ABOVE 50C (130F) MAY CAUSE CONTENTS TO VENT OR CAUSE BURSTING.

Spill Release Procedures: VENTILATE AREA. REMOVE LEAKING CYLINDER TO

EXHAUST HOOD OR SAFE OUTDOOR AREA. Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY.

Handling and Storage Precautions: TNAKS MUST BE SECURES AGAINST A WALL OR BENCH, ON THE FLOOR OR PLACE IN A TANK BASE SUPPORT STAND.
Other Precautions: DO NOT DEFACE CYLINDERS OR LABELS. MOVE CYLINDERS WITH AN ADEQUATE HAND TRUCK. MATERIAL IS A COMPRESSED GAS. USE WITH APPROPRIATE GAS REGULATORS AND EQUIPMENT RATED FOR P RESSURE.

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS IS NECESSARY IN CASE OF EMERGENCY. Ventilation:GENERAL VENTILATION. Eye Protection:SAFETY GLASSES. Other Protective Equipment:SAFETY SHOES WHEN HANDLING CYLINDERS. Work Hygienic Practices:NO DATA PROVIDED BY RESPONSIBLE PARTY. Supplemental Safety and Health THESE GASES ARE FOR USE IN THE CALIBRATION OF CLINICAL AND RESEARCH INSTRUMENTATION. U.S. LAW PRO

HIBITS DISPENSING THESE GASES FOR DRUG USE.

HCC:G3

Appearance and Odor:COLORLESS, ODORLESS GAS MIXTURE.

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:NONE.

Toxicological Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.

====== Ecological

Information ====================================
Ecological:NO DATA PROVIDED BY RESPONSIBLE PARTY.
======================================
Waste Disposal Methods:NEVER THROW TANKS INTO FIRE OR INCINERATOR.
======================================
Transport Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.
======================================
SARA Title III Information:NO DATA PROVIDED BY RESPONSIBLE PARTY. Federal
Regulatory Information:NO DATA PROVIDED BY RESPONSIBLE PARTY. State Regulatory Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.
======================================
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liabili

ty for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.