

VIRGINIA K M P CORPORATION -- ALKI-FOAM, AKF 1, AKF 5, AKF 55 -- 6850-01-304-0059

=====
Product Identification
=====

Product ID:ALKI-FOAM, AKF 1, AKF 5, AKF 55

MSDS Date:09/27/1996

FSC:6850

NIIN:01-304-0059

MSDS Number: CKKQJ

=== Responsible Party ===

Company Name:VIRGINIA K M P CORPORATION

Address:4100 PLATINUM WAY

City:DALLAS

State:TX

ZIP:75237

Country:US

Info Phone Num:214-330-7731

Emergency P

Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:VIRGINIA KMP CORPORATION

Chemtrec Ind/Phone:(800)424-9300

CAGE:8J132

=== Contractor Identification ===

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-1555

Country:US

Phone:847-296-6192/FAX: 800-542-1042

Contract Num:SP0414-01-M-1498

CAGE:0TNN7

Company Name:TIDEWATER ELECTRIC MOTOR CO INC, DBA JOHNSTONE SUPPLY

Address:403 S. WITCHDUCK RD

Box:UNKNOW

City:VIRGINIA BEACH

State:VA

ZIP:23462-3633

Countr

y:US
Phone:757-499-6600
Contract Num:SP0450-01-M-D159
CAGE:9W485
Company Name:VIRGINIA CHEMICALS INC CAGE CODE OBSOLETE
Address:OBSOLETE
Box:City:UNK
Country:US
Phone:0000000000
CAGE:58727
Company Name:VIRGINIA K M P CORPORATION
Address:4100 PLATINUM WAY
Box:City:DALLAS
State:TX
ZIP:75237
Country:US
Phone:214-330-7731
CAGE:8J132

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM HYDROXIDE
CAS:1310-73-2
RTECS #:WB4900000
Other REC Limits:NONE RECOMMENDED
O
SHA PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3; 9495
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL (RAT) LDLO= 500 MG/KG.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION: VAPORS OR MISTS IS
CORROSIVE TO RESPIRATORY TRACT. EYE CONTACT: LIQUID OR VAPORS ARE
CORROSIVE TO EYES. SKIN CONTACT: LIQUID OR VA
PORS ARE CORROSIVE TO
SKIN. INGESTION: TOXIC. MAY CAUSE SEVERE DAMAGE, PERFORATION, AND
SCARRING OF GASTROINTESTINAL TRACT. CHRONIC EFFECTS: CHEMICAL
PNEUMONITIS. EMERGENCY OVERVIEW: DANGER! CORROSIVE TO ALL BODY
TISSUES. AVOID CONTACT WITH SKIN OR EYES. HARMFUL IF INHALED OR
SWALLOWED.
Effects of Overexposure:INHALATION: RESPIRATORY TRACT IRRITATION,
CHEMICAL PNEUMONITIS. EYES: CORROSION. SKIN: CORROSION. INGESTION:
TOXIC. GASTROINTESTINAL TRACT DAMAGE, PERFORATION

FORE REUSE. STORE AWAY FROM STRONG ACIDS, ACIDIC MATERIALS.

Other Precautions:CLEAN UP LEAKS/SPILLS IMMEDIATELY TO PREVENT SOIL OR WATER CONTAMINATION.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH-APPROVED RESPIRATOR IF TLV IS EXCEEDED.

Ventilation:LOCAL EXHAUST VENTILATION RECOMMENDED.

Protective Gloves:WEAR CHEMICAL IMPERVIOUS GLOVES AS NEEDED FOR PROTECTION AGAINST SKIN EXPOSURE.

Eye Protection:WEAR FULL FACE SHIELD AS NEEDED FOR PROTECTION AGAINST SPLASHING.

Other Protective Equipment:USE BOOTS, APRONS AS NEEDED. PROVIDE EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt:=100.C, 212.F

Melt/Freeze Pt:M.P/F.P Text:N/D

Vapor Pres:N/D

Vapor Density:>1

Spec Gravity:1.2

p

H:13.5-14.0

Evaporation Rate & Reference: