

AIR TECHNIQUES INC. -- PERI-PRO FIXER -- 6525-01-204-2656

=====
Product Identification
=====

Product ID:PERI-PRO FIXER

MSDS Date:01/29/1992

FSC:6525

NIIN:01-204-2656

Status Code:A

Kit Part:Y

MSDS Number: CKLQG

=== Responsible Party ===

Company Name:AIR TECHNIQUES INC.

Address:70 CANTIAQUE ROCK ROAD

City:HICKSVILLE

State:NY

ZIP:11801

Country:US

Info Phone Num:516-433-7676

Emergency Phone Num:519-4

33-7676

CAGE:53542

=== Contractor Identification ===

Company Name:AIR TECHNIQUES INC.

Address:70 CANTIAQUE ROCK ROAD

Box:City:HICKSVILLE

State:NY

ZIP:11801

Country:US

Phone:516-433-7676

CAGE:53542

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Minumum % Wt:60.

Maxumum % Wt:100.

Ingred Name:AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000

Minumum % Wt:1.

Maxumum % Wt:5.

Ingred Name:SODIUM SULFITE

CAS:7757-83-7

RTECS #

:WE2150000

Minumum % Wt:1.

Maxumum % Wt:5.

Ingred Name:ACETIC ACID

CAS:64-19-7

RTECS #:AF1225000

Minumum % Wt:1.

Maxumum % Wt:5.

OSHA PEL:25 MG/M3;10 PPM

ACGIH TLV:25 MG/M3;10 PPM

ACGIH STEL:37 MG/M3;15 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:ACUTE: EYE: IRRITATION OR BURNING MAY OCCUR. HIGH CONCENTRATIONS OF ACETIC ACID VAPOR S CAN CAUSE EXCESS

BLINKING, TEARING, & EYE DISCOMFORT. SKIN: IRRITATION & BURNING POSSIBLE. INGESTION: ACETIC ACID CAN CAUSE BURNING TO MOUTH, THROAT & ESOPHAGUS. NAUSEA, VOMITING, ABDOMINAL PAIN. SHOCK STATE COLLAPSE POSSIBLE. SODIUM SUFFITE MAY CAUSE CIRCULATORY DISTURBANCES & CENTRAL NERVOUS SYSTEM DAMAGE. INH ALATION: IF HEATED AMMONIA VAPORS IRRITATE THE THROAT. CHRONIC: NONE.

Explanation of Carcinogenicity:NONE

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINS. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING & WASH SKIN THOROUGHLY WITH SOAP & WATER. WASH CLOTHES BEFORE RE-USE. INHALATION: REMOVE TO FRESH AIR. IF BREATHING BECOMES DIFFICULT, GIVE OXYGEN. GET MEDICAL ATTENTION. INGESTION: IF CONSCIOUS, GIVE LARGE AMOUNTS OF WATER. DO NOT INDUCE VOMITING. IF NOT CONSCIOUS, GIVE ARTIFICIAL RESPIRATION. O BTAIN PROMPT MEDICAL ATTENTION.

=====

===== Fire Fighting Measures =====

Extinguishing Media:ANY APPLICABLE TO THE PRIMARY CAUSE OF FIRE.
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS. EXCESSIVE HEAT MAY CAUSE THE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:NEUTRALIZE WITH SODIUM BICARBONATE, DIKE THE SPILL AND SOAK UP WITH ABSORBENT MATERIAL. PUT INTO PLASTIC

CONTAINER FOR LEGAL DISPOSAL.
Neutralizing Agent:SODIUM BICARBONATE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE & HANDLE IN A TIGHTLY CAPPED CONTAINER. WEAR PROTECTIVE GLOVES, CLOTHING, & GOGGLES. KEEP WORK SPACE UNCLUTTERED. AVOID CONTACT WITH EYES & SKIN. STORAGE: DO NOT STORE NEAR FOOD, DRINK, OR TOBACCO PRODUCTS. STORE IN A WELL VENTILATED AREA. STORE BETWEEN 10 TO 25 DEG C. DO NOT ALLOW TO FREEZE.

Other Precautions:SHIP ABOVE 4.4 DEG C. PROTECT FROM PUNCTURING BY HANDLING OR OTHER EQUIPMENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED CARTRIDGE RESPIRATOR IN POORLY VENTILATED AREAS.
Ventilation:RECOMMENDED VENTILATION - 10 ROOM VOLUMES PER HOUR.
Protective Gloves:NITRILE RUBBER OR PLASTIC.
Eye Protection:CHEMICAL SPLASH GOGGLES.
Other Protective Equipment:EYE WASH STATION.
Supplemental Safety and Health
ITEM IS A DEVELOPER AND FIXER SET FOR X-RAY FILM PROCESSING; CONTAINS 3 QUARTS OF DEVELOPER AND 3 QUARTS OF FIXER USED IN DENTAL AUTOMATIC PROCESSING.

===== Physical/Chemical Properties =====

HCC:T4
Boiling Pt:>100.C, 212.F
Melt/Freeze Pt:=0.C, 32.F
Spec Gravity:1.1
pH:4.5 TO 5.0
Solubility in Water:COMPLETE
Appearance and Odor:VINEGAR ODOR, CLEAR COLORLESS LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALIS OR ACIDS. WILL NEUTRALIZE STRONG ALKALIS AND RELEASE SOME HEAT.

Hazardous Decomposition Products:SULFUR DIOXIDE (ACIDS) AND AMMONIA (ALKALIS).

===== Toxicological Information =====

Toxicological Information:AMMONIUM THIOSULFATE: ORAL/RAT 2890 MG/KG. SODIUM SULFITE: IVN/RAT 115 MG/KG. ACETIC ACID: ORAL/RAT 3310 MG/KG. LC50 5620 PPM 1 HR. MOUSE.

===== Disposal Considerations =====

Waste Disposal Method

s:DISPOSAL MUST CONFIRM TO FEDERAL AND LOCAL REGULATIONS. CONSULT LOCAL SEWER AUTHORITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.