

O BRIEN CORPORATION -- SKY WHITE, PFW-510-S9 -- 8010-01-382-9147

=====
Product Identification
=====

Product ID:SKY WHITE, PFW-510-S9

MSDS Date:05/16/1992

FSC:8010

NIIN:01-382-9147

Status Code:A

MSDS Number: CKMCL

=== Responsible Party ===

Company Name:O BRIEN CORPORATION

Address:450 E GRAND AVE

City:SOUTH SAN FRANCISCO

State:CA

ZIP:94080-6207

Country:US

Emergency Phone Num:415-761-2300

CAGE:72556

=== Contractor Identification ===

Company Name:O BRIEN CORPORATION

Address:450 E GRAND AVE

Box:City:SOUTH SAN FRANCISCO

State:CA

ZIP:94080-6207

Country:US

CAGE:72556

=====
Composition/Information on Ingredients
=====

Ingred Name:TRIGLYCIDYL ISOCYANURATE

CAS:2451-62-9

RTECS #:XZ1994900

< Wt:5.

ACGIH TLV:10.025 MG/M3

Ingred Name:SILICA, AMORPHOUS FUMED

CAS:7631-86-9

< Wt:5.

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR227500

0
= Wt:30.
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:ALUMINUM HYDROXIDE
CAS:21645-51-2
RTECS #:BD0940000
< Wt:5.

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:EYE CONTACT: POSSIABLE
IRRITATION.BASIC EYE BURNS ARE POSSIABLE DEPENDING UPON THE
DURATION OF CONTACT. INHALATION: IRRITATING TO UPPER RESPRITORY
TRACT. MZY CAUSE HEADACHE. SKIN CONTACT: POSSIABLE IR
RITATION OR
SENSITIZATION. CAN BE ABSORBED THROUGH SKIN IN HARMFUL AMMOUNTS.
INGESTION: SYMPTOMS ARE NOT FULLY KNOWN, MAY INCLUDE LOSS OF
APPETITE ANS BLEEDING FROM THE NOSE.
Medical Cond Aggravated by Exposure:RESPIRATORY ILLNESS AND
DERMITITUS.

=====
First Aid Measures
=====

First Aid:INGESTION: DRINK 1 OR 2 GLASSES OF WATER AND INDUCE VOMITING
BY PLACING FINGER AT BACK OF THROAT. CONSULT PHYSICIAN OR POISON
CONTROL CENTER IMME
DIATELY. INHALATION: REMOVE FROM AREA TO FRESH
AIR. EYE CONTACT: IMMEDIATELY BEGIN FLUSHJING EYES WITH COOL
WATER. OCCASSIONALLY LIFTING LIDS TO ENSURE THROUGH RINSING.
CONTINUE FOR 15 MINITUES. WHILE FLUSHING EYES, SEND FOR MEDICAL
ASSISTANCE. SKIN CONTA CT: WASH THROUGHLY WITH SOAP AND WATER.

=====
Fire Fighting Measures
=====

Flash Point:>315.6C, 600.F
>600F
Lower Limits:40 GRAMS
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG AND DR

Y SAND

Fire Fighting Procedures:USE FULLY PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:DUST CLOUD OF 40 GRAMS PER CUBIIC METER CAN BE IGNITED BY A SPARK OF 20 MILLIJOULES.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP CAREFULLY OR USE EXPLOSION-PROOF VACCUM CLEANER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP ALL EQUIPMENT CLEAN AND PROPERLY GROUNDED TO AVOID STATIC ELEDTRICITY BUILD-UP. KEEP WORK AREAS FREE OF DUST THROUGH ADEQUATE VENTILATION.

Other Precautions:N/DO NOT INGEST. KEEP OUT OF THE REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A PROPPERLY FITTED NIOSH/MSHA APPROVED MECHANICAL RESPIRATOR OR MASK TO AVOID BREATHING DUST.

Ventilation:PROVIDE SUFFICIENT VENTILATION IN VOLUME AND PATTERN TO KEEP AIR CONTAMINAT

ION CONCENTRATION BELOW APPLICABLE OSHA PERMISSIBLE EXPOSSURE LEVEL OR ACGIH'S REG.

Protective Gloves:SYNTHETIC RUBBER GLOVES

Eye Protection:GOGGLES OR SAFTEY GLASSES WITH SIDE SHIELDS RECOMMENDED

Other Protective Equipment:PROTECTIVE OVERALLS RECOMMENDED. REMOVE AND WASH CONTAMINATED CLOTHING.

Supplemental Safety and Health

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:STATIC ELECTRICAL CHAR GES.

Hazardous Decomposition Products:MAY PRODUCE FUMES WHEN HEATED TO DECOMPOSITION. FUMES MAY CONTAIN CO, CO2 AND NO2.

===== Toxicological Information =====

Toxicological Information:TRIGLYCIDAL ISOCYANURATE- LD50 319, ORAL, RAT. SILICA, AMORPHOUS FUMED, LD50 3160, ORAL, RAT. TITANIUM DIOXIDE- LD50 9500, ORAL, RAT. ALUMINUM HYDROXIDE- LD50 150, IPR, RAT.

===== Disposal Considerations =====

Waste Disposal Methods:D

ISPOSE IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any persons
utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.