View NSN Online: https://aerobasegroup.com/nsn/8030-01-275-5050

DOW CORNING CORPORATION -- G-N METAL ASSEMBLY PASTE -- 8030-01-275-5050

Product ID:G-N METAL ASSEMBLY PASTE

MSDS Date: 08/08/1995

FSC:8030

NIIN:01-275-5050

Status Code:A

MSDS Number: CKMPK === Responsible Party ===

Company Name: DOW CORNING CORPORATION

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Info Phone Num:517-496-60

00

Emergency Phone Num:(800)424-9300 Chemtrec Ind/Phone:(800)424-9300

CAGE:5D028

=== Contractor Identification ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997 Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

======= Composition/Information on Ingredients ========

Ingred Name: SOLVENT REFINED LIGHT PARAFFINIC DISTILLATE (PETROLEUM)

CAS:64741-89-5 RTECS #:PY8041500

= Wt:48.

OSHA PEL:400PPM

Ingred Name: MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000

= Wt:16.

OSHA PEL:10MG/M3 ACGIH TLV:10MG/M3

Ingred Name: ZINC PYROPHOSPHATE

CAS:7446-26-6

= Wt:13.

Ingred Name: ETHYLENE SIDTEARYLAMIDE.

CAS:110-30-5

= Wt:3.

Ingred Name: SILICA AMORPHOUS

CAS:7631-86-9

= Wt:2.

OSHA PEL:15MG/M3 ACGIH TLV:10MG/M3

Ingred Name: ALUMINUM PHOSPHATE

CAS:7784-30-7

RTECS #:TB6450000

= Wt:2.

OSHA PEL:2MG/M3 ACGIH TLV:2MG/M3

Ingred Name: HYDROTREATED NEUTRAL OIL, C15-C30

CAS:72623-86-0

= Wt:2.

====== Hazards Identification

Health Hazards Acute and Chronic:EYE: DIRECT CONTACT IRRITATES SLIGHTLY WITH REDNESS AND SWELLING. SKIN: REPEATED OR PROLONGED CONTACT MAY CAUSE DEFATTING OF THE SKIN LEADING TO DERMITITUS. INHALATION: SHORT EXPOSURE MAY CAUSE DROWSI NESS, IRRITATE NOSE AND THROAT AND CAUSE INJURY TO THE FOLLOWING ORGANS, NERVOUS SYSTEM. ORAL: SMALL AMOUNTS TRANSFERRED TO THE MOUTH BY FINGERS DURING USE ETC. SHOULD NOT INJURE. SWALLOWING LARGE AMO UNTS MAY INJURE S

LIGHTLY.
======================================
First Aid:EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. SKIN: REMOVE FROM SKIN AND WASH THOROUGHLY WITH SOAP AND WATER OR WATERLESS CLEANSER. GET MEDICAL ATTENTION IF IRRITATION OR OTHER ILL EFFECTS DEVELOP OR PERSIST. INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF ILL EFFECTS PERSIST. ORAL: GET IMMEDIATE ATTENTION. ONLY INDUCE VOMITING AT THE INSTRUCTIONS OF A PHYSICIAN. NEVER
GIVE ANYTHING BY MOUTH TO AN UNCONCIOUS PERSON.
======================================
Flash Point Method:CC Flash Point:=100.C, 212.F 212F Extinguishing Media:WATER, WATER FOG (OR SPRAY), CARBON DIOXIDE (CO2),
DRY CHEMICAL, FOAM. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.
========= Accidental Release Measures ===========
Spill Release P rocedures:OBSERVE ALL PERSONAL PROTECTION EQUIPMENT RECOMMENDED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE ORGANIC VAPOR/DUST/MIST TYPE RESPIRATOR IF ADEQUATE VENTILATION IS NOT PROVIDED. Ventilation:LOCAL AND GENERAL VENTILATION RECOMMENDED. Protective Gloves:NEOPRENE RUBBER, NITRILE RUBBER, POLYVINYLALCOHOL Eye Protection:SAFETY GLASSES AS A MINIMUM Work Hygienic Practices:WASH AT MEALTIME AND AT END OF SHIFT. CONTAMINATED CLO THING AND SHOES SHOULD BE REMOVED AS SOON AS PRATICAL AND THOROUGHLY WASHED BEFORE REUSE. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:V6 Spec Gravity:1.35 Appearance and Odor:CHARCOAL GRAY PASTE SLIGHT ODOR
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIAL CAN CAUSE A REACTION.
======== Disposal Considerations ============

te I	Disposal Methods:DISPOSAL OF PRODUCT, RESIDUES AND CLEAN-UP	
1	MATERIALS MAY BE FEDERALLY REGULATED. OBSERVE ALL LOCAL, STATE	E AND
I	FEDERAL WASTE MANAGEMENT REGULATIONS. LOCAL, STATE AND FEDER	₹AL
ı	REGULATIONS MAY APPLY TO THE REPORTING OF SPILLS OR RELEASE O	F
-	THIS PRODUCT INTO THE ENVIORMENT.	

	Regulatory	Information	
--	------------	-------------	--

SARA Title III Information: SECTION 312: ACUTE-YES, CHRONIC-YES. SECTION 313: ZINC COMPOUNDS.

Other Information ==========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.