

ABBEY COLOR & CHEMICAL CO., IN -- 18005KB, MIL-R-19907D LIQUID HARDENER PART B

=====  
MSDS Safety Information  
=====

FSC: 2090  
NIIN: 00-372-6064  
MSDS Date: 07/01/1996  
MSDS Num: CKMSF  
Product ID: 18005KB, MIL-R-19907D LIQUID HARDENER PART B  
MFN: 01  
Kit Part: Y  
Responsible Party  
Cage: 19092  
Name: ABBEY COLOR & CHEMICAL CO., INC.  
Address: 400 E TIOGA STREET  
City: PHILADELPHIA PA 19134-1127  
Info Phone Number: 215-739-9960  
Emergency Phone Number: 215-7399960

=====  
Item Description Information  
=====

Item Manager: S9C  
Item Name: REPAIR KIT,STANDARD  
Unit of Issue: KT  
UI Container Qty: 1

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: ACUTE: SKIN IRRITATION AND REDNESS.CHRONIC: MAY CAUSE SENSITIZATION.  
Signs And Symptoms Of Overexposure: INHALATION: VAPORS MAY CAUSE NAUSEA, AND MAY BE IRRITATING. SKIN AND EYE CONTACT: VAPORS CAN CAUSE SKIN AND EYE IRRITATION UPON REPEATED OR PROLONG

ED CONTACT. REDNESS OF SKIN. SKIN

ABSORPTION: A KNOWN SENSITIZER, MAY CAUSE SKIN RASH WITH PROLONGED OR REPEATED USE. INGESTION: IF INGESTED, CAN CAUSE ALIMENTARY TRACT AND STOMACH DISCOMFORT.

Medical Cond Aggravated By Exposure: ALLERGIES, SKIN WOUNDS AND ABRASIONS AND HEAD COLDS.

First Aid: EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH MILD SOAP AND WATER ALL EXPOSED SURFACES. REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE.

INHALATION: REMOVE VICTIM TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. CALL PHYSICIAN.

=====  
Handling and Disposal  
=====

Spill Release Procedures: CONTAIN SPILL AND REMOVE ALL SOURCES OF IGNITION. SCRAPE INTO CONTAINERS. WEAR PROTECTIVE CLOTHING. WORK IN A WELL VENTILATED AREA.

Waste Disposal Methods: REACT THIS PART B WITH PART A AND DISPOSE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: WORK IN A WELL-VENTILATED AREA. PRACTICE GOOD CAUTION AND HYGIENE TO PREVENT EYE AND SKIN CONTACT. AVOID BREATHING VAPORS. STORE IN A COOL, DRY PLACE.

Other Precautions: KEEP CONTAINERS TIGHTLY CLOSED. DISCARD HEAVILY CONTAMINATED SHOES, LEATHER ARTICLES AND CLOTHING.

=====  
Fire and Explosion Hazard Information  
=====

Flash Poi

nt Method: COC

Flash Point: >93.3C, 200.F

Extinguishing Media: FOAM, CO\*2, DRY CHEMICAL.

Fire Fighting Procedures: WEAR PROTECTIVE FIRE FIGHTING EQUIPMENT, INCLUDING SELF-CONTAINED BREATHING APPARATUS. REMAIN UPWIND FROM FIRE. CONTAINERS EXPOSED TO FIRE SHOULD BE KEPT COOL WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: HANDLE AS A COMBUSTIBLE MATERIAL WHEN EXPOSED TO FIRE. CONTAINERS IN A FIRE AREA MAY DEVELOP PRESSURE AND BURST.

=====  
Control Measures  
=====

Respiratory Protection: NIOSH APPROVED MASKS IN ABSENCE OF GOOD VENTILATION AND PROPER ENVIRONMENTAL CONTROLS.

Ventilation: ADEQUATE VENTILATION TO BLOW VAPORS AWAY FROM OPERATOR SHOULD ALWAYS BE MAINTAINED.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: SPLASHPROOF GOGGLES.

Other Protective Equipment: IMPERVIOUS RUBBER GARMENTS, SAFETY SPRAY OR SHOWER, EYE BATH.

Work Hygienic Practices: PRACTICE GOOD HOUSEKE

EPING ANF HYGIENE. WASH ALL

EXPOSED SKIN AREAS WITH SOAP AND WATER, ESPECIALLY BEFORE EATING.

Supplemental Safety and Health: ITEM IS PART OF A KIT.

=====  
Physical/Chemical Properties  
=====

HCC: V5

Vapor Pres: SEE ING 3

Spec Gravity: 1+/-0.1(H\*2O=1)

Solubility in Water: VERY SLIGHT

Appearance and Odor: PALE YELLOW LIQUID WITH CHARACTERISTIC ODOR.

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: PROLONGED STORAGE OVER 90F.

Materials To Avoid: ACIDS AND OXIDIZING AGENTS.

Hazardous Decomposition Products: BURNING MAY PRODUCE NITROGEN OXIDES, CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

Other Information: CAPABILITIES: ACID YELLOW 73, URANINE DYE, FOR SEA MARKERS AND WATER TRACING FLUORESCHEIN FREE ACID AND FLUORESCHEIN SODIUM SALT. TANNINS AND TANNIC ACID, BIOLOGICAL STAINS SUCH AS HEMATOXYLYN AND EOSINE . DISPERSE AND SOLVENT DYES.

=====  
Transportation Information  
=====

=====  
Responsible Party

Cage: 19092  
Trans ID NO: 153278  
Product ID: 18005KB, MIL-R-19907D LIQUID HARDENER PART B  
MSDS Prepared Date: 07/01/1996  
Review Date: 05/31/2000  
MFN: 1  
Multiple KIT Number: 0  
Kit Part IND: Y  
Review IND: Y  
Unit Of Issue: KT  
Container QTY: 1

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
==

=====  
AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: 18005KB, MIL-R-19907D LIQUID HARDENER PART B  
Cage: 19092  
Company Name: ABBEY COLOR INC DBA ABBEY PRODUCTS AND BONDED  
Street: 400 E TIOGA ST  
City: PHILADELPHIA PA  
Zipcode: 19134-1127  
Health Emergency Phone: 215-7399960

L

Label Required IND: Y  
Date Of Label Review: 05/31/2000  
Status Code: A  
Origination Code: F  
Chronic Hazard IND: Y  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: WARNING  
Respiratory Protection IND: YES  
Health Hazard: Moderate  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: Slight  
Hazard And Precautions: ACUTE: SKIN IRRITATION AND REDNESS.CHRONIC: MAY CAUSE SENSITIZATION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.