

CRYSTAL ENVIRONMENTAL LUBRICAN -- LUBRICATING OIL AGMA COMPOUND 7 MILITARY SYM

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-011-5892
MSDS Date: 04/07/1994
MSDS Num: CKNSW
Product ID: LUBRICATING OIL AGMA COMPOUND 7 MILITARY SYMBOL 6135
MFN: 01
Responsible Party
Cage: KO659
Name: CRYSTAL ENVIRONMENTAL LUBRICANTS INC
Addre
ss: 708 NORTH MORRISON BLVD
City: HAMMOND LA 70404
Info Phone Number: 504-542-7224
Emergency Phone Number: 504-542-7224
Chemtrec IND/Phone: (800)424-9300
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: KO659
Name: CRYSTAL ENVIRONMENTAL LUBRICANTS INC
Address: 708 NORTH MORRISON BLVD
City: HAMMOND LA 70404
Phone: 504-542-7224

=====
Item Description Information
=====

Item Manager: S9G
Item Name: LUBRICATING OIL,COMPOUNDED
Specification Number: MILITARY 6135 SYMBOL
Type/Grade/Class: GRADE 7
Unit of Issue: GL
UI Container Qty: 1
Type of Container: CAN

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

Effects of Exposure: NO DATA AVAILABLE.

First Aid: EYE: IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES AND CALL A PHYSICIAN. SKIN: REMOVE EXCESS WITH CLOTH OR PAPER. WASH THOROUGHLY WITH SOAP AND WATER. INHALATION: REMOVE VIC TIM TO FRESH AIR. CALL A PHYSICIAN. IF SWALLOWED: CONTACT A PHYSICIAN IMMEDIATELY.
=====

==
Handling and Disposal
=====

Spill Release Procedures: TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND, OR VERMINULITE. SWEEP UP AND DISPOSE AS A SOLID WASTE IN ACCORDANCE WITH LOCAL, STATE, & FED ERAL REGULATIONS.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: DO NOT HANDLE OR STORE AT TEMPERATURES OVER MAXIMUM STORAGE TEMPERATURE: 38 DEGS C (100 DEG F).
=====

Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point: >200.C, 392.F

Extinguishing Media: DRY CHEMICAL OR WATERFOG OR CO2 OR FOAM. CLOSED CONTAINERS EXPOSED TO FIRE MAY BE COOLED WITH WATER.

Fire Fighting Procedures: DO NOT USE WATER EXCEPT AS FOG.

Unusual Fire/Explosion Hazard: NONE

E.
=====

Control Measures
=====

Respiratory Protection: USE NIOSH/MSHA CERTIFIED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE IF VAPOR CONCENTRATION

Ventilation: IF USED IN APPLICABLE WHERE A MIST MAY BE GENERATED, OBSERVE TWA/PEL OF 5 MG/M3 FOR MINERAL OIL MIST (OSHA & ACGIH).

Protective Gloves: NEOPRENE TYPE

Eye Protection: CHEMICAL SAFETY GOGGLES

Other Protective Equipment: NONE
=====

=====
Physical/Chemical Properties
=====

HCC: V6

Boiling Point: >330.C, 626.F

Vapor Pres: 0

Vapor Density: N/VOLATILE

Spec Gravity: 0.89

Viscosity: SUS @ 100F: > OR = TO 100

Evaporation Rate & Reference: 0 (NO METHOD GIVEN)

Solubility in Water: 0 AT 20 DEG C

Appearance and Odor: VISCOUS LIQUID, DARK GREEN COLOR, PUNGENT, SULFUR TYPE ODOR

Percent Volatiles by Volume: 0
=====

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: PRODUCT IS STABLE UNDER NORMAL CONDITIONS.

Materials To Avoid: STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE, BROMINE, & CHROMIC ACID.

Hazardous Decomposition Products: CARBON MONOXIDE & CARBON DIOXIDE FROM BURNING. OXIDES OF PHOSPHOROUS FROM BURNING. OXIDES OF SULFUR.
=====

Toxicological In
formation
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

Transport Information: NOT REGULATED. FREIGHT CLASSIFICATION: PETROLEUM LUBRICATING OIL.
=====

Regulatory
Information
=====

State Regulatory Information: PENNSYLVANIS WORKER AND COMMUNITY RIGHT-TO-KNOW ACT: THE PRODUCT CONTAINS THE FOLLOWING INGREDIENT : HYDROCARBON OILS, CAS NO 820-83-5 (DLA- STAFF: INVALID CAS, CORRECT ONE IS 8020-83-5).
=====

Other Information
=====

=====
Transportation Inform

ation

=====
 Responsible Party Cage: KO659
 Trans ID NO: 153547
 Product ID: LUBRICATING OIL AGMA COMPOUND 7 MILITARY SYMBOL 6135
 MSDS Prepared Date: 04/07/1994
 Review Date: 06/12/2000
 MFN: 1
 Net Unit Weight: 7.4 LBS
 Multiple KIT Number: 0
 Unit Of Issue: GL
 Container QTY: 1
 Type Of Container: CAN
 =====

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: LUBRICATING OIL AGMA COMPOUND 7 MILITARY SYMBOL 6135
Cage: KO659
Assigned IND: Y
Company Name: CRYSTAL ENVIRON

MENTAL LUBRICANTS INC
Street: 708 NORTH MORRISON BLVD
City: HAMMOND LA
Zipcode: 70404
Health Emergency Phone: 504-542-7224
Label Required IND: Y
Date Of Label Review: 06/12/2000
Status Code: A
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: NO
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.