

MULTISORB TECHNOLOGIES, INC. (FORMLY MULTIFORM DESICCANTS,) -- NATRASORB M (CLAY)
-- 6850-00-264-6568

===== Product Identification =====

Product ID:NATRASORB M (CLAY)

MSDS Date:01/11/1999

FSC:6850

NIIN:00-264-6568

Status Code:A

MSDS Number: CKNYT

=== Responsible Party ===

Company Name:MULTISORB TECHNOLOGIES, INC. (FORMLY MULTIFORM DESICCANTS,
)

Address:325 HARLEM ROAD

City:BUFFALO

State:NY

Z

IP:14224

Country:US

Info Phone Num:716-824-8900

Emergency Phone Num:716-824-8900

CAGE:22627

=== Contractor Identification ===

Company Name:MULTISORB TECHNOLOGIES INC

Address:325 HARLEM ROAD

Box:City:BUFFALO

State:NY

ZIP:14224-1893

Country:US

Phone:716-824-8900

Contract Num:SP0450-M-SD03

CAGE:22627

===== Composition/Information on Ingredients =====

Ingred Name:MONTMORILLONITE CLAY

Minumum % Wt:94.

Maxumum % Wt:96.

Ingred Name:CRYSTALLINE SILICA QUARTZ

Minumum % Wt:2.

Maxumum

% Wt:6.

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: MAY CAUSE EYE, SKIN AND MUCOUS
MEMBRANE IRRITATION. CHRONIC: PROLONGED INHALATION MAY CAUSE LUNG
DAMAGE.

Explanation of Carcinogenicity:NONE LISTED.
Effects of Overexposure:DRYING AND IRRITATION.
Medical Cond Aggravated by Exposure:ASTHMA.

=====
== First Aid Measures =====

First Aid:SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION
AND SUPPORT IF NECESSARY. EYE: FLUSH WITH WATER FOR AT LEAST 15
MINUTES. SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. INHALE:
REMOVE TO FRE SH AIR. INGEST: NO ADVERSE EFFECTS EXPECTED.

=====
===== Fire Fighting Measures =====

Extinguishing Media:WATER IS THE BEST EXTINGUISHING MEDIUM, BUT DRY
CHEMICAL, CARBON DIOXIDE AND FOAM CAN BE
USED.

Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP OR VACUUM UP THE SPILLED MATERIAL AND
PLACE IN A WASTE DISPOSAL CONTAINER. AVOID RAISING DUST.

=====
===== Handling and Storage =====

Handling and Storage Precautions:COVER PROMPTLY TO AVOID BLOWING DUST.
WASH AFTER HANDLING.

Other Precautions:KEEP IN SEALED CONTAINER AWAY FROM MOISTURE
. CLAY
WILL READILY ADSORB MOISTURE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED DUST RESPIRATOR.
Protective Gloves:LIGHT COTTON GLOVES.
Eye Protection:SAFETY GLASSES.
Work Hygienic Practices:AVOID RAISING DUST. AVOID CONTACT WITH SKIN,
EYES AND CLOTHING.
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:N1
Spec Gravity:2
Solubility in Water:NOT SOLUBLE.
Appearance

and Odor:TAN/GRAY POWDER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:MOISTURE. CLAY WILL ADSORB MOISTURE.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,
WATER.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN AN APPROVED LANDFILL ACCORDING TO
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with t
his information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.