View NSN Online: https://aerobasegroup.com/nsn/8030-01-353-3723

Product ID:PR-1664-D, PART B MSDS Date:12/04/1990 FSC:8030 NIIN:01-353-3723 Status Code:A Kit Part:Y **MSDS Number: CKPFT** === Responsible Party === Company Name: SEMCO DIV COURTAULDS AEROSPACE (FORMERLY PRODUCT Address:5454 SAN FERNANDO RD (RESEARCH&CHEMICAL) City:GLENDALE Sta te:CA ZIP:91203-1521 Country:US Info Phone Num:818-240-2060 Emergency Phone Num:818-240-2060 Chemtrec Ind/Phone:(800)424-9300 CAGE:92108 === Contractor Identification === Company Name: PRC-DESOTO INTL INC Address:5454 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91203

Phone:818-240-2060/800-228-5635 CAGE:92108

Country:US

Ingred Name:POLYMER POLYOL POLYMER WITH METHYLENE BIS(4-CYCLOHEXYL ISOCYANATE)*=POLYURETHANE PRE

POLYMER CONTAINS MONOMERIC METHYLENE BIS(4-CYCLOHEXLY ISOCYANATE)(CAS5124-30-1).TLV 0.005PPM.(CEILING IS 0.01 PPM) CAS:9042-82-4 Fraction by Wt: 100%

Effects of Overexposure: VAPORS WILL CAUSE IRRITATION WITH WATERING OF THE EYES. LIQUID CONTACT WILL CAUSE

IRRITATION AND POSSIBLE PERMANENT DAMAGE. SKIN: LOCAL SWELLING, SORENESS, ITCHING. IN

SENSITIZED INDIVIDUALS, EXP OSURE TO LIQUID OR VAPORS WILL RESULT IN AN

ALLERGIC SKIN

RASH. INHALATION: IRRITATION OF THE NOSE, THROAT AND EYES. BRONCHIAL IRRITATION WITH

COUGHING, TIGHTNESS IN THE CHEST AND POSSIBLE DIFFICULT Y IN BREATHING. MAY PRODUCE

ASTHMA-LIKE SYMPTOMS IN SENSITIZED INDIVIDUALS. INGESTION: IRRITATION OF DIGETIVE

TRACT AND STOMACH. LISTED CANCER AGENT: NO: NOTHING CONTAINED IN THIS PRODUCT IF FO

UND IN THE LISTS BELOW.

First Aid:EYES: FLUSH WITH LUKE W
ARM WATER FOR 15 MINUTES. IF SYMPTOMS

PERSIST, CONSULT. SKIN:WASH THOROUGHLY WITH SOAP AND WATER. IF
SYMPTOMS PERSIST, CONSULT A PHYSICIAN.

DISCARD OR DECONTAMINATE CONT AMINATED CLOTHING BEFORE REUSE.

INHALATION: REMOVE

TO FRESH AIR. IF BREATHING STOPS, GIVE ARTIFICAL RESPIRATION OR OXYGEN. CONSULT A
PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK OR W ATER TO DRINK. CONSULT A
PHYSICIAN.

Extinguis

hing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures:USE COMPLETE PERSONAL PROTECTION. USE WATER TO COOL HEAT EXPOSED CONTAINERS.
======================================
 Spill Release Procedures:WEAR AIR-SUPPLIED RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH ABSORBANT MATERIAL , ADD DECONTAMINATION SOLUTION * AND ALLOW TO REACT FOR 10 MINUTES. COLLECT IN CONTAINERS, ADD ADDITIONAL DEC ONTAMINATION SOLUTION AND KEEP LOOSELY C OVERED FOR 48 HOURS.
OVERED FOR 48 HOURS.
======================================
 Respiratory Protection:WHEN USING IN CONFINED AREAS, OR IN OTHER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF ISOCYANATE IN EXCESS OF TLV, USE AN AIR-SUPPLIED RESPIRATOR. Ventilation:VENTILATION: GENERAL VENTILATION TO MAINTAIN VAPORS BELOW TLV. Protective Gloves:SOLVNET RESISTANT GLOVES. Eye Protection:CHEMICAL GOGGLES OR FULL-FACE SHIELD. Supplemental Safety and Health: DURING SPRAY APPLICAITON, OTHER PERSONS WORKING IN THE AREA, AND THE GENERAL PUBLIC.
======================================
Volatile Org Content %:7 Spec Gravity:1.01 Solubility in Water:NEGLIGIBLE
======================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN.
— • • • • • •

Ecolog

ical:WHEN SPRAY APPLYING, THE USER MUST BE FULLY PROTECTED FROM CONTACT WITH ANY OF THE MATERIAL. A FULL, PERMEATION RESISTANT, PROTECTIVE SUIT INCLUDING HEAD COVERING AND FACE SHIELD, GLOVES, AND OVERSH OES IS REQUIRED. AN AIR-SUPPLIED RESPIRATOR MUST BE USED. *

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Transport Information: APPLICABLE REGULATION: 49 CFR X IATA SHIPPING NAME: POISONOUS LIQUIDS N.O.S. (DIETHYLTOLUENEDIAMINE) HAZARD CLASS: 6.1 (POISONOUS LIQUID) LABELS: KEEP AWAY FROM FOOD.

SARA Title III Information: PERSONS ENTERING THE AREA FOR ANY REASON MUST MUST BE SIMILARLY PROTECTED. THE SPRAY APPLICATION SHOULD BE IN AN AREA SEPARAT

ED FROM THE OTHER WORK AREAS BY WALLS AND VENTILATED BY LOCAL VENTILATION, PROPERLY DESIGNED AND OPERATED IN ACCORDANCE WITH ACGIH GUIDELINES AS CONTAINED IN ITS INDUSTRIAL VENTILATION PUBLICATION OR OTHER APPROPRIATE COLLECTION SYSTEM TO COLLECT ANY OVERSPRAY. UNPROTECTED PERSONS MUST BE PREVENTED FROM CONTACTING UNCURED RESIDUE ON EQUIPMENT AND AREA SURFACES UNTIL THE PRODUCT HAS CURED.

State Regulatory Information:

====== Other Information ======

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.