View NSN Online: https://aerobasegroup.com/nsn/2640-00-222-8878 LORD CORPORATION -- CHEMLOK 252X \_\_\_\_\_\_ MSDS Safety Information \_\_\_\_\_ FSC: 2640 NIIN: 00-222-8878 MSDS Date: 12/27/1999 MSDS Num: CKPVY Product ID: CHEMLOK 252X MFN: 01 Responsible Party Cage: 30676 Name: LORD CORPORATION Address: 2000 WEST GRANDVIEW BLVD City: ERIE PA 16514-0038 Info Ph one Number: 814-868-3611 Emergency Phone Number: 814-763-2345 Chemtrec IND/Phone: (800)424-9300 Proprietary Ind: Y Review Ind: Y Published: Y \_\_\_\_\_\_ Contractor Summary \_\_\_\_\_\_ Cage: 30676 Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION Address: 2000 WEST GRANDVIEW BLVD City: ERIE PA 16514-0038 Phone: 814-868-3611 Contract Number: DAAE07-00-P-T220 \_\_\_\_\_\_ ===== Item Description Information \_\_\_\_\_\_ Item Manager: AKZ Item Name: CEMENT, VULCANIZING Unit of Issue: CN Quantitative Expression: 00000000005GL UI Container Qty: 1 \_\_\_\_\_ \_\_\_\_\_\_ Name: \*\*\* PROPRIETARY \*\*\*

Ingredients

\_\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

\_\_\_\_\_

-----

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: EYE/SKIN: IRRITATION. DERMITITIS(SKIN). INHALATION:

POSSIBLE IRRITATION OF THE RESPIRATORY SYSTEM CAN OCCUR CAUSING A VARIETY OF SYMPTOMS. INGESTION: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPECTED

ROUTE OF ENTRY IN INDUSTRIAL.COMMERCIAL USES. MAY CAUSE LIVER.KIDNEY DAMAGE.

REPEATED/ PROLONGED OVEREXPOSURE MAY RESULT IN

PERMANENT CENTRAL NERVOUS

SYSTEM DAMAGE. MAY EFFECT GASTROINTESTINAL SYSTE M. MAY AFFECT BLOOD AND BLOOD-FORMING ORGANS. OVEREXPOSURE TO LEAD IN THIS PRODUCT CAN CAUSE DAMAGE IN NERVOUS, URINARY, GASTROINTESTINAL, BLOOD, BLOOD-FORMING, AND REPRODUCTIVE SYSTEMS. CHRONIC SKIN CONTACT MAY CAUSE DERMITITIS.

Explanation Of Carcinogenicity: ETHYLBENZENE HAS BEEN SHOWN TO CAUSE CANCER IN LABORATORY ANIMALS. THE RELEVANCE OF THIS FINDING FOR HUMANS IS UNCERTAIN. IARC HAS DESIGNATED CARBON B

LACK AS GROUP 2B-INADEQUATE EVIDENCE FOR

CARCINOGE NICITY IN HUMANS, BUT SUFFICIENT EVIDENCE IN EXPERIMENTAL ANIMALS.

Signs And Symptions Of Overexposure: EYE/SKIN: IRRITATION. INHALTION: DRYNESS OF THROAT, TIGHTNESS OF CHEST, SHORTNESS OF BREATH, CENTRAL NERVOUS SYSTEM DEPRESSION(HEADACHE, DIZZINESS, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS OR COMA), ELEVATED TEMPERATURE.

First Aid: EYE: FLUSH EYES IMMEDIATELY WITH LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES HOLDING EYELIDS OPEN

WHILE FLUSHING. GET PROMPT MEDICAL ATTENTION.

SKIN: FLUSH CONTAMINATED SKIN WITH LARGE AMOUNTS OF WA TER WHILE REMOVING CONTAMINATED CLOTHING. WASH AFFECTED SKIN AREAS WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INHALATION: MOVE PERSON TO FRESH AIR. RESTORE AND SUPPORT CONTINUED BRE ATHING. IF BREATHING IS DIFFICULT GIVE OXYGEN. GET IMMEDIATE MEDICAL ATTENTION. INGESTION: IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE VICTIM 1-2 GLASSES OF WATER OR MILK. CALL PHYSICIAN OR

POISON CONT ROL CENTER FOR FURTHER INSTRUCTION.

\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_\_

Spill Release Procedures: KEEP NON-PERSONNEL A SAFE DISTANCE AWAY FROM THE SPILL AREA. REMOVE ALL SOURCES OF IGNITION(FLAME, HOT SURFACES, AND ELECTRICAL STATIC OR FRICTIONAL SPARKS). AVOID BREATHING VAPORS. USE SELF-CONTAINED BREATHING EQUIPMENT. NOTIFY APPROPRIATE AUTHORITIES IF NECESSARY. CONTAIN A

ND REMOVE WITH INERT ABSORBENT MATERIAL AND NON-SPARKING TOOLS. AVOID CONTACT.

Waste Disposal Methods: DISPOSAL SHOULD BE DONE IN ACCORDANCE WITH FEDERAL (40CFR PART 261), STATE AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS. IF WASTE IS DETERMINED TO BE HAZARDOUS, USE LICENSED HAZARDOUS WASTE TRANSPORTER AND DISPOSAL FACILITY

Handling And Storage Precautions: KEEP CLOSURE TIGHT AND CONTAINER UPRIGHT TO PREVENT LEAKAGE. GROUND AND BOND CONTAINERS WHEN TRANSFERRING MATERIAL. AVOID

SKIN

AND EYE CONTACT. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OF VAPOR OR SPRAY MISTS. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. EMPTY CON

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_\_

Flash Point Method: SCC Flash Point: =26.1C, 79.F Autoignition Temp Text: N/D

Lower Limits: 1.00 Upper Limits: 7.00

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOA

M, WATER FOG

Fire Fighting Procedures: USE WATER SPRAY TO KEEP FIRE EXPOSED CONTAINERS COOL. WEAR FULL FIREFIGHTING PROTECTIVE CLOTHING, INCLUDING SELF-CONTAINED BREATHING APPARATUS (SCBA). WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. DURING A FIRE, IRRITATING AND/OR TOXIC GASES AND PARTICULATE MAY BE GENERATED BY THERMAL DE

\_\_\_\_\_\_

**Control Measures** 

\_\_\_\_\_\_

R

espiratory Protection: USE NIOSH/MSHA APPROVED CHEMICAL MECHANICAL FILTER RESPIRATOR DESIGNED TO REMOVE A COMBINATION OF PARTICULATES AND ORGANIC VAPOR IF OCCUPATIONAL LIMITS ARE EXCEEDED. FOR EMERGENCY SITUATIONS, CONFINED SPACE USE, OR OTHER CONDITIONS WHERE EXPOSURE LIMITS MAY BE GREATLY EXCEEDED, USE AN APPROVED AIR-SUPPLIED RESPIRATOR. OBSERVE OSHA REGULATIONS (29CFR1910.134)

Ventilation: SUFFICIENT VENTILATION (USING EXPLOSION-PROOF EQUIPMENT) SHOULD BE PROVIDED TO PREVENT FLA

MMABLE VAPOR/AIR MIXTURES FROM ACCUMULATING. Protective Gloves: NEOPRENE, NITRILE, RUBBER Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS, CHEMICAL GOGGLES Other Protective Equipment: USE DISPOSAL OR IMPERVIOUS CLOTHING IF WORK CLOTHING CONTAMINATION IS LIKELY. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. Work Hygienic Practices: WASH HANDS BEFORE EATING, SMOKING, OR USING TOILET FACILITY. DO NOT SMOKE IN ANY CHEMICAL HANDLING OR STORAGE AREA. FOOD OR BEVERAGES SHOULD NOT BE CONF USED ANYWHERE THIS PRODUCT IS HANDLED OR STORED. \_\_\_\_\_ Physical/Chemical Properties \_\_\_\_\_\_ HCC: F3 B.P. Text: 212-282F M.P/F.P Text: N/D Vapor Pres: N/D Vapor Density: >AIR Spec Gravity: 0.96 Solubility in Water: INSOLUBLE Appearance and Odor: GREEN LIQUID WITH A SOLVENT ODOR. Percent Volatiles by Volume: 86.3 \_\_\_\_\_\_ Reactivity Data ========= \_\_\_\_\_ Stability Indicator: YES Stability Condition To Avoid: HIGH TEMPERATURES. SOURCES OF IGNITION. Materials To Avoid: STRONG OXIDIZERS, ACIDS, BASES, WATER. Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, CHLORINE, HYDROGEN CHLORIDE, PHOSGENE, LEAD FUME. Hazardous Polymerization Indicator: NO \_\_\_\_\_ Toxicological Information \_\_\_\_\_ Toxic ological Information: NO DATA AVAILABLE. \_\_\_\_\_ **Ecological Information** \_\_\_\_\_ Ecological: NO INFORMATION. \_\_\_\_\_\_ MSDS Transport Information

\_\_\_\_\_

III.

Regulatory Infor

Transport Information: DOT: ADHESIVE, HAZARD CLASS 3, UN1133, PACKING GROUP

mation

\_\_\_\_\_

Sara Title III Information: THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF SARA: XYLENE (CAS 1330-20-7), ETHYL BENZENE (CAS 100-41-4) AND INORGANIC LEAD SALT (PROPRIETARY).

Federal Regulatory Information: THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF TSCA: NONE.

\_\_\_\_\_

=========

Other Information

\_\_\_\_\_

\_\_\_\_\_\_

Transportation Information

\_\_\_\_\_\_

Responsible Party Cage: 30676

Trans ID NO: 153895

Product ID: CHEMLOK 252X MSDS Prepared Date: 12/27/1999

Review Date: 07/05/2000

MFN: 1

Net Unit Weight: 5 GAL Multiple KIT Number: 0 Unit Of Issue: CN Container QTY: 1

\_\_\_\_\_

=

**Detail DOT Information** 

\_\_\_\_\_\_

DOT PSN Code: AFT

DOT Proper Shipping Name: ADHESIVES,

DOT PSN Modifier: CONTAINING A FLAMMABLE LIQUID

Hazard Class: 3 UN ID Num: UN1133 DOT Packaging Group: III Label: FLAMMABLE LIQUID Special Provision: B1,B52,T7,T30

Packaging Exception: 150

Non Bulk Pack: 173 Bulk Pack: 242 Max Qty Pass: 60 L Max Qty Cargo: 220 L Vessel Stow Reg: A

**Detail IMO Information** 

=

\_\_\_\_\_\_

IMO PSN Code: AIL

IMO Proper Shipping Name: ADHESIVES,

IMO PSN Modifier: CONTAINING A FLAMMABLE LIQUID o

IMDG Page Number: 3302

UN Number: 1133 UN Hazard Class: 3.3 IMO Packaging Group: III Subsidiary Risk Label: -EMS Number: 3-05

MED First Aid Guide NUM: 330

\_\_\_\_\_\_

**Detail IATA Information** 

IATA PSN Code: ALD IATA UN ID Num: 1133

IATA Pr

oper Shipping Name: ADHESIVES

IATA PSN Modifier: ,CONTAINING FLAMMABLE LIQUID

IATA UN Class: 3

IATA Label: FLAMMABLE LIQUID

UN Packing Group: III

Packing Note Passenger: 309

Max Quant Pass: 60L Max Quant Cargo: 220L Packaging Note Cargo: 310

\_\_\_\_\_\_

Detail AFI Information

\_\_\_\_\_\_

AFI PSN Code: ALD

AFI Proper Shipping Name: ADHESIVES

AFI PSN Modifier: ,CONTAINING FLAMMABLE LIQUID

AFI Hazard Class: 3

Α

FI UN ID NUM: UN1133 AFI Packing Group: III Special Provisions: P5

\_\_\_\_\_\_

HAZCOM Label

\_\_\_\_\_\_

Product ID: CHEMLOK 252X

Cage: 30676

Company Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION

Street: 2000 WEST GRANDVIEW BLVD

City: ERIE PA

Zipcode: 16514-0038

Health Emergency Phone: 814-763-2345

Label Required IND: Y

Date Of Label Review: 07/05/2000

Status Code: A
Origination Code: F
Skin Protection I

ND: YES

Signal Word: WARNING Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Moderate Reactivity Hazard: None

Hazard And Precautions: EYE/SKIN: IRRITATION. DERMITITIS(SKIN). INHALATION:

POSSIBLE IRRITATION OF THE RESPIRATORY SYSTEM CAN OCCUR CAUSING A VARIETY OF SYMPTOMS. INGESTION: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPECTED ROUTE OF ENTRY IN INDUSTRIAL.COMMERCIALUSES. MAY CAUSE LIVER.KIDNEY DAMAGE. REPEATED/ PROLONGED OVEREXPOSURE MAY RESULT IN PERMANENT CENTRAL NERVO US

SYSTEM DAMAGE. MAY EFFECT GASTROINTESTINAL SYSTEM. MAY AFFECT BLOOD AND BLOOD-FORMING ORGANS. OVEREXPOSURE TO LEAD IN THIS PRODUCT CAN CAUSE DAMAGE IN NERVOUS, URINARY, GASTROINTESTINAL, BLOOD, BLOOD-FORMING, AND REPRODUCTIVE SYSTEMS. CHRONIC SKIN C ONTACT MAY CAUSE DERMITITIS.

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should s

eek competent professional advice to verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.