

DOBER CHEMICAL CORP -- GLN2000-CD WATER SOLUBLE DYE (SEE SUPPL DATA) --
6820-01-446-7486

===== Product Identification =====

Product ID:GLN2000-CD WATER SOLUBLE DYE (SEE SUPPL DATA)

MSDS Date:06/10/1998

FSC:6820

NIIN:01-446-7486

Status Code:A

MSDS Number: CKQJT

=== Responsible Party ===

Company Name:DOBER CHEMICAL CORP

Address:333 WEST 195TH STREET

City:GLENWOOD

State:IL

ZIP:60425

Country:US

Info

Phone Num:708-755-5545

Emergency Phone Num:888-755-5545

CAGE:1K937

=== Contractor Identification ===

Company Name:CUMMINS ENGINE CO INC

Address:500 JACKSON STREET

Box:3005/

City:COLUMBUS

State:IN

ZIP:47202-3005

Country:US

Phone:812-377-3196

CAGE:15434

Company Name:CUMMINS ENGINE CO, SERVICE PRODUCTS DIV (RELACES 15434)

Address:NONE

Box:NONE

City:COLUMBUS

State:IN

ZIP:47201

Country:US

Phone:000-000-0000

CAGE:45462

Company Name:DOBER CHEMICAL CORP

Address:333 WEST 195TH STREET

Box:City:GLENWOOD

St

ate:IL
ZIP:60425
Country:US
Phone:708-755-5545
CAGE:1K937
Company Name:SDB CONSULTANTS LTD
Address:401 WHITNEY AVE SUITE 120
Box:City:GRETNA
State:LA
ZIP:70056
Country:US
Phone:504-366-9105
Contract Num:SP0450-00-M-SF12
CAGE:0PGK2

=====
Composition/Information on Ingredients
=====

Ingred Name:NONE

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Hea

lth Hazards Acute and Chronic:EYE CONTACT: CORROSIVE. MAY CAUSE
SEVERE DAMAGE TO DELICATE EYE TISSUE. SKIN: CORROSIVE. PROLONGED OR
REPEATED CONTACT MAY CAUSE BURNS. INHALATION: MAY BE IRRITATING TO
RESPIRATORY TRACT. INHALATION I S NOT LIKELY WHEN PRODUCT IS USED
AS INTENDED. INGESTION: CORROSIVE TO GASTROINTESTINAL TRACT.

Explanation of Carcinogenicity:PER MSDS:INGREDS LISTED AS CARCINOGENIC
IN NTP/IARC/OSHA:NONE.

Effects of Overexposure:SEVERE EYE TISSUE DAMAGE, CORROSIVE
TO EYE,
SKIN, GASTROINTESTINAL TRACT, BURNS SKIN, IRRITATION OF
RESPIRATORY TRACT,

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYE:FLUSH AT ONCE W/PLENTY OF WATER FOR AT LEAST 15 MINUTES.
CONTACT PHYSICIAN AT ONCE. SKIN: FLUSH AFFECTED AREA WITH PLENTY OF
WATER AT ONCE. REMOVE CONTAMINATED CLOTHING. IF IRRITATION PERSISTS
CO NSULT PHYSICIAN. INHALATION: REMOVE VICTIM TO

FRESH AIR. IF

IRRITATION PERSISTS CONSULT PHYSICIAN. INGESTION: SEEK MEDICAL ATTENTION IMMEDIATELY. DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER TO DILUTE.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:WATER, FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:MAY REACT VIGOROUSLY W/CONCENTRATED ACIDS

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SPILL ONTO SAND, CLAY, ETC AND SHOVEL INTO STEEL CONTAINER FOR DISPOSAL. FLUSH RESIDUE WITH PLENTY OF WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP OUT OF REACH OF CHILDREN. DO NOT CONTACT SKIN OR EYE. DO NOT TAKE INTERNALLY. STORE IN COOL DRY PLACE. STORE AWAY FROM ACIDIC MATERIALS.

Other Precautions:FOR INDUSTRIAL USE ONLY.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED WHEN MATERIAL IS USED AS INTENDED.

Ventilation:GENERAL EXHAUST IS SUFFICIENT TO MAINTAIN BELOW TLV WHEN MATERIAL IS USED AS INTENDED.

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:CHEM SPLASH GOGGLES/FACE SHIELD

Other Protective Equipment:OTHER PROTECTIVE CLOTHING DEPENDING ON DEGREE O

F EXPOSURE.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

CUMMINS P/N: 3377438, OTHER P/N: 2000CD.

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:=100.C, 212.F

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:AS WATER

Vapor Density:>1

Spec Gravity:1.0

pH:7-8

Viscosity:NP

Evaporation Rate & Reference:1, WATER=1

Solubility in Water:COMPLETE

Appearance and Odor:YELLOW LIQUID, NO ODOR

Percent V

Volatiles by Volume:99

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:OXIDES OF CARBON.

===== Toxicological Information =====

Toxicological Information:TOXICITY: TLV @ 2 MG/M3 (CEILING AIR LIMIT).

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH

LOCAL, STATE AND

FEDERAL GUIDELINES.

===== MSDS Transport Information =====

Transport Information:DOT SHIPPING NAME: NOT REGULATED.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information

o be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.