View NSN Online: https://aerobasegroup.com/nsn/6505-01-338-4710

Product ID:CONDYLOX (PODOFILOX) TOPICAL SOLUTION 0.5% MSDS Date:07/07/2000 FSC:6505 NIIN:01-338-4710 Status Code:A **MSDS Number: CKQNT** === Responsible Party === Company Name: OCLASSEN PHARMACEUTICALS INC **City:SAN RAFAEL** State:CA ZIP:94901 Country:US Info Phone Num:800-27 2-5525 Emergency Phone Num:800-272-5525 CAGE:0PU77 === Contractor Identification === Company Name: OCLASSEN PHARMACEUTICALS INC Box:City:SAN RAFAEL State:CA ZIP:94901 Country:US Phone:800-272-5525 CAGE:0PU77 Company Name: OCLASSEN PHARMACEUTICALS INC (WATSON LABORATORIES) Address:311 BONNIE CIRCLE City:CORONA State:CA ZIP:91720 Country:US Phone:800-272-5525 Contract Num:SP0200-99-F-J592 CAGE:TO835

Ingred Name: PODOFILOX (PODOPHY

| LLOTOXIN) CAS:518-28-5 RTECS #:LV2500000 = Wt:.5 |
|---|
| Ingred Name:ETHYL ALCOHOL CAS:64-17-5 RTECS #:KQ6300000 |
| = Wt:95. |
| OSHA PEL:1900 MG/M3;1000 PPM ACGIH TLV:1880 MG/M3;1000 PPM |
| ====================================== |
| Health Hazards Acute and Chronic:INHALATION: MAY CAUSE IRRITATION OF RESPIRATORY TRACT. EXPOSURE TO OVER 1,000 PPM MAY CAUSE HEADACHE, DIZZINESS AND LASSITUDE. EYES: MAY CAUSE LOCAL IRRITATION. INGESTION: MAY CAUSE IRRITATION. CAN CA USE DEPRE SSION OF CNS, |
| NAUSEA, VOMITING AND DIARRHEA. |
| Explanation of Carcinogenicity:KNOWN CLASSTOGEN. |
| Effects of Overexposure:INHALATION: COUGHING, SHORTNESS OF BREATH, HEADACHE, DIZZINESS AND LASSITUDE. SKIN: MAY PARALLEL INGESTION, AS ACTIVE MAY BE ABSORBED THROUGH SKIN. INGESTION: DEPRESSION OF CENTRAL NERVOUS SYSTEM, NAU SEA, VOMITING, AND DIARRHEA. Medical Cond Aggravated by Exposure:INFORMATION NOT AVAILABLE. |
| ====================================== |
| Fi |
| rst Aid:INHALATION: REMOVE PERSON TO FRESH AIR, OBSERVE FOR SIGNS OF RESPIRATORY DIFFICULTY, KEEP WARM. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. EYE/SKIN: FLUSH W ITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. INGESTION: FLUSH OUT MOUTH WITH WATER. IF PERSON IS ALERT, INDUCE VOMITING. OBTAIN MEDICAL ATTENTION. WASH ALL EXPOSED SKIN AND MUCOUS MEMBRANES W ITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE |
| FROM EXPOSURE. REMOVE CONTAMINATED CLOTHING. OBTAIN MEDICAL ATTENTION. WASH ALL EXPOSED SKIN AND MUCOUS MEMBRANES WITH COPIOUS AMOUNT OF WATER FOR AT LEAST 15 MINUTES. |
| ====================================== |
| Flash Point:=15.6C, 60.F APPROXIMATELY Autoignition Temp:=362.8C, 685.F Lower Limits:3.3 Upper Limits:19 Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE OR FOAM |
| AS APPROPRIATE FOR SURROUNDING FIRE AND MATERIALS. Fire Fighting Procedur |

es:EVACUATE PERSONNEL TO SAFE AREA. FIREFIGHTERS SHOULD USE SELF-CONTAINED BREATHING EQUIPMENT AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:MATERIAL IS COMBUSTIBLE. WHEN HEATED TO DECOMPOSITION, MATERIAL EMITS TOXIC FUMES.

Spill Release Procedures:WEAR FACE MASK AND EYE PROTECTION, CHEMICALLY COMPATIBLE GLOVES AND PROTECTIVE CLOTHING. COLLECT SPILLAGE BY ABSORBING ONTO APPROPRIATE MATERIAL SUCH AS DIATOMACCOUS EARTH.

PLACE SPILLAGE IN APPROPRIA TE CONTAINER FOR WASTE DISPOSAL. LABEL ADEQUATELY. WASH CONTAMINATED CLOTHING. VENTILATE AREA AND WASH SPILL SITE WITH A DILUTE SODIUM HYDROXIDE SOLUTION (2%).

Handling and Storage Precautions: THIS MATERIAL SHOULD BE HANDLED AND STORED PER LABEL AND OTHER INSTRUCTIONS TO ENSURE PRODUCT INTEGRITY. KEEP IN A TIGHTLY CLOSED CONTAINER. STORE IN A COOL, DRY, V

ENTILATED AREA AWAY FROM SOURCES OF HEAT OR IGNITION.

PROTECT AGAINST PHYSICAL DAMAGE. ISOLATE FROM OXIDIZING AGENTS. Other Precautions: AVOID CONTACT WITH EYES AND SKIN OR CLOTHING. AVOID BREATHING MISTS. WASH HANDS THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING. DO NOT PERMIT EATING, DRINKING OR SMOKING NEAR MATERIAL. MINIMIZE HANDLING.

Respiratory Protection:OSHA APPROVED FACE MASK AND EYE PROTECTIO N.

Ventilation:LOCAL EXHAUST SYSTEM. Protective Gloves:PLASTIC OR RUBBER Eye Protection:GOGGLES OR EQUIVALENT Supplemental Safety and Health NDC NO: CONDYLOX 55515-101.

HCC:F2 Boiling Pt:=78.3C, 173.F B.P. Text:APPROXIMATELY Vapor Pres:~ 44.6 MMHG @68F Vapor Density:~ 1.59 Spec Gravity:0.82-0.84 Solubility in Water:MISICIBLE/COMPLETE Appearance and Odor:CLEAR, COLORLESS, WITH ALCOHOLIC ODOR

======= Stability and R

eactivity Data ===========

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS MAY CAUSE A VIOLENT REACTION. Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE CAN FORM WHEN HEATED TO DECOMPOSITION.

Waste Disposal Methods: DISPOSE OF WASTE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL LAWS FOR HAZARDOUS WASTE DISPOSAL.

Transport Information:NOT PROVIDED BY MFR.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for th e suitability of this information to their particular situation.