View NSN Online: https://aerobasegroup.com/nsn/8030-01-225-1639 **ENECON CORPORATION** -- 6003/403 ACTIVATOR HARDENER \_\_\_\_\_\_ MSDS Safety Information \_\_\_\_\_ FSC: 8030 NIIN: 01-225-1639 MSDS Date: 07/01/1998 MSDS Num: CKRYX Product ID: 6003/403 ACTIVATOR HARDENER MFN: 02 Kit Part: Y Responsible Party Cage: 033T7 Name: ENECON CORPORATION Address: 700 HICKSVILLE RD, ENECON CEN TER, SUITE 110 City: BETHPAGE NY 11714-3496 Info Phone Number: 516-349-0022 Emergency Phone Number: 1-800-255-3924/CHEM-TEL Proprietary Ind: Y Published: Y \_\_\_\_\_\_ Contractor Summary Cage: 033T7 Name: ENECON CORPORATION ENECON CENTER Address: 700 HICKSVILLE ROAD SUITE 110 City: BETHPAGE NY 11714-3496 Phone: 516-349-0022 \_\_\_\_\_\_ Item Description I nformation \_\_\_\_\_\_ Item Manager: N35 Item Name: FAIRING COMPOUND Unit of Issue: KT UI Container Qty: 1 \_\_\_\_\_\_ Ingredients \_\_\_\_\_\_

Name: \*\*\* PROPRIETARY \*\*\* \_\_\_\_\_

\_\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

LD50 LC50 Mixture: ORAL LD50 = 2.

23 G/KG (RAT)(DIETHYLENET)
Route Of Entry Inds - Inhalation: NO

Skin: YES Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: EYES: CONTACT MAY CAUSE CHEMICAL BURN IN EYE. VAPORS MAY BE IRRITATING TO EYES. SKIN: PROLONGED OR REPEATED CONTACT CAN CAUSE IRRITATION, DERMATITIS. CAN BE CORROSIVE TO THE SKIN. BREATHING: VAPORS CAN BE IRRITATING TO THE RESPIRATORY TRACT.

Explanation Of Carcinogenicity: NOT LISTED BY NTP, IARC, OSHA.

Signs And Symptions Of Overexp

osure: EYES: IRRITATION, CHEMICAL BURNS. SKIN:

IRRITATING, DERMATITIS, CORROSIVE TO SKIN. BREATHING: IRRITATION OF THE RESPIRATORY TRACT..

Medical Cond Aggravated By Exposure: PRE-EXISTING SKIN CONDITIONS AND RESPIRATORY DISORDERS.

First Aid: EYES: FLUSH WITH WATER FOR 15 MINUTES. SEE PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. BREATHING: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SWALLOWING: DO NOT INDUCE VOMITING. GET ME

DICAL ATTENTION.

\_\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_

Spill Release Procedures: SOAK UP WITH ABSORBENT MATERIALS OR SCRAPE UP. KEEP OUT OF SEWERS OR DRAINS. WEAR APPROPRIATE PROTECTIVE GEAR.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN TIGHTLY CLOSED C

ONTAINERS.

Other Precautions: AVOID CONTACT WITH SKIN OR EYES.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_\_

Flash Point Method: SCC Flash Point: >95.C, 203.F

Lower Limits: N/E Upper Limits: N/E

Extinguishing Media: WATER FOG, CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS WITH POSITIVE

PRESSURE.

Unusual Fire/Explosion Hazard: NONE KNOWN.

=====

**Control Measures** \_\_\_\_\_ Respiratory Protection: NONE REQUIRED AT NORMAL TEMPERATURE AND UNDER NORMAL CONDITIONS. IF APPLICATOR EXPERIENCES RESPIRATORY DISCOMFORT, USE A NIOSH APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR. Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT FOR MOST USE. Protective Gloves: IMPERVIOUS RUBBER GLOVES. Eye Protection: SAFETY GLASSES OR GOGGLES. Other Protecti ve Equipment: NONE SPECIFIED BY MANUFACTUER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health: THIS ENTRY DESCRIBES SECOND PART OF A TWO PART. SEE THIS SAME NSN, CAGE, AND MFN 1, FOR DATA ON FIRST ITEM IN KIT. \_\_\_\_\_ Physical/Chemical Properties \_\_\_\_\_ HCC: B2 Boiling Point: >200.C, 392.F Spec Gravity: 1.49 Appearance and Odor: BLACK PASTE/AMMONIA ODOR. ercent Volatiles by Volume: 0 \_\_\_\_\_\_ Reactivity Data \_\_\_\_\_ Stability Indicator: YES Stability Condition To Avoid: CONTACT WITH STRONG OXIDIZERS AND ACIDS. Materials To Avoid: STRONG OXIDIZERS AND ACIDS. Hazardous Decomposition Products: MAY FORM CARBON DIOXIDE, CARBON MONOXIDE AND OXIDES OF NITROGEN. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR.

\_\_\_\_\_\_

Toxicological Information

\_\_\_\_\_

Toxicological Information: LETHAL DOSE INFORMATION: DIETHYLENETRIAMINE: ORAL (RAT) LD50 = 2.23 G/KG; SKIN (RABBIT) LD50 = 1.09 ML/KG; INHALATION (RAT) LC50 >300 PPM 8 HRS.

\_\_\_\_\_

Regulatory Information

\_\_\_\_\_

Sara Title III Information: SECTION 313: DOES NOT C

ONTAIN ANY CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS UNDER SEC. 313 (40 CFR 372). Federal Regulatory Information: TSCA INVENTORY STATUS: ALL INGREDIENTS ARE LISTED ON THE TSCA INVENTORY OF CHEMICAL SUBSTANCES. \_\_\_\_\_ Other Information \_\_\_\_\_ \_\_\_\_\_ Transportation Information \_\_\_\_\_ Responsib le Party Cage: 033T7 Trans ID NO: 154332 Product ID: 6003/403 ACTIVATOR HARDENER MSDS Prepared Date: 07/01/1998 Review Date: 08/03/2000 MFN: 2 Tech Entry NOS Shipping Nm: (DIETHYLENETRIAMINE) Multiple KIT Number: 0 Kit Part IND: Y Unit Of Issue: KT Container QTY: 1 Additional Data: TRANSPORTATION DATA PER INFORMATION BY LETTER FROM MANUFACTURER. (FROM MIKE TEDESCO OF ENECON CORP. TO ABDUL KHALID, JULY 27, 2000.) \_\_\_\_\_ **Detail DOT Information** DOT PSN Code: DWG Symbols: G DOT Proper Shipping Name: CORROSIVE LIQUIDS, N.O.S. Hazard Class: 8

Hazard Class: 8
UN ID Num: UN1760
DOT Packaging Group: III
Label: CORROSIVE
Special Provision: T7
Non Bulk Pack: 203
Bulk Pack: 241
Max Qty Pass: 5 L

Max Qty Cargo: 60 L Vessel Stow Req: A

Water/Ship/Other Req: 40

\_\_\_\_\_

**Detail IMO Information** 

\_\_\_\_\_

IMO PSN Code

: ESH

IMO Proper Shipping Name: CORROSIVE LIQUID, N.O.S. o

IMDG Page Number: 8147

UN Number: 1760 UN Hazard Class: 8

IMO Packaging Group: I/II/III Subsidiary Risk Label: -EMS Number: 8-15

NACE C. 1 ALLO LL NU

MED First Aid Guide NUM: 760

\_\_\_\_\_\_

Detail IATA Information

\_\_\_\_\_\_

IATA PSN Code: HKW IATA UN ID Num: 1760

IATA Proper Shipping Name: CORROSIVE LIQUID, N.O.S. \*

IATA UN Class: 8

IATA Label: CORROSIVE

UN Packing G

roup: III

Packing Note Passenger: 818

Max Quant Pass: 5L Max Quant Cargo: 60L Packaging Note Cargo: 820

\_\_\_\_\_\_

Detail AFI Information

\_\_\_\_\_

AFI PSN Code: HKW

AFI Symbols: \*

AFI Proper Shipping Name: CORROSIVE LIQUID, N.O.S.

AFI Hazard Class: 8
AFI UN ID NUM: UN1760
AFI Packing Group: III
Special Provisions: P5

Back Pack Reference: A12.3

\_\_\_\_\_\_

HAZCO M Label

\_\_\_\_\_\_

Product ID: 6003/403 ACTIVATOR HARDENER

Cage: 033T7

Company Name: ENECON CORPORATION ENECON CENTER

Street: 700 HICKSVILLE ROAD SUITE 110

City: BETHPAGE NY Zipcode: 11714-3496

Health Emergency Phone: 1-800-255-3924/CHEM-TEL

Label Required IND: Y

Date Of Label Review: 08/03/2000

Status Code: A

Label Date: 08/03/2000
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER

Respiratory Protection IND: YE

S

Health Hazard: Slight Contact Hazard: Severe Fire Hazard: Slight Reactivity Hazard: None

Hazard And Precautions: EYES: CONTACT MAY CAUSE CHEMICAL BURN IN EYE. VAPORS MAY BE IRRITATING TO EYES. SKIN: PROLONGED OR REPEATED CONTACT CAN CAUSE IRRITATION, DERMATITIS. CAN BE CORROSIVE TO THE SKIN. BREATHING: VAPORS CAN BE IRRITATING TO THE RESPIRATORY TRACT.

\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This in

formation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.