View NSN Online: https://aerobasegroup.com/nsn/6830-01-370-6208

DU PONT E I NEMOURS & CO CHEMICALS & PIGMENTS DEPT -- SUVA 134A -- 6830-01-370-6208

Product ID:SUVA 134A MSDS Date:03/23/1999

FSC:6830

NIIN:01-370-6208 Status Code:A

MSDS Number: CKSCJ === Responsible Party ===

Company Name: DU PONT E I NEMOURS & CO CHEMICALS & PIGMENTS DEPT

Address:1007 MARKET ST

City:WILMINGTON

State:DE ZIP:19898 Country:US

Info Phone Num:800-4

41-7515

Emergency Phone Num:(800)424-9300 Resp. Party Other MSDS Num.:DU000693 Preparer's Name:MSDS COORDINATOR Chemtrec Ind/Phone:(800)424-9300

CAGE:23037

=== Contractor Identification ===

Company Name: DU PONT E I NEMOURS & CO CHEMICALS & PIGMENTS DEPT

Address:1007 MARKET ST Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-441-7515

CAGE:23037

======= Composition/Information on Ingredients ========

Ingred Name: ETHANE, 1,1,1,2-TETRAFLUORO-

CAS:811-97-2 = Wt:100.

Other RE

C Limits:1000 PPM, 8 & 12 HR OSHA PEL:NONE ESTABLISHED ACGIH TLV:NONE ESTABLISHED

========= Hazards Identification ================

Reports of Carcinogenicity:NTP:UNKNOWN IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: ETHANE,

1,1,1,2-TETRAFLUORO-GROSS OVEREXPOSURE MAY CAUSE: CENTRAL NERVOUS SYSTEM DEPRSSION WITH DIZZINESS, CONFUSION, INCOORDINATION, DROWSINESS OR UNCONSCIOUSNESS. IRREGULAR HEART BEAT WITH A STRANGE SENSATION IN THE CHEST,

HEART THUMPING, APPREHENSION.

LIGHTHEADEDNESS, FEELING OF FAINTING, DIZZINESS, WEAKNESS, SOMETIMES PROGRESSING TO LOSS OF CONSCIOUNESS AND DEATH. SUFFOCATION, IF A IR IS DISPLACED BY VAPORS. SKIN: IMMEDIATE EFFECTS OF OVEREXPOSURE MAY INCLUDE: FROSTBITE, IF LIQUID OR ESCAPING VAPOR CONTACTS THE SKIN. EYE: FROSTBITE-LIKE EFFECTS MAY OCCUR IF THE LIQUID OR ESCAPIN G VAPORS CONTACT THE EYES.

- Explanation of Carcinogenicity:NONE OF THE COMPONENTS PRESENT IN THIS MATERIAL A
- T CONCENTRATIONS EQUAL TO OR GREATER THAN 0.1% ARE LISTED BY IARC, NPT, OSHA OR ACGIH AS A CARCINOGEN.
- Effects of Overexposure:INHALATION: ETHANE, 1,1,1,2-TETRAFLUORO-GROSS OVEREXPOSURE MAY CAUSE: CENTRAL NERVOUS SYSTEM DEPRSSION WITH DIZZINESS, CONFUSION, INCOORDINATION, DROWSINESS OR UNCONSCIOUSNESS. IRREGULAR HEART BEAT WITH A STRANGE SENSATION IN THE CHEST, HEART THUMPING, APPREHENSION, LIGHTHEADEDNESS, FEELING OF FAINTING, DIZZINESS, WEAKNESS, SOMETIMES PROGRESSING TO LOSS OF

CONSCIOUNESS AND DEATH. SUFFOCATION, IF A IR IS DISPLACED BY VAPORS. SKIN: IMMEDIATE EFFECTS OF OVEREXPOSURE MAY INCLUDE: FROSTBITE, IF LIQUID OR ESCAPING VAPOR CONTACTS THE SKIN. EYE: FROSTBITE-LIKE EFFECTS MAY OCCUR IF THE LIQUID OR ESCAPIN G VAPORS CONTACT THE EYES.

Medical Cond Aggravated by Exposure:INCREASED SUSCEPTIBILITY TO EFFECTS OF MATERIAL MAY BE OBSERVED IN PERSONS WITH PRE-EXISTING DISEASE OF CENTRAL NERVOUS SYSTEM & CARDIOVASCULAR SYSTEM.

 Firet Aid Mageurae	
 T II SI MIU IVIDASULDS	

First Aid:INHALATION: IF HIGH CONCENTARATIONS INHALED, IMMEDIATELY REMOVE TO FRESH AIR. KEEP PERSON CLAM. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING DIFFICULT, GIVE OXYGEN. CALL PHYSICIAN. SKI N: IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN WITH PLENTY WATER FOR AT LEAST 15 MINUTES, WHILE REMOVING CONTAMINATED CLOTHING & SHOES. CALL PHYSICIAN. WASH CONTAMINATED CLOTHING BEFORE REUSE. TREA

T FOR FROSTBITE IF NECESSARY BY GENTLY WARMING
AFFECTED AREA. EYE: IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH
PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL PHYSICIAN. INGESTION:
INGESTION IS NOT A POTIENTIAL ROUTE OF EXPOSURE.

 Fire Fighting Measures	=======================================
 i iio i igiittiig wiododioo	

Flash Point: WILL NOT BURN

Lower Limits:NA Upper Limits:NA

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING MATERIAL. COOL TANK/CONTAINER WITH WATER SPRAY.

Fire Fighting Pr

ocedures:SELF-CONTAINED BREATHING APPARATUS MAY BE REQUIRED IF CYLINDERS RUPTURE OR RELEASE UNDER FIRE CONDITIONS.


Unusual Fire/Explosion Hazard:NOT FLAMMABLE UP TO 100C AT ATMOSPHERIC PRESSURE BUT MIXTURES WITH HIGH CONCENTRATIONS OF AIR AT ELEVATED PRESSURE CAN BECOME COMBUSTIBLE AT AMBIENT TEMP. AS TEMPERATURE OF MATERIAL IS INCREASED LOWER PRESSURE (>ATMOSPHERIC) CAN CREATE SAME EFFECT. DO NOT MIX WITH HIGH CONCENTRATIONS OF AIR ABOVE ATMOSPHERIC PRESSURE.

=======	Accidental	Release	Measures	===========

Spill Release Procedures: VENTILATE AREA, ESPECIALLY LOW OR ENCLOSED PLACES WHERE HEAVY VAPORS MIGHT COLLECT. REMOVE OPEN FLAMES. USE SELF-CONTIANED BRATHING APPARATUS (SCBA) IF LARGE SPILL OR LEAK OCCURS.

=========== Handling and Storage ==============

Handling and Storage Precautions:USE WITH SUFFICIENT VENTILATION TO KEEP EMPLOYEE EXPOSURE BELOW RECOMMENDED LIMITS. HFC-134A SHOULD NOT BE MIXE



Percent Volatiles by Volume:100

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

INCOMPATIBLE WITH ALKALI OR ALKALINE EARTH METALS-POWDERED AL. ZN, BE, ETC.

Stability Condition to Avoid: AVOID

OPEN FLAMES AND HIGH TEMPERATURES. Hazardous Decomposition Products: DECOMPOSITION PRODUCTS ARE HAZARDOUS. THIS MATERIAL CAN BE DECOMPSED BY HITH TEMPERATURES (OPEN FLAMES, GLOWING METAL SURFACES, ETC.) FORMING HYDROFLUORIC ACID AND POSSIBLY CARBONYL FLUORIDE. Conditions to Avoid Polymerization: WILL NOT OCCUR. ======== Toxicological Information =========== Toxicological Information: SHORT DURATION OF VAPOR SPRAY PRODUCED VERY SLIGHT EYE IRRITATION. ANIMAL TEST ING INDICATES MATERIAL IS SLIGHT SKIN IRRITANT BUT NOT SKIN SENSITIZER. INHALATION: 4 HR, ALC, RAT: 567000 PPM. SINGLE EXP OSURE CAUSED CARDIAC SENSITIZATION, A POTENTIALLY FATAL DISTURBANCE OF HEART RHYTHM ASSOCIATED WITH HEIGHTENED SENSITIVITY TO ACTION OF EPINEPHRINE. LOWEST OBSERVED ADVERSE EFFECT LEVEL FOR CARDIAC SE NSITIZATION: 75000 PPM. SINGLE EXPOSURE CAUSED LETHARGY, NARCOSIS, INCREASED RESPIRATORY RATES (TEMPORARY EFFECTS). SINGLE DOSE TO NEAR LETHAL DOSE: **PULMONARY** EDEMA. CONTINUED IN OTHER INFORMATION FIE LD. ========= Ecological Information ============== Ecological: AQUATIC TOXICITY: 48 HR EC50 - DAPHNIA MAGNA: 980 MG/L; 96 HR LC50 - RAINBOW TROUT: 450 MG/L. ======= Disposal Considerations ============== Waste Disposal Methods: CONTAMINATED HFC-134A CAN BE RECOVERED BY DISTILLATION OR REMOVED TO A PERMITTED WASTE DISPOSAL FACILITY. COMPLY WITH FEDERAL, STATE, AND LOCAL REGULATIONS. ======== MSDS Transport Information ============ Transport Information: DOT INFORMATION: 1,1,1,2-TETRAFLUOROETHANE, 2.2, UN NO 3159, NONFLAMMABLE GAS LABEL.

SARA Title III Information: SARA SECTION 311/312 CLASSES: ACUTE,

Federal Regulatory Information: INCLUDED IN TSCA INVENTORY.

SARA TOXIC CHEMICAL LISTS.

State Regulatory Informati

CHRONIC, PRESSURE. NOT ON SARA EHS, CERCLA HAZARDOUS SUBSTANCE,

on:	NI	T	- P	R	\bigcirc	/1		ΕI	
()		. <i>,</i> ,	_	-	. ,	V II	. ,		

============= Other Information =============================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assu

me responsibility for the suitability of this information to their particular situation.