

LORD CORPORATION -- CREST 1420A

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 00-275-8110
MSDS Date: 01/11/1996
MSDS Num: CKTMP
Product ID: CREST 1420A
MFN: 04
Responsible Party
Cage: 30676
Name: LORD CORPORATION
Address: 2000 WEST GRANDVIEW BLVD
City: ERIE PA 16514-0038
Info Phone Number: 814-868-3611
Emergency Phone Number: 814-763-2345
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 30676
Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION
Address: 2000 WEST GRANDVIEW BLVD
City: ERIE PA 16514-0038
Phone: 814-868-3611

=====
Item Description Information
=====

=====
Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: KT
UI Container Qty: G
Type of Container: BX

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Effects of Exposure: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPECTED ROUTE OF ENTRY IN INDUSTRIAL OR COMMERCIAL USES. CHRONIC HAZARDS: NONE EXPECTED UNDER NORMAL WORKING CONDITIONS.
Sign

s And Symptions Of Overexposure: EYE CONTACT MAY CAUSE SLIGHT IRRITATION.
SKIN CONTACT: NO HAZARD EXPECTED IN NORMAL INDUSTRIAL USE. NO INHALATION
HAZARD EXPECTED DURING NORMAL WORKPLACE USE.

First Aid: EYE CONTACT:FLUSH IMMEDIATELY WITH LARGE AMOUNT OF WATER FOR AT
LEAST 15 MIN HOLDING EYELIDS OPEN WHILE FLUSHING.SKIN CONTACT:FLUSH
CONTAMINATED SKIN WITH LARGE AMOUNTS OF WATER WHILE REMOVING CONTAM INATED
CLOTHING.WASH AFFECTED SKIN AREAS WITH SOAP/ WATER. INHALATION:MOVE PERSON TO

FRESH AIR.RESTORE AND SUPPORT CONTINUED BREATHING.IF BREATHING IS DIFFICULT,
GIVE OXYGEN.INGESTION:IF SWALLOWED, DO NOT INDUCE VOMITING.GIVE VICTIM ONE
OR TWO GLASSES OF WATER OR MILK.CALL A PHYSICIAN OR POISON CONTROL CENTER
IMMEDIATELY FOR FURTHER INSTRUCTIONS. NEVER GIVE ANYTHING BY MOUTH TO AN
UNCONSCIOUS PERSON.OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Handling and Disposal
=====

Spill Release Procedures: KEEP NON-ESSENTIAL PERSONEL A SAFE DISTANCE AWAY FROM
THE SPILL AREA. REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPORS. USE
SELF CONTAINED BREATHING EQUIPMENT. NOTIFY APPROPRIATE AUTHIORITIES IF
NECESSARY. CONTAIN AND REMOVE WITH INERT ABSORBENT MATERIAL AND NON-SPARKING
TOOLS. AVOID CONTACT. BEFORE ATTEMPTING CLEANUP, REFER TO HAZARD INFORMATION
IN OTHER SECTIONS OF THE MSDS FORM.

Waste Disposal Methods: DISPOSAL SHOULD BE DONE IN ACCORDANCE WITH FEDER
AL,
STATE AND LOCAL ENVIORMENTAL CONTROL REGULATIONS. IF WASTE IS DETERMINED TO
BE HAZARDOUS, USE LICENSED HAZARDOUS WASTE TRANSPORTER AND DISPOSAL FACI
LITY.

Handling And Storage Precautions: STORE ONLY IN VENTILATED AREAS.CLOSE
CONTAINER WHEN NOT IN USE.KEEP CONTAINER UPRIGHT TO PREVENT LEAKAGE. DO NOT
HANDLE UNTI LALL SAFTEY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. DO NOT
WELD/ FLAME-C UT AN EMPTY DRUM. USE OF THIS PRODUCT SHOULD COMPLY WITH THE
OSHA LEAD STANDARD.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: SCC

Flash Point: >93.3C, 200.F

Flash Point Text: >200 F, 93 C

Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER FOG

Fire Fighting Procedures: WEAT FULL FIREFIGHTING PROTECTIVE CLOTHING, INCLUDING
SCBA. WEATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE
PREFERABLE. DURING A FIRE, IRRITATING AND/OR TOXIC GASES AN

D PARTICULES MAY

BE GENERATED BY THERMAL DECOMPOSITION OR COMBUSTION.

Unusual Fire/Explosion Hazard: FLAMMABLE LIQUID AND VAPOR. KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, OPEN FLAME AND OTHER SOURCES OF IGNITION. CLOSED CONTAINERS MAY RUPTURE WHEN EXPOSED TO EXTREME HEAT. USE WATER SPRAY TO KEEP FIRE EXPOSED CONTAINERS COOL.

=====
Control Measures
=====

=====
Ventilation: GENERAL VENTILATION

Protective Gloves: NEOPRENE, NITRILE OR RUBBER GLOVES

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS, CHEMICAL GOGGLES

Other Protective Equipment: REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

Work Hygienic Practices: WASH HANDS BEFORE EATING, SMOKING OR USING TOILET FACILITY. FOOD AND BEVERAGE SHOULD NOT BE CONSUMED ANYWHERE THIS PRODUCT IS HANDLED OR STORED. WASH THOROUGHLY AFTER HANDLING.

=====
Physical/Chemical Properties
=====

Vapor Density: + AIR

Spec Gravity: 1.45

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water: INSOLUBLE

Appearance and Odor: BLACK PASTE POLYSULFIDE ODOR

Percent Volatiles by Volume: 0.0
=====

Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: HIGH TEMPERATURES.

Materials To Avoid: ACIDS, CAUSTICS, AMINES, AMMONIA, HALOGENS AND ISOCYANATES

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF SULFUR, HYDROGEN SULFIDE

Hazardous Polymerization Indicator: NO
=====

MSDS Transport Information
=====

Regulatory Information
=====

=====
Other Information
=====

Other Information: THE INFORMATION CONTAINED HEREIN IS, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARENTEE OF RESULTS, AND ASSUMES NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATEIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

=====
HAZCOM Label
=====

Product ID: CREST 1420A

Cage: 30676

Company Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION

Street: 2000 WEST GRANDVIEW BLVD

City: ERIE PA

Zipcode: 16514-0038

Health Emergency Phone: 814-763-2345

Label Required IND: Y

Date Of Label Review: 09/29/2000

Status Code: A

Origination Code: G

Hazard And Precautions: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPECTED

ROUTE OF ENTRY IN INDUSTRIAL OR COMMERCIAL USES. CHRONIC HAZARDS: NONE EXPECTED UNDER NORMAL WORKING CONDITIONS.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regar

dless of similarity to a corresponding Department
of Defense or other government situation.