

TACC INTERNATIONAL CORP -- RUBBER ADHESIVE -- 8040-00-281-1977

=====
Product Identification
=====

Product ID:RUBBER ADHESIVE

MSDS Date:10/23/1997

FSC:8040

NIIN:00-281-1977

Status Code:A

MSDS Number: CKTPF

=== Responsible Party ===

Company Name:TACC INTERNATIONAL CORP

Address:AIR STATION INDUSTRIAL PARK

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone Num:781-878-7015

Emergency Phone Num:800

-424-9300

CAGE:0HZU1

=== Contractor Identification ===

Company Name:TACC INTERNATIONAL CORP

Address:AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:781-878-7015

CAGE:0HZU1

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE

CAS:108-88-3

Fraction by Wt: 1-5%

Other REC Limits:CIELING 330 PEAK 500

OSHA PEL:100 PPM

OSHA STEL:150 PPM

ACGIH TLV:50 PPM

ACGIH STEL:150 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:METHY

L ETHYL KETONE
CAS:78-93-3
Fraction by Wt: 5-20%
OSHA PEL:200 PPM
OSHA STEL:300 PPM
ACGIH TLV:200 PPM
ACGIH STEL:300 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ETHYL ACETATE
CAS:141-78-6
Fraction by Wt: 1-5%
OSHA PEL:400 PPM
ACGIH TLV:400 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACRYLONITRILE
CAS:107-13-1
RTECS #:AT5250000
Fraction by Wt: 77.2C, 171.F
B.P. Text:171-231F
Vapor Density:HEAVIER
Spec Gravity:0.90516
Evaporation Rate & Reference:FASTER THAN NB
Appearance and Odor:CLEAR, KETONE ODOR
Percent Volatiles by Volume:7.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONG ACIDS AND BASES
Stability Condition to Avoid:FIRE, SPARKS, STATIC ELECTRICITY
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE
Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Toxicological Information =====

Toxicological Informatio

n:THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THAT IT IS ACCURATE TO THE BEST KNOWLEDGE OF TACC INTERNATIONAL. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN. TACC INTERNATIONAL ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON THESE DATA.

===== Disposal Considerations =====

Waste Disposal Methods:MATERIAL IS DESIGNATED AS HAZARDOUS WASTE UNTIL ALL SOLVENTS AND VAPORS HAVE EVAPORATED. DISPOSE OF IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS. DRIED ADHESIVE MAY BE DISPOSED OF AS ORDINARY WASTE.

===== Regulatory Information =====

SARA Title III Information:THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW ACT OF 1986 AND OF 40 CFR 372. TOLUENE, METHYL ETHYL KETONE, ACRYLONITRILE

BUTADIENE.THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW ACT OF 1986 AND OF 40 CFR 372. TOLUENE, METHYL ETHYL KETONE, ACRYLONITRILE BUTADIENE.

State Regulatory Information:PROP 65 CARCINOGEN WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. ACRYLONITRILE, BUTADIENE. PROP 65 (TERATORGEN) WARNING: THIS PRODUCT CONTAIN

S A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. TOLUENE. PROP 65 (BOTH CARCINOGEN AND TERATOGEN) WARNING : THIS PRODUCT MAY CONTAIN A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. CHEMICAL NAME : NONE. NATIONAL STOCK NUMBERS: 8040-00-281-1977,8040-00-515-2250,8040-00-262-9011,8040-00-298-1946 ,8040-00-273-8697,8040-00-152-0063.

Disclaimer (provided wi

th this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.