

ACUMULADORES DEL NOROESTE,S.A. DE C.V. -- BATTERY ELECTRIC STORAGE, WET SPENT --
6140-00-122-6110

=====
Product Identification
=====

Product ID:BATTERY ELECTRIC STORAGE, WET SPENT

MSDS Date:09/06/2000

FSC:6140

NIIN:00-122-6110

Status Code:A

MSDS Number: CKTQS

=== Responsible Party ===

Company Name:ACUMULADORES DEL NOROESTE,S.A. DE C.V.

Address:CALLE CRUZ DEL SUR NO. 10 FRACC.LA JOYA

City:TIJUANA

B.C. MEXICO

Info Phone Num:1-800-443-1672

Emergency Phone Num:1-800-535-5063

CAGE:TO293

=== Contractor Identification ===

Company Name:ACUMULADORES DEL NOROESTE,S.A. DE C.V.

Address:CALLE CRUZ DEL SUR NO. 10 FRACC.LA JOYA

Box:City:TIJUANA B.C. MEXICO

Phone:1-800-443-1672 FROM USA

CAGE:TO293

Company Name:BATTERY EMPORIUM AND TECHNOLOGY

Address:1462 CALLE MARBELLA

Box:City:OCEANSIDE

State:CA

ZIP:92056

Country:US

Phone:760-630-1848

Contract Num:SP0430-00-M-KL94

CAGE:05BF1

=====
Compositio
n/Information on Ingredients
=====

Ingred Name:LEAD PB

CAS:7439-92-1

RTECS #:OF7525000

OSHA PEL:0.050 MG/M3

Code:F

ACGIH TLV:0.15 MG/M3

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:YES

Health Hazards Acute and Chronic:EYE AND SKIN IRRITATION BY ACID/PB,
OVER-EXPOSURE CAN BRING ON ABDOMINAL COLIC, CONSTIPATI

ON, NAUSEA,

ANEMIA AND MUSCLE FATIGUE. TARGET ORGANS:GI, KIDNEYS, CNS, BLOOD, REPRODUCTIVE SYSTEM (HMIS).

Explanation of Carcinogenicity:NONE (HMIS: IARC: POSSIBLY CARCINOGEN TO HUMAN. ACGIH: CONFIRMED ANIMAL CARCINOGEN). OSHA: PB IS REGULATED.

Effects of Overexposure:STINGING AND BURNING SENSATION TO SKIN AND EYES..

=====
===== First Aid Measures =====

First Aid:N/P. HMIS: EYES AND SKIN: FLUSH WITH WATER FOR AT LEAST 15 MIN WHILE KEEPING EYELIDS OPEN. SKIN: WASH WITH WATER AND SOAP. GET MEDICAL ATTENTION. FOR INGESTION GET IMMEDIATE MEDICAL HELP.

=====
===== Fire Fighting Measures =====

Extinguishing Media:DRY CHEMICALS

Fire Fighting Procedures:ORDINARY

=====
===== Accidental Release Measures =====

Spill Release Procedures:N/P. HMIS: WEAR GLOVES TO HANDLE LEAKY BATTERIES. CONTAIN SPILL, NEUTRALIZE WITH DILUTE SOLUTION OF SODA BICARB OR LIME, ABSORB IN SAND OR VERMICULITE AND SAVE FOR DISPOSAL.

Neutralizing Agent:N/P. HMIS: 10% SODIUM BICARBONATE SOLUTION OR LIME SOLUTION.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE WITH VENT SIDE UP. NEUTRALIZE ELECTROLYTE SPILLS.

=====
===== Exposure Controls/Personal Protection =====

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GOGGLES OR FACE SHIELD

Supplemental Safety and Health

=====
===== Physical/Chemical Pr

operties =====

HCC:C1

Appearance and Odor:ACID HAS SHARP, PENETRATING, PUNGENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT DISPOSE, MATERIAL SHOULD BE RECYCLED BY A
LICENSED BATTERY RECYCLER.

===== MSDS Transport Information =====

Transport Information:NO INFO PROVIDED.

D

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation

.