View NSN Online: https://aerobasegroup.com/nsn/8040-01-107-3981 CLICK BOND, INC -- KA1E1 CP125-000-005 A1A1 CB300 PART B -- 8040-01-107-3981 Product ID:KA1E1 CP125-000-005 A1A1 CB300 PART B MSDS Date:01/12/1998 FSC:8040 NIIN:01-107-3981 Status Code:A Kit Part:Y MSDS Number: CKTYF === Responsible Party === Company Name: CLICK BOND, INC Address:2151 LOCKHEED WAY City: CARSON CITY State:NV ZIP:89706 Country:US Info Phone Num:702-885-8000/702-883-0191 Emergency Phone Num:800-255-3924 (CHEM-TEL) CAGE:MO939

=== Contractor Identification === Company Name:CLICK BOND, INC Address:2151 LOCKHEED WAY

City: CARSON CITY

State:NV ZIP:89706 Country:US

Phone:702-885-8000/702-883-0191

CAGE:MO939

======= Composition/Information on Ingredients ========

Ingred Name:TRADE SECRET

Ingred Name:TRADE SECRET

========= Hazards Identification =============

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:N

Health Hazards Acute and Chronic:PERMISSIBLE EXPOSURE LEVEL: NO OSHA LIMITS HAVE BEEN ESTABLISHED FOR THIS PRODUCT. INHALATION: SLIGHTLY TOXIC. CAN CAUSE IRRITATION OF RESPIRATORY TRACT. OVEREXPOSURE TO VAPOR OR FUMES MAY CAUSE DELAY ED LUNG DAMAGE AND CHEMICAL PNEUMONIA. EYE CONTACT: CAN BE CORROSIVE TO EYE TISSUE LEADING TO PERMANENT INJURY AND EVEN BLINDNESS. INGESTION: SLIGHTLY TOXIC. INGESTION MAY CAUSE FATIGUE, MUSCULAR WEAK NESS, LABORED BREATHING AND IRRITAT

ION OF GASTRO-INTESTINAL TRACT. SKIN: MAY CAUSE SEVERE SKIN IRRITATION. CORROSIVE ON PROLONGED CONTACT. MAYBE A SENSITIZER. SKIN ABSORPTION: SLIGHTLY TOXIC.

Effects of Overexposure:ACUTE OVEREXPOSURE: SEVERE BURNS TO SKIN, EYES, RESPIRATORY AND GASTROINTESTINAL TRACT. CHRONIC OVEREXPOSURE: DERMATITIS, DELAYED LUNG INJURY, CHEMICAL PNEUMONIA. NOTE TO PHYSICIAN: GASTRIC LAVAGE MAY BE CONSIDERED DEPENDING ON DEGREE OF MUCOSAL DAMAGE. TREATMENT FOR SHOCK, RESPIRATORY DEPRES SION AND

CONVULSIONS MAY BE NECESSARY.

=======================================	First Aid Measures	=======================================
---	--------------------	---

First Aid:INHALATION: REMOVE PERSON TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. GET IMMED MED ATTN. EYE: FLUSH THOROUGHLY W/WATER FOR AT LEAST 15 MINS WHILE LIFTING UPPER AND LOWER LIDS. GET IMMED MED ATTN. INGEST: DO NOT INDUCE VOMIT. GIVE LARGE AMOUNTS OF WATER/MILK IF AVAIL & TRANSPORT TO MEDICAL FACILITY. SKIN: IMMED REMOVE CONTAMINATED CLOTHES/SHOES

. WIPE EXCESS FROM

SKIN & FLUSH W/PLENTY OF W ATER FOR AT LEAST 15 MINS. USE SOAP IF AVAIL OR FOLLOW BY WASHING W/SOAP & WATER. DO NOT REUSE CLOTHING UNTIL THOROUGHLY CLEANED. GET MED ATTN. CONTAM LEATHER ARTICLES, INCL SHOES, CANNOT BE DECONTAM & SHOULD BE DESTROYED TO PREVENT REUSE.

========= Fire Fighting Measures ===============

Flash Point Method: PMCC Flash Point:=132.2C, 270.F

Extinguishing Media: WATER SPRAY, DRY CHEMICAL, FOAM AND CARBON DIOXIDE.

Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACESHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BREATHING APPARAT US. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:FIRE EXPOSED CONTAINERS MAY BUILD PRESSURE AND BURST. FLAMMABILITY CLASS: N/A.

========= Accidental Release Measures =============

Spill Release Procedures: IN C

ASE OF SPILLS: SHUT OFF ALL IGNITION

SOURCES AND DIKE SPILL TO CONTAIN AND PREVENT ENTRY INTO SEWER OR WATER SOURCES. ABSORB SPILLED MATERIAL AND PLACE IN CLOSED CONTAINER FOR DISPOSAL.

=========== Handling and Storage ================

Handling and Storage Precautions: STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

Other Precautions:DO NOT REUSE CONTAMINATED CLOTHING UNTIL THOROUGHLY CLEANED. CONTAMINATED LEATHER ARTICLES, INC

LUDING SHOES, CANNOT BE

DECONTAMINATED AND SHOULD BE DESTROYED TO PREVENT REUSE.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL OR VENTILATION, WEAR A RESPIRATOR APPROVED BY NIOSH WHENEVER EXPOSED TO FUMES OR VAPORS. COMPLY WITH OSHA 1910.134 (CFR). NIOSH APPROVED SELF-CONTAINED B REATHING APPARATUS IN HIGH CONCENTRATIONS.

Ventilation:LOCAL EXHAUST IS RECOMMENDED.

Protective Gloves:IM


PERVIOUS GLOVES . USE CHEMICAL RESISTANT PROTECTIVE GLOVES (MFR).

Eye Protection: ANSI APPROVED CHEMICAL WORKERS GOGGLES WITH FULL FACESHIELD. (SUP DATA)

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING TO MINIMIZE EXPOSURE; CHEMICAL SPLASH APRON, FULL FACE SHIELD. EYE WASH STATION AND DELUGE SAFETY SHOWER MEETING ANSI DESIGN CRITERIA SHOULD BE AVAILABLE FOR EMERGENCY USE.

Supplemental Safety and Health

PHYSICAL/CHEMICAL DATA: VAPOR DENSITY: HEAVIER THAN AIR. LIQUID



E.
Federal Regulatory Information:ALL INGREDIENTS IN THIS PRODUCT ARE LISTED IN THE T.S.C.A. INVENTORY.

============ Other Information ==============================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any p erson utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.