View NSN Online: https://aerobasegroup.com/nsn/5330-01-371-4631

## QUIN-T CORPORATION - PA -- CA QUIN E6215 -- 5330-01-371-4631

============= Product Identification ========================

Product ID:CA QUIN E6215 MSDS Date:04/01/1993

FSC:5330

NIIN:01-371-4631

Status Code:A

MSDS Number: CKWFB === Responsible Party ===

Company Name: QUIN-T CORPORATION - PA

Address:140 EAST 16TH STREET

Box:1151 City:ERIE State:PA ZIP:16512 Country:US

Info Phone Num:814-453-5731,814-455-9019

**Emergency Phone** Num:814-453-5731

CAGE:0VMT3

=== Contractor Identification ===

Company Name: ABSCOA INDUSTRIES INC

Address:2000 ROBOTICS PL

Box:185369

City:FORT WORTH

State:TX

ZIP:76118-7129 Country:US

Phone:817-284-4449

Contract Num:DLA500-93-M-JA12

CAGE:2N335

Company Name: QUIN-T CORPORATION - PA

Address:140 EAST 16TH STREET

Box:1151 City:ERIE State:PA ZIP:16512 Country:US

Phone:814-453-5731,814-455-9019

CAGE:0VMT3

======= Composition/Information on Ingredients ========

Ingred Name:FIBERGLASS

CAS:

65997-17-3 OSHA PEL:5 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name: HYDRATED ALUMINUM SILICATE CAS:12269-78-2 Other REC Limits: 0.1 MG/M3 (R. DUST) OSHA PEL:3 MG/M3 (T. DUST) Ingred Name: ACRYLONITRILE LATEX (OR ACRYLONITRILE-1,3-BUTADIENE-STYRENE COPOLYMER) CAS:9003-56-9 RTECS #:AT6970000 Ingred Name: CELITE (DIATOMACEOUS EARTH) CAS:61790-53-2 RTECS #:VV7311000 OSHA PEL:2 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name:TALC (SOAPSTONE) CAS:14807-96-6 RTECS #:WW2710000 OSHA PEL:20 MPPC3 ACGIH TLV:2 MG/M3 ========== Hazards Identification ===================== LD50 LC50 Mixture:NO DATA PROVIDED BY MANUFACTURER Health Hazards Acute and Chronic: ACUTE: TRANSITORY UPPER RESPIRATORY IRRITANT. CHRONIC: LONG TERM, UNPROTECTED TO DUST IN EXCESS OF PEL MAY CAUSE LUNG DISEASE (SILICOSIS). Explanation of Carcinogenicity: NO DATA PROVIDED BY MANUFACTURER Effects of Overexposure: TEMPORARY RASH DEPENDENT UPON INDIVIDUAL TOLERANCE TO SMALL QUANTITIES OF FIBERGLASS. Medical Cond Aggravated b y Exposure: PRE-EXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS (BUT NOT LIMITED TO) BRONCHITIS, EMPHYSEMA, AND ASTHMA. First Aid:NO DATA PROVIDED BY MANUFACTURER Extinguishing Media:PROPER FOR SURROUNDING MATERIALS.

Fire Fighting Procedures: NONE.

Unusual Fire/Explosion Hazard:NONE.

======== Accidental Release Measures ========

Spill Release Procedures:VACUUM OR WET SWEEP ANY SPILLED PRODUCT DUST. Neutralizing Agent:NO DATA PROVIDED BY MANUFACTURER
======================================
Handling and Storage Precautions:AVOID CREATING DUST. Other Precautions:NONE.
======= Exposure Controls/Personal Protection ========
Respiratory Protection:USE A RESPIRATOR SUCH AS 3M9900 IF OPERATION PRODUCES DUST. Ventilation:ADEQUATE VENTILATION OR DUST COLLECTOR.
Protective GI oves:AS PERSONALLY NEEDED.
Eye Protection:GOGGLES RECOMMENDED FOR DUST PRODUCING PROCEDURES. Other Protective Equipment:NO DATA PROVIDED BY MANUFACTURER Work Hygienic Practices:NO DATA PROVIDED BY MANUFACTURER Supplemental Safety and Health
NO DATA PROVIDED BY MANUFACTURER. DLA-HMIS STAFF NOTE: THIS MSDS REPRESENTS A FILLER MATERIAL FOUND IN A GASKET; THIS FILLER MATERIAL IS SANDWICHED IN BETWEEN COPPER WHOSE MSDS IS ALSO ASSOCIATED WITH THIS NSN, SERIAL NUMBER: CKWFG.
===== Physical/Chemical Properties ===========
HCC:N1 Boiling Pt:B.P. Text:MATERIAL IS A SOLID Melt/Freeze Pt:M.P/F.P Text:NONE Spec Gravity:8-1.2 Evaporation Rate & Description of the content of the con
Appearance and Odor:BLACK PAPER WITH NEGLIGIBLE ODOR.
======================================
Stability Indicator/Materials to Avoid:YES
NONE. Stability Condition to Avoid:NO DATA PROVIDED BY MANUFACTURER Hazardous Decomposition Products:NONE C

This information is formulated for use by e lements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.