View NSN Online: https://aerobasegroup.com/nsn/6850-00-910-8667

GE SILICONES -- DBT STANNANE, DIBUTYL BIS((1-OXODODECYL) -- 6850-00-910-8667

Product ID:DBT STANNANE, DIBUTYL BIS((1-OXODODECYL)

MSDS Date:01/28/1999

FSC:6850

NIIN:00-910-8667

MSDS Number: CKWNT === Responsible Party === Company Name:GE SILICONES Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY ZIP:12188 Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:518-237-3330

Preparer's Name: CE HANNIGAN

CAGE:01139

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO CAPACITOR PRODUCTS DEPARTMENT

Address: JOHN ST

Box:City:HUDSON FALLS

State:NY ZIP:12839 Country:US

Phone:518-746-5750

CAGE:01002

======= Composition/Information on Ingredients ========

Ingred Name: DIBUTYL TIN DILAURATE

CAS:77-58-7

RTECS #:WH7000000
Minumum % Wt:80.
Maxumum % Wt:99.
Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.1 MG/M3 OSHA STEL:N/E

ACGIH TLV:0.1

========= Hazards Identification ============

LD50 LC50 Mixture:LD50 (ORAL, RAT) 1,470 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:POTENTIAL HEALTH EFFECTS: INGESTION: HARMFUL IF SWALLOWED. SKIN CONTACT: CAUSES MODERATE SKIN IRRITATION. HARMFUL IF ABSORBED THROUGH THE SKIN. INHALATION: VAPORS GIVEN OFF BY HEATED PRODUCT MAY BE HA RMFU

L. EYE CONTACT:

CAUSES SEVERE EYE IRRITATION. SUBCHRONIC (TARGET ORGAN) EFFECTS: CENTRAL NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:THIS PRODUCT OR ONE OF ITS INGREDIENTS PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN BY IARC, NTP OR OSHA.

Effects of Overexposure:HARMFUL IF SWALLOWED. SKIN CONTACT CAUSES MODERATE IRRITATION. INHALATION OF VAPORS GIVEN OFF BY HEATED PRODUCT MAY BE HARMFUL. EYE CONTACT CAUSES SEVERE IRRITATION.

Medical

Cond Aggravated by Exposure: CENTRAL NERVOUS SYSTEM DISORDERS.

First Aid:INGESTION: DO NOT INDUCE VOMITING. SLOWLY DILUTE WITH 1-2 GLASSES OF WATER OR MILK AND SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SKIN: REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. WASH SKIN WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: MOVE PERSON TO FRES

H AIR. EYES: IN CASE OF CONTACT, OR

SUSPECTED CONTACT, IMMEDIATEL Y FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IMMEDIATELY AFTER FLUSHING.

============ Fire Fighting Measures =========================

Flash Point Method:COC

Flash Point:=235.C, 455.F

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures: NONE KNOWN. WEAR RESPIRATORY PROTECTION IF IN A CONFINED AREA.

Unusual Fire/Explosion Hazard: NONE SPECIFIED

SENSITIVITY TO MECHANICAL IMPACT-NO. SENSITITIVITY TO STATIC DISCHARGE: SENSITIVITY TO STATIC DISCHARGE IS NOT EXPECTED.
========= Accidental Release Measures ===========
Spill Release Procedures:WIPE, SCRAPE OR SOAK UP SPILL IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN THE PROTECTIVE EQUIPMENT SECTION. WARN OTHER WORKERS OF SPILL. Neutralizing Agent:NO DATA PROVIDED BY MANUFA CTURER.
============== Handling and Storage ===============
Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH HANDS BEFORE EATING AND SMOKING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE KNOWN. Ventilation:USE ONLY IN WELL VENTILATED AREA. Protective Gloves:RUBBER GLOVES. Eye Protection:SAFETY GLASSES. MONOGOGGLES Other Protective Equipment:SH OWERS. EYE WASH STATION, RUBBER APRON Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH BEFORE EATING OR DRINKING. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:V5 Boiling Pt:=204.4C, 400.F Melt/Freeze Pt:=18.C, 64.4F Vapor Pres:NEGL. Vapor Density:21.8 Spec Gravity:1.035 VOC Pounds/Gallon:27 pH:NA Freeze Pt:=204.4C, 400.F Boforence:2000 (RRT) A CLITE INITIAL ATION LOSS (MC/L):
Evaporation Rate & Description Reference:2,000 (RBT). ACUTE INHALATION LC50 (MG/L):

MANUFACTURER.
======== Ecological Information ==========
Ecological:ECOTOXICOLOGICAL INFORMATION: NO DATA AT THIS TIME. CHEMICAL FATE INFORMATION: NO DATA AT THIS TIME.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. INCINERATION RECOMMENDED IN APPROVED INCINERATOR ACCORDING TO FEDERAL, STATE, AND LOCAL REGULATIONS.
======== MSDS Transport Information ==========
Transport Information:DOT SHIPPING NAME: NONE. DOT HAZARD CLASS: NOT DOT REGULATED. DOT LABEL(S): NONE. UN/NA NUMBER: NONE. PLACARDS: NONE. IATA: NOT REGULATED BY IATA. IMO IMDG CODE: NONE. EMS NO: NA. EUROPEAN CLASS: RID (OCTI): NONE. ADR (ECE): NONE. RAR (IATA): NONE.
======================================
SARA Title III Informat ion:SARA SECTION 302: NONE FOUND. SARA (311, 312) HAZARD CLASS: ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD. SARA (313) CHEMICALS: NONE. Federal Regulatory Information:NO DATA PROVIDED BY MANUFACTURER State Regulatory Information:CALIFORNIA PROPOSITION 65: NONE.
========== Other Information ============
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

NE FOUND. OTHER: NONE. AMES TEST: NO DATA PROVIDED BY