View NSN Online: https://aerobasegroup.com/nsn/4235-01-395-4593

PARADIGM INTERNATIONAL, INC -- STARDUST SUPER ABSORBENT -- 4235-01-395-4593

Product ID:STARDUST SUPER ABSORBENT MSDS Date:01/09/1996 FSC:4235 NIIN:01-395-4593 Status Code:A MSDS Number: CKXDD === Responsible Party === Company Name: PARADIGM INTERNATIONAL, INC Address:1534 E. EDINGER, SUITE 4 **Box:UNKNOW City:SANTA ANA** State:CA ZIP:92705-4912 Country:US Info Phone Num:714-550-4902 Emergency Phone Num:714-550-4999 CAGE:00ED3 === Contractor Identification === Company Name: PARADIGM INTERNATIONAL, INC Address:1534 E. EDINGER, SUITE 4 Box:UNKNOW **City:SANTA ANA** State:CA ZIP:92705-4912 Country:US Phone:714-550-4902 CAGE:00ED3

Ingred Name:PERLITE (EXPANDED AMORPHOUS ALUMINA SILICATE) CAS:93763-70-3 RTECS #:SD5254000 Other REC Limits:5 MG/M3 RDUST OSHA OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9495

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE. Explanation of Carcinogenicity:NOT CARCINOGENIC. Effects of Overexposure: INNOCUOUS DUST, OVEREXPOSURE MAY CAUSE COUGHING AND SNEEZING. Medical Cond Aggravated by Exposure: PERSONS SENSITIVE TO INERT DUST MAY EXPERIENCE DISCOMFORT WHEN EXPOSED TO HEAVY CONCENTR ATIONS OF AIRBORNE MATERIAL. First Aid:BREATHE FRESH AIR. IF DUST GOES IN EYES, USE STANDARD EYE WASH SOLUTIONS OF WATER. IF IRRITATION PERSISTS CONSULT WITH A PHYSICIAN. Flash Point:NON-FLAMMABLE Autoignition Temp: Autoignition Temp Text: NA Lower Limits:NONE **Upper Limits:NONE** Extinguishing Media:NONE REQUIRED IF PRODUCT UNUSED. IF USED TO COLLE CT FLAMMABLE LIQUIDS, THEN CONSULT MSDS OF FLAMMABLE LIQUID COLLECTED. Fire Fighting Procedures:NONE REQUIRED IF PRODUCT UNUSED. IF USED TO COLLECT FLAMMABLE LIQUIDS, THEN CONSULT MSDS OF FLAMMABLE LIQUID COLLECTED. Unusual Fire/Explosion Hazard:NONE IF PRODUCT UNUSED. IF USED TO COLLECT FLAMMABLE LIQUID, THEN CONSULT MSDS OF FLAMMABLE LIQUID COLLECTED. 

Spill Release Procedures: SWEEP UP WITH BROOM. DISPOSE

OF AS WITH ANY INERT, NON-CARCINOGENIC SOLID WASTE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: AVOID EMPTYING BAGS IN WINDY AREAS. Other Precautions: NONE IN UNUSED FORM. AFTER PRODUCT HAS BEEN USED TO COLLECT LIQUID MATERIALS, CONSULT MSDS OF THE LIQUID COLLECTED.

Respiratory Protection:THAT WHICH IS SUITABLE
FOR INERT,
NON-CARCINOGENIC DUSTS: MSA DUSTFOE 77 OR EQUIVALENT.
Ventilation:LOCAL EXHAUST: APPLY NEGATIVE PRESSURE AIR AT DUMP STATIONS TO CERTAIN AIRBORNE DUST. MECHANICAL:EASILY TRANSPORTED
PNEUMATICALLY.
Protective Gloves:NOT NECESSARY.
Eye Protection:SAFETY GOGGLES FOR EXTENDED USE IN NON-VENTILATED AREAS.
Other Protective Equipment:NOT NECESSARY.
Work Hygienic Practices:NORMAL GOOD HOUSEKEEPING.
Supplemental Safety and Health
NONE

======== Physical/Chemical Propert

HCC:N1 Boiling Pt:B.P. Text:SOLID Melt/Freeze Pt:=1093.3C, #####F M.P/F.P Text:NA Decomp Temp:Decomp Text:NA Vapor Pres:NA Vapor Density:SOLID Spec Gravity:0.08 - 0.20 pH:NA Viscosity:NA Evaporation Rate & amp; Reference:NA Solubility in Water:INSOLUBLE Appearance and Odor:DRY WHITE POWDER, NO ODOR. Percent Volatiles by Volume:NIL Corrosion Rate:NA

Stability Indicator/Materials to Avoid:YES HYDROFLUORI

## C ACID. Stability Condition to Avoid:HYDROFLUORIC ACID. Hazardous Decomposition Products:NONE

Waste Disposal Methods: IF PRODUCT UNUSED, THEN NO SPECIAL DISPOSAL PROCEDURE NECESSARY. AFTER PRODUCT HAS BEEN USED TO COLLECT LIQUID MATERIALS, DISPOSE IN COMPLIANCE WITH MSDS OF THE LIQUID COLLECTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements o

f the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.