View NSN Online: https://aerobasegroup.com/nsn/9150-00-231-6689

ROYAL LUBRICANTS COMPANY INC. -- ROYCO 308CA -- 9150-00-231-6689

Product ID:ROYCO 308CA MSDS Date:07/06/2000 FSC:9150 NIIN:00-231-6689 Status Code:A MSDS Number: CKXGH === Responsible Party === Company Name: ROYAL LUBRICANTS COMPANY INC. Address:MERRY LN Box:518 **City:EAST HANOVER** State:NJ ZIP:07936-0518 Country:US Info Phone Num:973-887-7410 **Emergency Phone Num:8** 00-424-9300 Resp. Party Other MSDS Num.:750-002-3 Chemtrec Ind/Phone:(800)424-9300 CAGE:07950 === Contractor Identification === Company Name: AMERICAN INK AND OIL CORP Address:33 ENDICOTT STREET Box:City:NORWOOD State:MA ZIP:02062-3006 Country:US Phone:781-762-0026 / FAX: 781-762-1617 Contract Num:SP0450-99-D-0497-0006 CAGE:82956 Company Name: ROYAL LUBRICANTS COMPANY INC. Address:215 MERRY LN Box:518 **City:EAST HANOVER** State:NJ ZIP:07936 Country:US Phone:973-887-7411/7410 CAGE:07950

Ingred Name:HYDROTREATED LIGHT NAPHTHENIC DISTILLATE (PETROLEUM) CAS:64742-53-6 RTECS #:PY8036000 Minumum % Wt:50. Maxumum % Wt:70.

Ingred Name:DISTILLATES (PETROLEUM), SOLVENT-REFINED LIGHT NAPHTHENIC CAS:64741-97-5 RTECS #:PY8041000 Minumum % Wt:20. Maxumum % Wt:40.

Ingred Name:SOLVENT REFINED, HYDROTREATED MIDDLE DISTILLATE (PETROLEUM) CAS:64742-46-7 RTECS #:JN9379645 < Wt:5.

Ingred Name:CALCIUM DINONYLNAPHTHALENESULFONATE CAS:578 55-77-3 &It; Wt:5.

Ingred Name:MINOR ADDITIVES & lt; Wt:4.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:BASED ON AVAILABLE TO ROYAL, THIS PRODUCT IS NOT HAZARDOUS UNDER OSHA HAZARD COMMUNICATION (29CFR1910.1200). Medical Cond Aggravated by Exposure:PREEXISTING EYE AND SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO CO MPONENTS OF THIS PRODUCT.

First Aid:EYE: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING/SHOES & WIPE EXCESS FROM SKIN. FLUSH SKIN WITH WATER. FOLLOW BY WASHING WITH SOAP & WATER IF IRRITATION OCCURS, GET MEDICAL ATTENTION. DO NOT REUSE CLOTHING UNTIL CLEANED. SLIGHT INHALATION: REMOVE VICTIM TO FRESH AIR & PROVIDE OXYGEN IF BRE ATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET MEDICAL ATTENTION. SLIGHT INGESTION: DO NOT INDUCE VOMITING. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LI QUID INTO THE LUNGS. GET MEDICAL AID.

Flash Point Method:COC Flash Point:>148.9C, 300.F

Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT USE A DIRECT STREAM OF

WATER. PRODUCT WILL FLOAT AND CAN BE

REIGNITED ON SURFACE OF WATER.

Fire Fighting Procedures:DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER.

Spill Release Procedures:WEAR RESPIRATOR AND PROTECTIVE CLOTHING AS APPROPRIATE. SHUT OFF SOURCE OF LEAK IF SAFE TO DO SO. DIKE AND CONTAIN. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE/SALVAGE VESSELS. SOAK UP RESIDE

WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL. DISPOSE OF PROPERLY. FLUSH AREA WITH WATER TO REMOVE TRACE RESIDUE. SMALL SPILLS: TAKE UP WITH ABSORBNET MATERIAL AND DISPOSE OF PROPERLY.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

Other Precautions: MINIMIZE SKIN CONTACT. STATIC ELECTRICITY MAY

ACCUMULATE AND CREATE A FIRE HAZARD. GROUND FIXED EQUIPMENT. BOND AND GROUND TRANSFER CONTAINERS AND EQUIPMENT. PROPERLY DISPOSE OF CONTAMINATED LEATHER A RTICLES INCLUDING SHOES THAT CANNOT BE DECONTAMINATED.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS USE A NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE IN ACCORD WITH 29CFR1910.134. USE EITHER AN ATMOSPHERE SU PPLYING RESPIRATOR OR AN AI R-PURIFYING RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES. Protective Gloves: CHEMICAL RESISTANT GLOVES (NITRILE) Eye Protection:SAFETY GOGGLES Other Protective Equipment:WEAR CHEMICAL RESISTANT GLOVES AND OTHER PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE SKIN CONTACT. Work Hygienic Practices: MINIMIZE SKIN CONTACT. STATIC ELECTRICITY MAY ACCUMULATE AND CREATE A FIRE HAZARD. GROUND FIXED EQUIPMENT. BOND AND GROUND TRANSFER CONTAINERS AND EQUIPMENT, PROP ERLY DISPOSE OF CONTAMINATED (SUPP) Supplemental Safety and Health PRACTICES CONTINUED: LEATHER ARTICLES INCLUDING SHOES THAT CANNOT BE DECONTAMINATED. STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERTURES. HCC:V6 Solubility in Water:NEGLIGIBLE Appearance and Odor:LIGHT AMBER OIL, SLIGHT HYDROCARBON ODOR ===== Stability Indicator/Materials to Avoid:YES CARBON OXIDES (CO, CO2). THERMAL DECOMPOSITION PRODUCTS ARE HIGHLY DEPENDENT ON THE COMBUSTION CONDITIONS. A COMPLEX MIXTURE OF AIRBORNE SOLID, LIQUID, PARTICULATES AND GASES WILL EVOLVE WHEN THIS MATERIAL UNDERGOES PYROLYS Stability Condition to Avoid: AVOID HEAT AND FLAME. Hazardous Decomposition Products:NOT AVAILABLE Waste Disposal Methods: PLACE IN AN APPROPRIATE **DISPOSAL FACILITY IN** COMPLIANCE WITH LOCAL REGULATIONS. Transport Information:NOT A DOT CONTROLLED MATERIAL (UNITED STATES). Federal Regulatory Information: THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICAL SUBSTANCES.

Disclaimer (provided with this information by the compiling agencies): This information is formula

ted for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.