View NSN Online: https://aerobasegroup.com/nsn/6850-01-371-2445

EVERITE MACHINE PRODUCTS CO INC -- EVERITE FORMULA ST -- 6850-01-371-2445

======== Product Identification ============

Product ID:EVERITE FORMULA ST

MSDS Date:01/15/2000

FSC:6850

NIIN:01-371-2445

Status Code:A

MSDS Number: CKYCY === Responsible Party ===

Company Name: EVERITE MACHINE PRODUCTS CO INC

Address:501 E ERIE AVE City:PHILADELPHIA

State:PA

ZIP:19134-1106

Country:US

Info Phone Num:215-425-3750

Emerg

ency Phone Num:215-425-3750 EXTN 505

CAGE:94559

=== Contractor Identification ===

Company Name: AMERICO INDUSTRIAL SUPPLY INC

Address:1070 E DOMINGUEZ ST UNIT B

Box:City:CARSON

State:CA

ZIP:90746-3619

Country:US

Phone:310-763-5500 FAX:310-763-5858

Contract Num:SP0450-99-MNE95

CAGE:0XDR8

Company Name: EVERITE MACHINE PRODUCTS CO

Address:501 E. ERIE AVE. Box:City:PHILADELPHIA

State:PA ZIP:19134

Phone: (215) 425-3750

CAGE:94559

Company Name: GATES SALES AND SERVICE

Box:UNKNOW CAGE:0ZKD9

Company Name:PR

OTRONICS CORP

Address:2411 11TH AVE S Box:City:GREAT FALLS

State:MT ZIP:59405 Country:US

Phone:888-452-9589/FAX: 406-452-0089

Contract Num:SP0450-01M-D626

CAGE:06DN1

======= Composition/Information on Ingredients ========

Ingred Name:SODIUM NITRATE

CAS:7631-99-4

RTECS #:WC5600000

= Wt:50.

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM NITRITE (CERCLA)

CAS:7632-00-0

RTECS #:RA1225000

= Wt:25.

Other REC Limits: NONE RECOMMENDED

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

======

======= Hazards Identification ==============

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 80-185 MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: EYE, SKIN, RESPIRATORY & GI TRACTS. ACUTE- EYE/SKIN/INHALATION:MAY CAUSE IRRITATION. ORAL:MAY CAUSE ANEMIA. THRESHOLD LIMIT VALUE: LD50 (ORAL RAT) 80-185 MG/KG. VERY TOXIC. UNDER CERTAI N CONDITIONS, NITRITES MAY

REACT WITH SECONDARY AMINES TO FORM CARCINOGENIC NITROSAMINES. SODIUM NITRITE, IN SMALL AMOUNTS, IS USED AS A FOOD PRESERVATIVE. IN LARGE AMOUNTS CAUSES CONVERSION OF HEMOGL OBIN TO METHEMOGLOBIN PRODUCING CYANOSIS. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:UNDER CERTAIN CONDITIONS, NITRITES MAY REACT WITH SECONDARY AMINES TO FORM CARCINOGENIC NITROSAMINES.

Effects of Overexposure:INGESTION: IN SMALL AMOUNTS SODIUM NITRITE IS USED AS FOOD PRESERVATIVE. IN LARGE AMOUNT

IRRITATE.
======================================
First Aid:INGESTION: INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR. SKIN & EYES: FLUSH WITH WATER.
======================================
Extinguishing Media:SMALL FIRE:TREAT AS A CLASS A FIRE. USE WATER, DRY CHE
MICAL, CO2. MATERIAL MAY MELT, CARE SHOULD BE TAKEN NOT TO SCATTER MELT TO AVOID CONTACT WITH COMBUSTIBLES. Fire Fighting Procedures:MATERIAL IS OXIDIZING AGENT. SUPPLIES OXYGEN TO STIMULATE COMBUSTION OF ORGANIC OR COMBUSTIBLE MATERIALS. DECOMPOSES >320C TO RELEASE TOXIC NITROGEN OXIDE GASES WHICH ARE OXIDIZERS. FIREFIGHTERS SHOUL D WEAR SELF-CONTAINED BREATHING APPARATUS, NIOSH APPROVED APPARATUS WITH FULL FACEPIECE AND FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion H azard:PRODUCT WILL EXPLODE IF HEATED TO 537C (1000F) IN PRESENCE OF REDUCING AGENTS, ORGANIC MATERIAL, OR CYANIDES.
======================================
Spill Release Procedures:SWEEP UP OR SHOVEL UP SPILLED MATERIAL.
======================================
Handling and Storage Precautions:STORE AWAY FROM REDUCING AGENTS AND LIQUIDS OF LOW FLASH POINTS. STORAGE AREA SHOULD BE COOL, DRY, VENTILATED, AND FIREPROOF. WOOD AND PAPER BAGS USED TO HOLD THIS PRODUCT SHOULD BE REMOVED FROM THE P REMISES.
======= Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED TYPE RESPIRATOR. Ventilation:VENTILATION: MECHANICAL(GENERAL). Protective Gloves:RUBBER OR BUTYL. Eye Protection:GOGGLES. Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING.
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WAS

HEMOGLOBIN TO METHEMGLOBIN PRODUCING CYANOSIS. MAY CAUSE ANEMIA.

S CAUSES CONVERSION OF

H THOROUGHLY BEFORE EATING AND AFTER HANDLING. Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:D1 NRC/State Lic Num: NOT RELEVANT Boiling Pt:B.P. Text:DECOMPOSES AT 320C Decomp Temp:=320.C, 608.F Spec Gravity:2.17 Viscosity:NOT RELEVANT Evaporation Rate & Evaporation Relevant Solubility in Water:17 LBS IN 10 GALS WATER Appearance and Odor: WHITE CRYSTALS AND PELLETS - PLEASANT ODOR. ======== Stability and Reactivity Da ta ======== Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH REDUCING AGENTS, COMBUSTIBLE AND FLAMMABLE MATERIALS. Stability Condition to Avoid:STABLE UNDER NORMAL CONDITIONS. AVOID EXCESSIVE HEAT. Hazardous Decomposition Products: OXIDES OF NITROGEN. Conditions to Avoid Polymerization: WILL NOT OCCUR. ========= Disposal Considerations =========================== Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situati

