

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3204 TYPE II CLASS B PART A -- 8030-00-723-2746

=====  
Product Identification  
=====

Product ID:CS 3204 TYPE II CLASS B PART A

MSDS Date:05/01/1998

FSC:8030

NIIN:00-723-2746

Status Code:A

MSDS Number: CKZJS

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

In

fo Phone Num:818-982-1650

Emergency Phone Num:(800)424-9300

Preparer's Name:HENRY SIMMONS

Chemtec Ind/Phone:(800)424-9300

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LIQUID POLYSULFIDE POLMER

CAS:68611-50-7

Code:F

= Wt:65.

=====  
Hazards I  
=====

dentification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NOT ESTABLISHED, POSSIBLE SKIN  
IRRITATION AFTER PROLONGED CONTACT. RESULTING DERMATITIS NOT  
CONSIDERED TO BE A PRIMARY SKIN IRRITANT.  
Effects of Overexposure:SKIN OR EYE IRRITATION.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE  
S: FLUSH WITH LARGE AMOUNTS OF WATER. CONSULT PHYSICIAN.  
SKIN: WASH WITH SOAP & WATER. INGESTION: INDUCE VOMITING, CONSULT  
PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:=93.3C, 200.F  
Extinguishing Media:DRY CHEMICAL, FOAM, WATER, CO2  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP & TRANSFER TO CONT  
AINER FOR REACTION  
WITH CURING AGENT. CLEAN UP RESIDUE WITH AEROMATIC NAPHTHA, THEN  
SOAP & WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE AWAY FROM  
STRONG ACIDS.  
Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER  
HANDLING THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.  
Ventilation:AIR AND FAN  
Protecti

ve Gloves:RUBBER  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.  
Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS  
PRODUCT.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text:LIQUID AT ROOM TEMP?  
Vapor Pres:NIL  
Vapor Density:NIL  
Spec Gravity:1.52  
VOC Pounds/Gallon:9  
pH:8.5  
Viscosity:12,000 POISES  
Evaporation Rate & Reference:NIL  
Solubility in Water  
r:NEGLIGIBLE  
Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR.  
Percent Volatiles by Volume:3.0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS.  
Stability Condition to Avoid:OPEN FLAME.  
Hazardous Decomposition Products:H<sub>2</sub>S, CO, CO<sub>2</sub>, SO<sub>2</sub>, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT & DISPOSE AS SOLID WASTE  
PER FEDERAL, STATE & LOCAL REGULATIONS.

===== Regulatory Information =====

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document s

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.