View NSN Online: https://aerobasegroup.com/nsn/6750-01-353-4889

EASTMAN KODAK CO. -- 139 7215, PT A, KODAK INDUSTREX DEVELOPER REPLENISHER --

6750-01-353-4889

============= Product Identification =================

Product ID:139 7215, PT A, KODAK INDUSTREX DEVELOPER REPLENISHER

MSDS Date:04/08/1998

FSC:6750

NIIN:01-353-4889

Status Code:A

Kit Part:Y

MSDS Number: CKZNG === Responsible Party ===

Company Name: EASTMAN KODAK CO.

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:146 50

Country:US

Info Phone Num:716-722-5151

Emergency Phone Num:716-722-5151 Preparer's Name:NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000

Maxumum % Wt:65.
Other REC Limits:NOT PROVIDED

Ingred Name: POTASSIUM SULFITE

CAS:10117-38-1
RTECS #:WT3530000
Minumum % Wt:20.
Maxumum % Wt:25.

Minumum % Wt:60.

Other REC Limits:NOT PROVIDED

Ingred Name: HYDROQUINONE

CAS:123-31-9

RTECS #:MX3500000

= Wt:9.

Other REC Limits:NOT PROVIDED

OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: POTASSIUM CA

RBONATE
CAS:584-08-7
RTECS #:TS7750000
Minumum % Wt:1.
Maxumum % Wt:5.
Other REC Limits:NOT PROVIDED

Ingred Name:SODIUM BROMIDE

CAS:7647-15-6 RTECS #:VZ3150000 Minumum % Wt:1. Maxumum % Wt:5.

Other REC Limits:NOT PROVIDED

========= Hazards Identification ==============

LD50 LC50 Mixture:NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: EXPECTED TO BE A LOW HAZARD FOR USUAL INDUSTRIAL OR COMMERCIAL HANDLING B

Y TRAINED

PERSONNEL. IN CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITES MAY LIBERATE SULFUR DIOXIDE GAS. SULFUR DI OXIDE GAS IS IRRITATING TO THE RESPIRATORY TRACT. SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING. EYES: CAUSES IRRITATION. SKIN: MAY CAUSE ALLERGIC SKIN REACTION BASE D ON HUMAN EXPERIENCE. PROLONGED OR REPEATED CONTACT WITH AQUEOUS SOLUTIONS MAY CAUSE IRRITATION. MAY CAUSE SKIN DEPIGMENTATION. INGESTION: HARMFUL IF

- SWALLOWED. MAY CAUSE IRRITATION OF THE GASTROINTE STINAL TRACT.
- Explanation of Carcinogenicity:(COMPONENTS PRESENT AT 0.1% OR MORE): INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC): NONE AMERICAN
 CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH): NONE NATIONAL TOXICOLOGY PROGRAM (NTP): NONE OCCUPATIONAL SAFETY AND
 HEALTH ADMINISTRATION (OSHA): NONE
- Effects of Overexposure:INHALATION: IN CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITES MAY LIBERATE SULFU
- R DIOXIDE GAS. SULFUR DIOXIDE

GAS IS IRRITATING TO THE RESPIRATORY TRACT. SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUAL S MAY EXPERIENCE DIFFICULT BREATHING. EYES: CAUSES IRRITATION. SKIN: MAY CAUSE ALLERGIC SKIN REACTION BASED ON HUMAN EXPERIENCE. PROLONGED OR REPEATED CONTACT WITH AQUEOUS SOLUTIONS MAY CAUSE IRRITATI ON. MAY CAUSE SKIN DEPIGMENTATION. INGESTION: MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT.

Medical Cond Aggravated by Exposure:SOME ASTHMATICS, H YPERSENSITIVE OR

SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING, WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS AND DIARRHEA.

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF S YMPTOMS OCCUR. SKIN: IMMEDIA

TELY FLUSH WITH PLENTY

OF WATER FOR 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF SKIN IRRITATION/ ALLERGIC SKIN REACTION DEVELOPS, GET MEDICAL ATTENTION. W ASH CONTAMINATED CLOTHING BEFORE REUSE. CLEAN CONTAMINATED SHOES. INGESTION: ONLY INDUCE VOMITING AT INSTRUCTION OF MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. CALL PHYSICIA N OR POISON CONTROL CENTER IMMEDIATELY.

======

Flash Point: NONCOMBUSTIBLE

Extinguishing Media: USE APPROPRIATE AGENT FOR ADJACENT FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:NONE

	Accidental	Release	Measures	===========
--	------------	---------	----------	-------------

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MAT ERIAL,

THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL C ONTAMINATION.

Neutralizing Agent: NOT PROVIDED

rianding and Glorage	=======================================	Handling	and Storage	=======================================
----------------------	---	----------	-------------	---

- Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES.
- Other Precautions:AVOID PROLONGED OR REPEATED BREATHING OF MIST. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTE
- R HANDLING. THE ROUTINE USE OF A NONALKALINE (ACID) TYPE OF HAND CLEANER AND REGULAR CLEANING OF WORKING SURFACES, GLOVES, ETC. WILL HELP MINIMIZE POSSIBILIT Y OF SKIN REACTION.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:NONE SHOULD BE NEEDED. A RESPIRATOR SHOULD BE WORN IF HAZARDOUS DECOMPOSITION PRODUCTS ARE LIKELY TO BE OR HAVE BEEN RELEASED. RESPIRATOR TYPE: ACID GAS. SEE STABILITY AND REACTIVITY SECTION.

Ventilation:

GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR)
SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:WEAR IMPERVIOUS GLOVES AND PROTECTIVE CLOTHING APPROPRIATE FOR RISK OF EXPOSURE

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES) AND A FACE SHIELD.

Other Protective Equipment: EYE BATH, WASHING FACILITIES, SAFETY SHOWER.

Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHI

NG BEFORE REUSE. Supplemental Safety and Health USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS. ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED.
======================================
HCC:F6 NRC/State Lic Num:NOT RELEVANT

Boiling Pt:>100.C, 212.F

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED Decomp Temp:Decomp Text:NOT PROVIDED Vapor Pres:24 MBAR 18 MMHG @ 68F

Vapor Density:0.6 Spec Gravity:1.310

pH:12.0

Viscosity:NOT PROVIDED

Evaporation Rate & Evaporation R

Solubility in Water: COMPLETE

Appearance and Odor:LIQUID, OFF-WHITE, ODORLESS.

Percent Volatiles by Volume:60-65 WT Corrosion Rate: NOT PROVIDED

========= Stability and Reactivity Data ===============

Stability Indicator/Materials to Avoid:YES STRONG ACIDS.

Stab

ility Condition to Avoid:STABLE

Hazardous Decomposition Products: SULFUR DIOXIDE, CARBON DIOXIDE, CARBON MONOXIDE.

======== Toxicological Information ============

Toxicological Information: INGESTION OF BROMIDE SALTS CAN CAUSE NAUSEA, IRRITABILITY, DELIRIUM, MEMORY LOSS, VOMITING, HEADACHE, DECREASED APPETITE, JOINT PAIN, HALLUCINATIONS, STUPOR, COMA, AND ACNELIKE RASH ON FACE, LEGS, AND TRUNK. IN F-344 RATS, CHRONIC ORAL ADMINISTRATION OF HYDROQUINO

TO NEPHROPATHY.
========= Ecological Information ============
Ecological:THE FOLLOWING PROPERTIES ARE ESTIMATED FROM THE COMPONENTS OF THE PREPARATIONS. POTENTIAL TOXICITY: FISH LC50 MG/L: 1-10. DAPHNID EC50 MG/L: 70%): YES (7 DAYS). POTENTIAL BIOACCUMULATION: LOG POW 100.
======= Disposal Considerations ==========
Waste Disposal Metho ds:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.
========= MSDS Transport Information ===========
Transport Information:FOR TRANSPORTATION INFORMATION REGARDING THIS PRODUCT CALL THE KODAK WORLDWIDE TRANSPORTATION HAZMAT HOT LINE: (716) 722-2400 BETWEEN 8 A.M. AND 5 P.M. (EASTERN STANDARD TIME), MONDAY THROUGH FR IDAY.
======================================
SARA Title III Information: CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND 40 CFR PART 372: HYDROQUINONE Federal Regulatory Information: NOT PROVIDED State Regulatory Information: MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: NONE - MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE
========== Other Information ==============
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

THE FORMATION OF BENIGN KIDNEY TUMORS THOUGHT TO BE SECONDARY

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utili

NE HAS RESULTED IN

zing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.