

EASTMAN KODAK COMPANY -- KODAK SUPRALIFE ALKALINE BATTERY SIZE: KC (1.5V) IEC-LR14 --
6135-00-826-4798

=====
Product Identification
=====

Product ID:KODAK SUPRALIFE ALKALINE BATTERY SIZE: KC (1.5V) IEC-LR14

MSDS Date:03/03/1992

FSC:6135

NIIN:00-826-4798

Status Code:A

MSDS Number: CKZTT

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZI

P:14650

Country:US

Info Phone Num:716-722-5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====
Composition/Information on Ingredients
=====

Ingred Name:POTASSIUM HYDROXIDE (AQUEOUS SOLUTION CONCENTRATION:
37%-43%) (AQUEOUS SOLUTION PH: 11.5-12.0)

RTECS #:PS10

06506

Fraction by Wt: 8%

Ingred Name:MERCURY

CAS:7439-97-6

RTECS #:OV4550000

Fraction by Wt: .001%

OSHA PEL:SEE TABLE Z-2

ACGIH TLV:0.025 MG/M3

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
First Aid Measures
=====

First Aid:ELECTROLYTE CONTACT: SKIN-IMMEDIATELY FLUSH WITH PLENTY OF
WATER FOR AT LEAST 15 MINUTES. IF SYMPTOMS ARE PRESENT AFTER
FLUSHING, GET MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH
PLENTY OF WATER FOR AT LEAST 15 MINUTES AND

GET MEDICAL ATTENTION.

BATTERY INGESTION: OBTAIN IMMEDIATE MEDICAL ATTENTION. *

===== Fire Fighting Measures =====

Extinguishing Media:USE AN EXTINGUISHING MEDIUM APPROPRIATE FOR THE SURROUNDING FIRE.

Fire Fighting Procedures:FIRE FIGHTING PROCEDURES: USE A POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS IF BATTERIES ARE INVOLVED IN A FIRE. FULL PROTECTIVE CLOTHING IS NECESSARY.

Unusual Fire/Explosion Hazard:BATTERIES MAY RELEASE TOX

IC MERCURY

VAPORS AND/OR IRRITATING POTASSIUM HYDROXIDE FUMES IF EXPOSED TO FIRE OR HIGH TEMPERATURES. BATTERIES MAY VENT IF EXPOSED TO EXCESSIVE HEAT OR FIRE.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE BATTERIES IN A MANNER THAT ALLOWS TERMINALS TO SHORT CIRCUIT. STORE BATTERIES IN A COOL (BELOW 70F), DRY AREA THAT IS SUBJECT TO LITTLE TEMPERATURE CHANGE.

DO NOT PLACE NEAR HEATING EQUI PMENT,NOR EX

POSE TO DIRECT SUNLIGHT

FOR LONG PERIODS. **

Other Precautions:*CAUTION: MAY EXPLODE OR LEAK IF RECHARGED, CONNECTED IMPROPERLY OR DISPOSED OF IN FIRE. ** ELEVATED TEMPERATURES CAN RESULT IN REDUCED BATTERY SERVICE LIFE.

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

===== Toxicological Information =====

Toxicological Information:FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUC

TS. DAMAGED OR OPENED BATTERIES CAN RESULT IN

RAPID HEATING AND THE RELEASE IF FLAMMABLE VAPORS. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND OR BE MOVED BY VENTILATION TO AN IGNITION SOURCE AND FLASH BACK.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL, STATE AND FEDERAL ENVIRONMENTAL PROTECTION AUTHORITIES FOR THE MOST CURRENT REGULATIONS REGARDING DISPOSAL OF BATTERIES. DO NOT INCINERATE OR EXPOS

E BATTERIES TO
FIRE.

===== MSDS Transport Information =====

Transport Information:***MORE THAN A MOMENTARY SHORT CIRCUIT WILL
GENERALLY REDUCE THE BATTERY SERVICE LIFE. EXTENDED SHORT
CIRCUITING CREATES HIGH TEMPERATURES IN THE CELL. HIGH
TEMPERATURES CAN CAUSE SKIN BURNS AND CAUSE THE CELL TO VENT.
MIXED BATTERIES AND TYPES: THE USE OF OLD AND NEW BATTERIES OR
BATTERIES OF VARYING SIZES AND TYPES IN THE SAME BATTERY ASSEMBLY
SHOULD
BE AVOIDED. THE BATTERIES ELECTRICAL CHARACTERISTICS AND
CAPABILITIES VARY AND DAMAGE MAY RESULT TO THE BATTERIES OR
ELECTRICAL EQUIPMENT.****

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.