

REPEAT-O-TYPE MFG CORP -- BLUE STENCIL CORRECTION FLUID 700 -- 7510-00-162-4018

=====  
Product Identification  
=====

Product ID:BLUE STENCIL CORRECTION FLUID 700

MSDS Date:01/01/1987

FSC:7510

NIIN:00-162-4018

Status Code:A

MSDS Number: CLBJR

=== Responsible Party ===

Company Name:REPEAT-O-TYPE MFG CORP

Address:665 STATE HWY 23

City:WAYNE

State:NJ

ZIP:07470-6833

Country:US

Emergency Phone Num:201-69

6-3330

Preparer's Name:SUSAN P. ONTAWAR

CAGE:94664

=== Contractor Identification ===

Company Name:REPEAT-O-TYPE MFG CORP

Address:665 STATE HWY 23

Box:City:WAYNE

State:NJ

ZIP:07470-6833

Country:US

CAGE:94664

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHER ALCOHOL

CAS:60-29-7

RTECS #:KI5775000

ACGIH TLV:400 PPM

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:CELLOSOLVE EE

CAS:110-80-5

RTECS #:KK8050000

ACGIH TLV:2.6 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty

:1000 LBS

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Health Hazards Acute and Chronic:PRODUCT IS POISONOUS. DO NOT TAKE INTERNALLY. MAY CAUSE BLINDNESS IF INGESTED. AVOID REPEATED CONTACT WITH THE SKIN, CAN CAUSE DRYING OF SKIN. AVOID REPEATED OR ABUSIVE INHALATION OF VAPORS, CAN CAUSE DROWSINESS, INTOXICATION AND NAUSEA VOMITING.

Effects of Overexposure:INHALATION OF VAPORS, CAN CAUSE DROWSINESS

,  
DIZZINESS, INTOXICATION, NAUSEA, VOMITING, HEADACHES. SKIN CONTACT: DRYING OF SKIN.

=====  
===== First Aid Measures =====  
=====

First Aid:IF INHALED REMOVE TO FRESH AIR. IN CASE OF SKIN CONTACT, WASH HANDS WITH SOAP AND WATER FOR FIFTEEN MINITUES. EYE CONTACT, FLUSH WITH WATER FOR 15 MINITUES.

=====  
===== Fire Fighting Measures =====  
=====

Flash Point Method:TOC

Flash Point:=-42.2C, -44.F  
-44 F

Extinguishing Media:CO2, FOAM, DR  
Y CHEMICAL

Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. VENTILATE AREA, WIPE UP LIQUID WITH ABSORBENT.

=====  
===== Handling and Storage =====  
=====

Handling and Storage Precautions:STORE IN DRY COOL AREA.

Other Precautions:KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME.

=====  
===== Exposure Controls/Personal Protection =====  
=====

Wor

k Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=34.4C, 94.F  
B.P. Text:94 F  
Spec Gravity:0.8  
Evaporation Rate & Reference: BUTYL ACETATE 30  
Solubility in Water:SLIGHT  
Appearance and Odor:BLUE LIQUID THIN VOLITILE WITH CHARACTERISTIC ETHER  
ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND  
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing  
this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.