View NSN Online: https://aerobasegroup.com/nsn/6810-01-353-4876

HACH COMPANY -- HYDROGEN PEROXIDE SOLUTION 50% H2O2 -- 6810-01-353-4876

======== Product Identification ============

Product ID:HYDROGEN PEROXIDE SOLUTION 50% H2O2

MSDS Date:06/24/1998

FSC:6810

NIIN:01-353-4876

Status Code:A

MSDS Number: CLBLJ === Responsible Party ===

Company Name: HACH COMPANY Address: 5600 LINDBERGH DR

Box:389

City:LOVELAND

State:CO ZIP:80539 Country:US

Info Phone Num:970-669-3050

Emergen

cy Phone Num:303-623-5716/515-232-2533 Resp. Party Other MSDS Num.:M00478

CAGE:91224

=== Contractor Identification === Company Name:ADI SERVICES Address:ROUTE 3 BOX 94L

Box:UNKNOW

City:MARTINSBURG

State:WV

ZIP:25401-9533

Country:US

Phone:304-263-7722

Contract Num:SP0450-01-M-D889

CAGE:0GD25

Company Name: HACH CO Address: 5600 LINDBERGH DR

Box:389

City:LOVELAND

State:CO ZIP:80539 Country:US

Phone:970-669-3050/303-623-5716

CAGE:91224

Company Name: HACH COMPANY

Address:100 DAYTON RD.

Box:907 City:AME S

State:IA ZIP:50010 Country:US

Phone:800-227-4224

CAGE:4T252

======= Composition/Information on Ingredients ========

Ingred Name: HYDROGEN PEROXIDE

CAS:7722-84-1

RTECS #:MX0900000 Minumum % Wt:45.

Maxumum % Wt:55.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1 PPM ACGIH TLV:1 PPM

Ingred Name: OTHER COMPONENTS (TYPE NOT SPECIFIED)

< Wt:.1

Other REC Limits: NONE RECOMMENDED

Ingred Name: DEMINERALIZED WATER

CAS:7732-18-5

RTECS #:ZC0110000

Minumum % Wt:45.

Maxumum % Wt:55.

Other REC L

imits:NONE RECOMMENDED

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: NONE REPORTED. EYE CONTACT: CAUSES EYE BURNS. SKIN CONTACT: CAUSES BURNS. SKIN


ABSORPTION: NONE REPORTED. INGESTION: MAY CAUSE: BURNS OF THE MOUTH AND ESOPHAGUS, ABDOMINAL PAIN. HYDAROG EN PERXIDE DECOMPOSES IN THE BOWEL BEFORE ABSO

RPTION YIELDING LARGE VOLUMES OF OXYGEN WHICH MAY

CAUSE THE BOERL TO RUPTURE. INHALATION: CAUSES SEVERE IRRITATION OF RESPIRATORY TRACT. CHRONIC EFFECTS: NONE REPORTED.

Explanation of Carcinogenicity:THIS PRODUCT DOES NOT CONTAIN ANY OSHA LISTED CARCINOGENS. IARC GROUP 3: NON-CLASSIFIABLE. THIS PRODUCT DOES NOT CONTAIN ANY NTP LISTED CHEMICALS. ADDITIONAL CANCER/REPRODUCTIVE TOXICITY INFORMATION: CONTAINS: AN EXPERIMENTAL MUTAGEN.

Effects of Overexposure: CAUSES BURNS; D



MAINTAIN GENERAL INDUSTRIAL HYGIENE PRACTICES WHEN USING
THIS PRODUCT. STORAGE: KEEP AWAY FROM OXIDIZABLE MATERIUALS,
COMBUSTIBLE MATERIALS. STORE AWAY FROM AKLALIES, METALS, REDUCERS.
Other Precautions:STORAGE: AVOID CONTAMINATION BY ORGANIC MATERIALS.
PROTECT FROM EXPOSURE TO DIRECT SUNLIGHT. EMPTY CONTAINERS: RINSE
THREE TIMES WITH AN APPROPRIATE SOLVENT. DISPOSE OF EMPTY
CONTAINER AS NORMAL TRA SH.

===== Exposure Controls/Personal Protection ========

R

espiratory Protection:USE A FUME HOOD TO AVOID EXPOSURE TO DUST, MIST OR VAPOR.

Ventilation: USE A FUME HOOD TO AVOID EXPOSURE TO DUST, MIST OR VAPOR. LABORATORY FUME HOOLD.

Protective Gloves: DISPOSABLE LATEX GLOVES.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: HAVE AN EYEWASH STATION NEARBY. HAVE A SAFETY SHOWER NEARBY. DISPOSABLE LAB COAT.

Work Hygienic Practices:MAINTAIN GENERAL INDUSTRIAL HYGIENE PRACTICES WHEN USING THIS PRODUCT

Supplemental Safety and H

ealth

AVOID CONTACT WITH EYS, SKIN, CLOTHING. DO NOT BREATHE MIST/VAPOR. WASH THOROUGHLY AFTER HANDLING. KEEP AWAY FROM COMBUSTIBLE MATERIAL, ALKALIES, OXIDIZING MATERIALS. *INTENDED USE: LABORATORY REAGENT.

======== Physical/Chemical Properties ===========

HCC:D3

Boiling Pt:=113.9C, 237.F

Melt/Freeze Pt:M.P/F.P Text:ND

Vapor Pres:18.3 Spec Gravity:1.196

pH:1-3

Evaporation Rate & Deference: