

FLAMEMASTER CORP THE CHEM SEAL DIV -- SEALING COMPOUND -- 8030-00-275-8110

=====
Product Identification
=====

Product ID:SEALING COMPOUND

MSDS Date:06/24/1996

FSC:8030

NIIN:00-275-8110

Status Code:A

MSDS Number: CLBVZ

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num:818-982-1650

Em

ergency Phone Num:1-800-424-9300

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPANE, 1,2,3-TRICHLORO-, POLYMER WITH
1,1'-(.METHYLENEBIS(OXY).).BIS(.2-CHLOROETHANE.). AND SODIUM
SULFID

E (NA2(SX)), REDUCED

CAS:68611-50-7

= Wt:68.

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Health Hazards Acute and Chronic:NON ESTABLISHED, POSSIBLE SIGN

IRRITATION AFTER PROLONGED CONTACT, WITH RESULTING DERMATITIS, NOT
CONSIDERED TO BE A PRIMARY SKIN IRRITANT.

Effects of Overexposure:SKIN OR EYE IRRITATION.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LAR

GE AMOUNTS OF WATER, CONSULT PHYSICIAN.

SKIN:WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING, CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=93.C, 199.4F

Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR REACTION WITH CURING AGENT. CLEAN UP REMAINDER WITH AEROMATIC

NAPHTHA/SAND/SWEEPING COMPOUND.WASH AREA WITH SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY AREA AWAY FROM STRONG ACIDS.

Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER HANDLING THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL AIR SPECIAL MECHANICAL GENERAL FAN OTHER

Protective Gloves:PROTECTIVE GLOVES RUBBER

Eye Protect

ion:SAFETY GLASSES

Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT

Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text:LIQUID AT ROOM

Vapor Pres:(MM HG) NIL

Vapor Density:(AIR=1)

Spec Gravity:(H2O=1) 1.45

pH:8.5

Viscosity:11,000 POISES

Evaporation Rate & Reference:(BUTYL ACETATE=1) 1

Solubility in Water:NEGLIGIBLE

Appear

nce and Odor:BLACK PASTE,
Percent Volatiles by Volume:0.6

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS.
Stability Condition to Avoid:OPEN FLAME
Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS A SOLID
WASTE PER FEDERAL, STATE AND LOCAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:APPLICABLE REGULATIONS: 49 CFR, IMO, IATA. UNIT
CONTAINER: 2 OZ PLASTIC JAR. US POSTAL SERVICE REGULATIONS: PARA
124.142 HARMFUL MATTER. DISPOSAL INFORMATION: RETURN TO SMELTER
FOR RECLAMATION O R REACTWITH BASE AND DISPOSE ACCORDING TO
REGULATIONS. HAZARDOUS WASTE CHARACTERISTICS: SLUDGE-UNMIXED.
DISPOSAL METHODS: RETURN TO SMELTER FOR RECLAMTION OR REACT WITH
BASE AND DI
SPOSE ACCORDING TO FEDERAL, STATE AND LOCAL
REGULATIONS. DISPOSE AS A HAZARDOUS MIXED SOLID WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice
to verify and
assume responsibility for the suitability of this information to their
particular situation.