View NSN Online: https://aerobasegroup.com/nsn/6850-01-431-2269

C AND H ENTERPRISES INC -- C&H SPRAYDET EL SPRAY CABINET CLEANER -- 6850-01-431-2269

Product ID:C&H SPRAYDET EL SPRAY CABINET CLEANER

MSDS Date:03/28/2000

FSC:6850

NIIN:01-431-2269

MSDS Number: CLCFW === Responsible Party ===

Company Name: C AND H ENTERPRISES INC

Address:222 STARKEY ST

City:SAINT PAUL

State:MN ZIP:55107 Country:US

Info Phone Num:651-227-4343/FAX:

651-227-2485

Emergency Phone Num:800-228-5635X005

CAGE:0ZAU9

=== Contractor Identification ===

Company Name: CAND HENTERPRISES INC

Address:222 STARKEY ST

Box:City:SAINT PAUL State:MN

ZIP:55107 Country:US

Phone:651-227-4343/FAX: 651-227-2485

Contract Num:SP0450-01-M-D938

CAGE:0ZAU9

Company Name: C AND H ENTERPRISES INC

Address:222 STARKEY ST Box:City:SAINT PAUL

State:MN ZIP:55107 Country:US

Phone:651-227-4343/FAX: 651-227-2485

Contract Num:SP0450-01-M-ZD90

CAGE:0ZAU9

====== Composition/

Information on Ingredients ========
Ingred Name:POTASSIUM SILICATE CAS:1312-76-1 = Wt:10.
Other REC Limits:PQ: 5 MG/M3 CEILING OSHA PEL:N.E. ACGIH TLV:N.E.
ACCIT TEV.IV.E.
======================================
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYES-SEVERE IRRITATION, OR BURNS POSSIBLE. SKIN-IRRITATION OR BURNS POSSIBLE WITH PROLONGED CONTACT. INHALATION OF DUST OF MIST OF PRODUCT OR SOLUTION-
IRRITATIO N OF RESPIRATORY TRACT. SWALLOWI NG-IRRITATION OR BURNS OF MOUTH, THROAT AND STOMACH. STOMACH UPSET. CHRONIC: UNKNOWN; NONE EXPECTED BEYOND ACUTE EFFECTS.
Explanation of Carcinogenicity:THIS PRODUCT OR ITS INGREDIENTS HAVE NOT BEEN IDENTIFIED AS A CARCINOGEN OR PROBABLE CARCINOGEN BY NTP, IARC MOOGRAPHS, OR OSHA.
Medical Cond Aggravated by Exposure:DERMITITIS AND SIMILAR SKIN DISORDERS.
======================================
First Aid:EYE: IMME
DIATELY FLUSH WITH COOL RUNNING WATER HOLDING EYE
LIDS APART. REMOVE CONTACT LENSES IF PRESENT, AND CONTINUE FLUSHING FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: IMMEDIATELY FLUSH WITH COOL, RUNNING WATER FOR 15 MINUTES. REMOVE CONTAMINATED
CLOTHING AND WASH BEFORE REUSE. IF IRRITATION OR BURN DEVELOPS AND PERSISTS, GET MEDICAL ASSISTANCE. INHALED: REMOVE TO FRESH AIR. IMMEDIAT ELY CALL FOR MEDICAL ADVICE IF BREATHING IS DIFFICULT OR IRRITATION IS SEVERE O
R CONTINUES. SWALLOWED: RINSE MOUTH WITH
LARGE AMOUNTS OF WATER. DRINK WATER, MILK OTHER FLUIDS TO DILUTE. DO NOT INDUCE VOMITING UNLESS DIRECTED BY MEDICAL AID.
======================================
Flash Point:NONE
Extinguishing Media:AS NEEDED FOR SURROUNDING FIRE.
Fire Fighting Procedures:FOR ANY CHEMICAL FIRE WEAR SELF CONTAINED
BREATHING APPARATUS, AND PROTECTIVE CLOTHING TO PREVENT CONTACT. Unusual Fire/Explosion Hazard:NONE
=======================================

= Accidental Release Measures ==========
Spill Release Procedures:SMALL: WEAR GLASSES/RUBBER GLOVES AND RECOVER AS PRACTICAL. FLUSH SPILL AREA TO DRAIN WITH EXCESS WATER. CONTINUE WATER FLOW. "SEE OTHER INFORMATION" Neutralizing Agent:NEUTRALIZE CONTAMINATED AREA WITH DILUTE SOLUTION OF A MILD ACID SUCH AS VINEGAR OR CITRIC ACID. FLUSH TO DRAIN.
=========== Handling and Storage ===========
Handling and Storage Precautions:HANDLING-AVOID UNNECESSARY CONTACT WITH PRODUCT. WEAR ALL PROTECTIVE EQUIPMENT WHEN HANDLING PRODUCT. WASH AFTER USE. AVOID BREATHING MIST OF PRODUCT SOLUTION. PREVENT CONTACT WITH INCOMPATIBLE MATERI AL. STORAGE-KEEP CONTAINER TIGHTLY CLOSED. KEEP FROM FREEZING; MAY RUPTURE CANS OR DEGRADE PRODUCT. Other Precautions:HAZARD IDENTIFICATION: HEALTH=2, FIRE=0, INSTABILITY=0, OTHYER=X. HAZARD SIGNAL (SHORT TERM CONTACT OR INHALATION ONLY): (0=INSIGNIFICANT; 1=SLIGHT, 2=MODERATE, 3=HIGH, 4=EXTREME)
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR WHERE CONDITIONS MAY CAUSE EXPOSURE LIMITS TO BE EXCEEDED FROM MISTS OF SOLUTIONS. Ventilation:GENERAL OR LOCAL TO AVOID EXPOSURE TO IRRITATING MISTS. Protective Gloves:ALKALI RESISTANT, IMPERMEABLE GLOVES. Eye Protection:GLASSES, GOGGLES, AND/OR FACE SHIELD TO PREVENT EXPOSURE Other Protective Equipment:FULL BODY COVERING WITH RUBBER APRON AND SHOES AS NEEDED TO PREVENT CONTACT. EYE WASH STATIONS IN THE WORK AREA. Supplemental Safety and Health
PRODUCT NAME: C&H SPRAYDET EL SPRAY CABINET CLEANER. PRODUCT DESCRIPTION: CLEAR LIGHT AMBER, MILD ODOR, CHEMICAL FAMILY:

======== Physical/Chemical Properties ==========

ALKALINE DETERGENT.

Boiling Pt:>100.C, 212.F Vapor Pres:NE

Vapor Density:NE Spec Gravity:1.24

HCC:B3

pH: