Product ID:FLO-GUARD 100&200 (ACTIVATED ALUMINA SPHERES). MSDS Date:03/18/1996 FSC:6850 NIIN:01-303-1336 Status Code:A MSDS Number: CLDFY === Responsible Party === Company Name:FLO-GUARD Address:6824 1/2 LINDBERGH **City:HOUSTON** State:TX ZIP:77087 Country:US Info Phone Num:713-645-0929 / FAX: 713-641-9869 Emergency Phone Num:713-645-0929 CAGE:NO392 === Contractor Identification === Company Name: ENVIRONMENTAL FRIENDLY PRODUCTS INC Address: 5703 ASHLEY SPRING CT Box:City:KATY State:TX ZIP:77494 Country:US Phone:281-395-8646; FAX 281-395-9687 Contract Num:SP0450-01-M-ZB57 CAGE:0NYE7 Company Name: FLO-GUARD Address:6824 1/2 LINDBERGH Box:City:HOUSTON State:TX ZIP:77087 Country:US Phone:713-645-0929/ FAX: 713-641-9869 CAGE:NO392

======= Composition/Information on Ingredients

\_\_\_\_\_

Ingred Name:ALUMINUM OXIDE/ACTIVATED ALUMINA CAS:1344-28-1 RTECS #:BD1200000 Other REC Limits:NONE OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:POTASSIUM PERMANGANATE/POTASSIUM SALT CAS:7722-64-7 RTECS #:SD6475000 Other REC Limits:NONE OSHA PEL:5 MG(MN)/M3 ACGIH TLV:5 MG(MN)/M3 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE- MAY BE IRRITATING TO BODY

TISSUE. CHRONIC: NO KNOWN CHRONIC HEALTH HAZARDS.

Explanation of Carcinogenicity:ALUMINUM OXIDE/POTASSIUM PERMANGNATE NOT

CLASSIFIED BY NTP/IARC/OR OSHA.

Effects of Overexposure:IRRITATION TO EYE. SNEEZING. BROWN

DISCOLORATION OF THE SKIN.

Medical Cond Aggravated by Exposure:IRRITATION OF OPEN WOUNDS.

First Aid:EYES-FLUSH THOROUG HLY WITH WATER AND SEEK MEDICAL ATTENTION. INGESTION-DRINK WATER AND SEEK MEDICAL ATTENTION IMMEDIATELY. INHALATION-REMOVE TO FRESH AIR AND SEEK MEDICAL ATTENTION. SKIN-WASH WITH SO AP AND WATER, SEE PHYSICIAN IF IRRITATION PERSISTS.

Flash Point:NOT FLAMMABLE Extinguishing Media:FOAM/CARBON DIOXIDE/DRY CHEMICAL. Fire Fighting Procedures:USE RESPIRATORY PROTECTION. Unusual Fire/Explosion Hazard:NONE.

=======

Spill Release Procedures:SWEEP OR SHOVEL MATERIAL AND DISCARD IN PROTECTIVE REFUSE CONTAINER. TO CLEAN FLOORS, FLUSH WITH WATER INTO SEWER IF PERMITTED BY FEDERAL, LOCAL, AND STATE REGULATIONS.

Handling and Storage Precautions: STORE IN SEALED CONTAINERS IN COOL DRY LOCATIONS.

Respirator

y Protection:USE NIOSH APPROVED RESPIRATORY IF EXPOSURE LIMITS ARE EXCEEDED.

Ventilation:LOCAL EXHAUST IS RECOMMENDED IF DUSTING IS EXCESSIVE. MECHANICAL IS REQUIRED.

Protective Gloves: RUBBER GLOVES.

Eye Protection: SAFETY GLASSES AND/OR GOGGLES.

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS AND LEGS SHOULD BE WORN. SAFETY SHOWER, EYE BATH AND WASHING FACILITIES SHOULD BE AVAILABLE.

Work Hygienic Practices: REMOVE CONTAMINATED CLOTHING & WASH BEFORE RESUE. WASH

WITH SOAP & WATER.

Supplemental Safety and Health

HCC:N1 NRC/State Lic Num:NOT RELEVANT Melt/Freeze Pt:=2050.C, ######F Spec Gravity:3.2 Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:INSOLUBLE Appearance and Odor:PURPLE SPHERES; NO ODOR.

Stability Indicator/Materials to Avoid:YES STRONG REDUCING AGENTS, EASILY OXID

## IZED MATERIALS. Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE

Waste Disposal Methods:NEW MATERIAL MAY BE DISPOSED IN LANDFILL. USED MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH REGULATIONS GOVERNING THE ADSORBED CONTAMINATES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United

States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.