

PIMA VALVE INC. -- MOBIL DTE OIL HEAVY MEDIUM -- 9150-00-993-8588

===== Product Identification =====

Product ID:MOBIL DTE OIL HEAVY MEDIUM

MSDS Date:12/07/1994

FSC:9150

NIIN:00-993-8588

Status Code:A

MSDS Number: CLDJF

=== Responsible Party ===

Company Name:PIMA VALVE INC.

Address:6525 W ALLISON RD

Box:5010

City:CHANDLER

State:AZ

ZIP:85226

Country:US

Info Phone Num:520-796-1095

Emergency Phone Nu

m:520-796-1095

CAGE:30263

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

Contract Num:SP0450-01-M-LC91

CAGE:82956

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:PIMA VALVE INC

Address:6525 W. ALLISON RD

Box

:5010
City:CHANDLER
State:AZ
ZIP:85226-9405
Country:US
Phone:520-796-1095
CAGE:MO457
Company Name:PIMA VALVE INC.
Address:6525 W ALLISON RD
Box:5010
City:CHANDLER
State:AZ
ZIP:85226
Country:US
Phone:520-796-1095
CAGE:30263
Company Name:SALATHE OIL CO INC
Address:2226 PETERS RD
Box:City:HARVEY
State:LA
ZIP:70058
Country:US
Phone:504-366-4542
CAGE:0T5C6

=====
Composition/Information on Ingredients
=====

Ingred Name:PRODUCT IS NOT FORMULATED TO CONTAIN INGREDIENTS WHICH HAVE
EXPOSURE LIMITS ESTABLISHED BY REGULATORY AGENCIES.
RTECS #:9999999ZZ
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >2000 MG/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGESTION: PRACTICALLY NON-TOXIC. EYE
AND SKIN: PRACTICALLY NON-IRRITATING AND NON-SENSITIZING.
INHALATION: NO HAZARD EXPECTED.

Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC, OR OSHA.

Effects of Overexposure: NO SYMPTOMS ANTICIPATED.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid: SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.
EYES: FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN IF IRRITATION OCCURS.
INHALATION: MOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.
INGESTION: NOT EXPECTED TO BE A PROBLEM. IF MORE THAN 1 PINT IS INGESTED, DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION. IF CONSCIOUS, GIVE 1-2 GLASSES OF WATER.

=====
===== Fire Fighting Measures =====

Flash Point Method: COC

Flash Point: >400F, >204C

Lower Limits: 0.6

Upper Limits: 7.0

Extinguishing Media: WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures: USE

A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures: SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT (EG. CLAY); PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL; CLEAN SPILL AREA TO REMOVE SLIPPERINESS. AVOID RUNOFF INTO WATER WAYS. REPORT SPILLS RESULTING IN SHEEN UPON WATER TO 800-424-8802.

Neutralizing Agent: NOT APPLICABLE.

=====
===== Handling and Storage =====

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP AWAY FROM HEAT, SPARKS, FLAMES, AND INCOMPATIBLE MATERIALS.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NEEDED IN

NORMAL SERVICE.

Ventilation:USE GENERAL DILUTION VENTILATION.

Protective Gloves:NOT NEEDED IN NORMAL SERVICE.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.
WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F, >316C

Vapor Pres:41C

S @ 104F

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIQUID; LIGHT AMBER; MILD ODOR.

Percent Volatiles by Volume: