PIMA VALVE INC. -- MOBIL DTE OIL HEAVY MEDIUM -- 9150-00-993-8588

Product ID:MOBIL DTE OIL HEAVY MEDIUM MSDS Date:12/07/1994 FSC:9150 NIIN:00-993-8588 Status Code:A MSDS Number: CLDJF === Responsible Party === Company Name: PIMA VALVE INC. Address:6525 W ALLISON RD Box:5010 City:CHANDLER State:AZ ZIP:85226 Country:US Info Phone Num:520-796-1095 **Emergency Phone Nu** m:520-796-1095 CAGE:30263 === Contractor Identification === Company Name: AMERICAN INK AND OIL CORP Address:33 ENDICOTT STREET Box:City:NORWOOD State:MA ZIP:02062-3006 Country:US Phone:781-762-0026 / FAX: 781-762-1617 Contract Num:SP0450-01-M-LC91 CAGE:82956 Company Name: MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING Address:3225 GALLOWS ROAD Box:City:FAIRFAX State:VA ZIP:22037 Country:US Phone:800-662-4525/856-224-4644 CAGE:3U728 Company Name: PIMA VALVE INC Address:6525 W. ALLISON RD Box

:5010 City:CHANDLER State:AZ ZIP:85226-9405 Country:US Phone:520-796-1095 CAGE:MO457 Company Name: PIMA VALVE INC. Address:6525 W ALLISON RD Box:5010 City:CHANDLER State:AZ ZIP:85226 Country:US Phone:520-796-1095 CAGE:30263 Company Name: SALATHE OIL CO INC Address:2226 PETERS RD Box:City:HARVEY State:LA ZIP:70058 Country:US Phone:504-366-4542 CAGE:0T5C6

Ingred Name: PRODUCT IS NOT FORMULATED TO CONTAIN INGREDIENTS WHICH HAVE

EXPOSURE LIMITS ESTABLISHED BY REGULATORY AGENCIES. RTECS #:99999992Z Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >2000 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGESTION: PRACTICALLY NON-TOXIC. EYE AND SKIN: PRACTICALLY NON-IRRITATING AND NON-SENSITIZING. INHALATION: NO HAZARD EXPECTED. Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC, OR OSHA.
Effects of Overexposure:NO SYMPTOMS ANTICIPATED.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN IF IRRITATION OCCURS. INHALATION: MOVE TO FRESH

AIR. GIVE OXYGEN OR ARTIFICIAL

RESPI RATION IF NEEDED. I NGESTION: NOT EXPECTED TO BE A PROBLEM. IF MORE THAN 1 PINT IS INGESTED, DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION. IF CONSCIOUS, GIVE 1-2 GLASSES OF WATER.

Flash Point Method:COC Flash Point:>400F, >204C Lower Limits:0.6 Upper Limits:7.0 Extinguishing Media:WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT (EG.CLAY); PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL; CLEAN SPILL AREA TO REMOVE SLIPPERINESS. AVOID RUNOFF INTO WATER WAYS. REPORT SPILLS R ESULTING IN SHEEN UPON WATER TO 800-424-8802. Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED
PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,
SPARKS, FLAMES, AND INCOMPATIBLE MATERIALS.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT NEEDED IN

NORMAL SERVICE. Ventilation:USE GENERAL DILUTION VENTILATION. Protective Gloves:NOT NEEDED IN NORMAL SERVICE. Eye Protection:SAFETY GLASSES Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT. WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health NONE

HCC:V6 Boiling Pt:B.P. Text:>600F, >316C Vapor Pres:41C S @ 104F Solubility in Water:NEGLIGIBLE Appearance and Odor:LIQUID; LIGHT AMBER; MILD ODOR. Percent Volatiles by Volume: