View NSN Online: https://aerobasegroup.com/nsn/6850-01-237-8004

MCGEAN-ROHCO INC -- CEE BEE R-681 -- 6850-01-237-8004

Product ID:CEE BEE R-681 MSDS Date:03/29/2001

FSC:6850

NIIN:01-237-8004

Status Code:A

MSDS Number: CLDMM === Responsible Party ===

Company Name: MCGEAN-ROHCO INC Address: 38521 SCHOOLCRAFT AVE

City:LIVONIA State:MI

ZIP:48150-1031

Country:US

Info Phone Num:216-441-4900

Emergency Phone Num:703-527-3887

Chemtrec I

nd/Phone:(800)424-9300

CAGE:5K793

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC Address:38521 SCHOOLCRAFT AVE

Box:City:LIVONIA

State:MI

ZIP:48150-1031 Country:US

Phone:216-441-4900;734-464-2330

CAGE:5K793

Company Name: MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501 Country:US

Phone: 562-803-4311/FAX: 562-803-6701

Contract Num:SP0450-01-M-ZC48

CAGE:71361

====== Composition/Information on Ingredients ========

Ingred Name: NAPHTHA D

ISTILLATE CAS:8030-30-6 RTECS #:DE3030000 Minumum % Wt:10. Maxumum % Wt:15. OSHA PEL:400 MG/M3;100 PPM ACGIH TLV:1590 MG/M3;400 PPM

Ingred Name:2-BUTOXYETHANOL CAS:111-76-2 RTECS #:KJ8575000 Minumum % Wt:5. Maxumum % Wt:10. OSHA PEL:240 MG/M3;50 PPM

ACGIH TLV:121 MG/M3;25 PPM

========== Hazards Identification =================

LD50 LC50 Mixture: NOT PROVIDED BY MFR Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYES, SKIN, RESPIRATORY

SYSTEM, CNS SYSTEM. ACUTE: EYE: MILD IRRITATION. SKIN: IRRITATION. INHALATION: MAY BE IRRITATING TO NOSE, THROAT, AND RESPIRATORY TRACT. INGESTION: MAY CAUS E VOMITING. ASPIRATION OF VOMITUS INTO LUNGS MUST BE AVOIDED AS EVEN SMALL AMOUNTS CAN RESULT IN PNEUMONITIS. CHRONIC: DERMATITUS. CNS SYSTEM AFFECTS.

Explanation of Carcinogenicity: NOT PROVIDED BY MFR

Effects of Overexposure: SKIN: DEFATTING AND DRYING OF SKIN WHICH CAN

RESULT IN DERMATITIS. INHALAT

ION: HIGH VAPORS CAN CAUSE CNS

DEPRESSION, DROWSYNESS, AND NARCOSIS.

Medical Cond Aggravated by Exposure: PRE-EXISTING EYE, SKIN AND RESPIRATORY DISORDERS

First Aid:EYE: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. IF ANY IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: FLUSH WITH WATER THEN WASH WITH SOAP AND WATER. IF ANY IRRITATION PERSISTS, GET MEDICAL ATTENTIO N. INHALATION: REMOVE TO FRESH AIR. GET MEDI

CAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO THE LUNGS. GET MEDICAL ATTENTION. Flash Point Method:TCC Flash Point:=70.C, 158.F Lower Limits:UK **Upper Limits:UK** Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS SHOULD BE Unusual Fire/Explosion Hazard: COOL CONTAINERS EXP OSED TO HEAT WITH WATER TO PREVENT RUPTURE. ========= Accidental Release Measures ============ Spill Release Procedures: COMBUSTIBLE. ELIMINATE POTENTIAL SOURCES OF IGNITION. SOAK UP RESIDUE WITH AN ABSOBENT. PLACE IN CONTAINERS AND SEAL TIGHTLY AWAITING PROPER DISPOSAL. WASH DOWN REMAINING TRACES WITH SOAP AND WATER. Neutralizing Agent: NOT PROVIDED BY MFR ============= Handling and Storage ========================== Handling and Storage Precautions:STOR

E AT TEMPERATURES OF 60-100F AWAY FROM SPARKS. FLAME, OR HEAT. GROUND TRANSFER CONTAINERS AND

EQUIPMENT TO PREVENT STATIC SPARK WHICH COULD IGNITE VAPORS.

Other Precautions: NOT PROVIDED BY MFR

====== Exposure Controls/Personal Protection ========

Respiratory Protection: IF TWA IS EXCEEDED MUST BE NIOSH OR MSHA APPROVED.

Ventilation: SUFFICIENT TO KEEP BELOW TWA LIMIT.

Protective Gloves: NEOPRENE

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: SUFFICIENT TO PRE

Work Hygienic Practices: NOT PROVIDED BY MFR Supplemental Safety and Health NOT PROVIDED BY MFR ======== Physical/Chemical Properties ============= HCC:V6 Boiling Pt:=98.C, 208.4F Melt/Freeze Pt:M.P/F.P Text:UK Decomp Temp:Decomp Text:NOT PROVIDED BY MFR Vapor Pres:UK Vapor Density:UK Spec Gravity: 1.0 pH:9-10 Viscosity: NOT PROVIDED BY MFR Evaporation Rate & Reference: < BUTYL ACETATE Solubility in Water: SOLUBLE Appearance and O dor:CLEAR TO SLIGHTLY HAZY LIQUID, SOLVENT ODOR Percent Volatiles by Volume:80% Corrosion Rate: NOT PROVIDED BY MFR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NA Hazardous Decomposition Products:OXIDES OF CARBON UPON IGNITION Conditions to Avoid Polymerization: WILL NOT OCCUR ======= Disposal Considerations ============ Waste Disposal Methods:SEND TO W ASTE TREATING FACILITY FOR INCINERATION. FOLLOW ALL LOCAL, STATE, AND FEDERAL REGULATIONS. ======== MSDS Transport Information ============ Transport Information: NOT DOT REGULATED.

VENT SKIN CONTACT. EYE WASH. SAFETY SHOWER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all

liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.