View NSN Online: https://aerobasegroup.com/nsn/9150-00-111-0209

UNIMARK OIL LLC -- (

-- GARD ANTI RUST SAE 30

MSDS Safety Information

FSC: 9150

NIIN: 00-111-0209 MSDS Date: 06/30/2000 MSDS Num: CLDSR

Product ID: GARD ANTI RUST SAE 30

MFN: 02

Responsible Party Cage: 1RU67

Name: UNIMARK OIL CO LLC Address: 2727 ROE LANE

City: KANSAS CITY KS 66103-1543

Info Phone Number: 913-236-5000 FAX/913-432-8309 Emergency Phone Number: 800-451-8346 /800 451-8346

Item Description Information

Item Manager: S9G

Item Name: LUBRICATING OIL, ENGINE Specification Number: MIL-L-21260 Type/Grade/Class: 11 TYPE, 30 GRADE

Unit of Issue: CN

Quantitative Expression: 00000000005GL

UI Container Qty: 1
Type of Container: CAN

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: ORAL TOXICITY:NOT DETERMINED.

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: EYE CONTACT: CAN CAUSE MILD IRRITATION. SKIN CONTACT: MAY

CAUSE IRRITATION. PROLONGED OR REPEATED CON

TACT MAY RESULT IN DERMATITIS.

INHALATION: OVEREXPOSURE OF HOT MATERIAL MAY CAUSE NONSPECIFIC DISCO MFORT. INGESTION: DO NOT INGEST. DUE TO CONCENTRATION OF OIL (70-100%) INGESTION IS EXPECTED TO BE RELATIVELY NON-TOXIC UNLESS LUNG ASPIRATION OCCURS WHICH MAY LEAD TO CHEMICAL PNEUMONITIS; CHARACTERI ZED BY PULMONARY EDEMA AND HEMORRHAGE AND MAY BE FATAL. GASTROINTESTINAL DISCOMFORT MAY DEVELOP, FOLLOWED BY VOMITING WITH A FURTHER RISK OF ASPIRATION.. THIS PRODUCT HAS LAXATIVE PROPE

RTIES AND MAY R ESULT IN ABDOMINAL CRAMPS AND DIARRHEA.

Explanation Of Carcinogenicity: CARCINOGENICITY: NOT DETERMINED. NONE OF THE OILS IN THIS PRODUCT REQUIRE A CANCER WARNING UNDER OSHA (29 CFR 1910.1200). THESE OILS HAVE NOT BEEN LISTED IN NATIONAL TOXICOLOGY PROGRAM (NTP) ANNUAL RE PORT NOR CLASSIFIED BY IARC AS: CARCINOGENIC TO HUMANS (GROUP 1), PROBABLY CARCINOGENIC TO HUMANS (GROUP 2A), OR POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B).

Signs And Symptions Of Overexposure: EYE CON

TACT: MILD IRRITATION, DISCOMFORT,

TEARING, BLURRED VISION. SKIN CONTACT: IRRITATION, DERMITITIS, DRYNESS, CHAPPING, REDDENING. INHALATION: NAUSEA, HEADACHE, WEAKNESS. INGESTION: RELATIVELY NON -TOXIC. ASPIRATION: CHEMICAL PNEUMONITIS, PULMONARY EDEMA, HEMORRHAGE, MAY BE FATAL; SIGNS OF LUNG INVOLVMENT INCLUDE INCREASED RESPIRATORY RATE, INCREASED HEART RATE, BLUISH DISCOLORATION OF SKIN, CO UGHING, CHOKING, GAGGING. GASTROINTESTINAL DISCOMFORT FOLLOWED BY VOMITING. PRODUCT HAS LAX

ATIVE PROPERTIES AND MAY RESULT IN ABDOMINAL CRAMPS AND DIARRHEA.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER. CONTINUE FLUSHING UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS CALL DOCTOR. IF MATERIAL IS HOT TREAT FOR THERMAL BURNS; TAKE TO HOSPITAL. SKIN: REM OVE CONTAMIATED CLOTHING. WASH EXPOSED SKIN WITH SOAP AND WATER. IF REDNESS OR IRRITATION OCCURS GET MEDICAL ATTENTION. IF MATERIAL IS HOT SUBM

ERGE EXPOSED AREA IN

COLD WATER. IF SEVERELY BURNED, TAKE TO HOSPITAL. INHALATION: MOVE TO FRESH AIR. IF DIFFICULT BREATHING, GIVE OXYGEN. IF BREATHING STOPPED, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. (CONTD. SEE "OTHER INFORMATION")

Handling and Disposal

Spill Release Procedures: TURN OFF IGNITION SOURCES. VENTILATE. PERSONNEL

WEARING PROTECTIVE EQUIPMENT SHOULD CONTAIN SPILL WITH INERT MATERIALS BY FORMING DIKES THAT PREVENTS ENTERING SEWERS AND WATERWAYS. PICK UP LARGE SPILL WITH EXPLOSION-PROOF, NON-SPARKING VACUUM PUMPS, SHOVELS, BUCKETS AND DEPOSIT IN DISPOSAL CONTAINERS. REMOVE WATER SPILLS BY SKIMMING SURFACE OR WITH ADSORBENTS. NOTIFY AUTHORITIES OF LARGE SPILLS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: ALL DISPOSALS MUST COMPLY WITH FEDERAL, STATE, AND LOCAL REGU

LATIONS. THE MATERIAL, IF SPILLED OR DISCARDED MAY BE A REGULATED WASTE. REFER TO STATE AND LOCAL REGULATIONS. DEPARTMENT OF TRANSPORTATION REGULATIONS MAY APPLY FOR TRANSPORTING THIS MATERIAL WHEN SPILLED.

Handling And Storage Precautions: KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT TRANSFER TO UNMARKED CONTAINERS. FIRE EXTINGUISHERS SHOULD BE KEPT READILY AVAILABLE. EMPTY CONTAINERS RETAIN PRODUCT RESIDUE WHICH MAY EXHIBIT HAZARDS O F MATERIAL, DO NOT PRESSURIZE, CUT, GLAZE, WELD

, OR USE FOR ANY OTHER PURPOSE.

Other Precautions: RETURN DRUMS TO RECLAMATION CENTERS FOR PROPER CLEANING AND REUSE. STORE CONTAINERS AWAY FROM HEAT, SPARKS, OPEN FLAMES, OR OXIDIZING MATERIALS. DISPOSAL (CONTD); CAUTION - IF SPILLED MATERIAL CLEANE D UP USING REGULATED SOLVENT, RESULTING WASTE MIXTURE MAY BE REGULATED.

Fire and Explosion Hazard Information

Flash Point Metho

d: COC

Flash Point: =220.C, 428.F Autoignition Temp Text: N/D Lower Limits: NOT DETERMIN Upper Limits: NOT DETERMIN

Extinguishing Media: USE DRY CHEMICAL, FOAM, WATER FOG, OR CARBON DIOXIDE.
Fire Fighting Procedures: WATER MAY BE INEFFECTIVE BUT CAN BE USED TO COOL
CONTAINERS EXPOSED TO HEAT OR FLAME. CAUTION SHOULD BE EXERCISED WHEN USING
WATER OR FOAM AS FROTHING MAY OCCUR, ESPECIALLY IF SPRAYED INTO HOT, BURNI NG
LIQUID.

Unusual Fire/Explosion Hazard: DENSE SMOKE MAY BE GENERATED WHILE BURNING.

TOXIC FUMES/GAS/VAPOR MAY EVOLVE ON BURNING. HEAVY FLAMMABLE VAPORS MAY SETTLE ALONG GROUND LEVEL AND LOW SPOTS TO CREATE INVISIBLE FIRE HAZARD. VAPORS MAY EXTEND TO SOURCES OF IGNITION AND FLASH BACK. CARE SHOULD ALWAYS BE EXERCISED IN DUST/MIST AREAS.

Control Measures

Respiratory Protection: NONE REQURIED IF AIRBORNE CONCENTRATIONS ARE MAINTAINED BELOW TLV. OHTE

RWISE RESPIRATORY PROTECTION PROGRAM MEETING OSHA 1910.134
AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED. IF MISTING OCCURS WEAR
MSHA/NIOSH APPROVED (OR EQUIVALENT) HALF-MASK FORM DUST/MIST AIR PURIFYING
RESPIRATOR.

Ventilation: USE ADEQUATE VENTILATION WHEN WORKING WITH MATERIAL IN ENCLOSED AREA. MECHANICAL METHODS SUCH AS FUME HOODS OR AREA FANS MAY BE USED (CONTD. SEE "SUPPLEMENTAL")

Protective Gloves: NEOPRENE, NITRILE RUBBER (IMPERVIOUS).

Eye Protection: ALWAYS RECOMMENDED; SAFETY

GLASSES WITH SIDE SHIELDS OR VENTED

SPLSH GOGGLES

Other Protective Equipment: APRON, OVERBOOTS OF IMPERVIOUS MATERIALS (NEOPRENE OR NITRILE RUBBER) RECOMMENDED. USE INSULATED EQUIPMENT FOR HANDLING HOT MATERIAL. PROVIDE EYEWASH STATIONS AND SHOWERS IN WORK OR STORAGE AREAS.

Work Hygienic Practices: CONSUMPTION OF FOOD AND DRINK SHOULD BE AVOIDED IN WORK AREAS WHERE PRODUCT IS PRESENT. ALWAYS WASH HANDS AND FACE WITH SOAP AND

WATER BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMI NATED CLOTHING.

Supplemental Safety and Health: (CONTD. FROM "VENTILATION") TO REDUCE LOCALIZED VAPOR/MIST AREAS. IF VAPOR OR MIST IS GENERATED WHEN THE MATERIAL IS HEATED OR HANDLED, ADEQUATE VENTILATION IN ACCORDANCE WITH GOOD ENGINEERING PRACTIC E MUST BE PROVIDED TO MAINTAIN CONCENTRATIONS BELOW THE SPECIFIED EXPOSURE.

Physical/Chemical Properties

HCC: V6

Boiling Point: > 260.C, 500.F

B.P. Text: ESTMATED Melt/Freeze Pt: =-18.C, -.4F M.P/F.P Text: ASTM D 97

Vapor Pres: NEGLIGIBLE AT 25C, 1 ATM.

Vapor Density: >1@STP

Spec Gravity: 0.89 @15.6C (7.45 LB/GAL)

Viscosity: 11.50CST@100C

Evaporation Rate & Evaporation Rate & Reference: NEGLIGIBLE, (N-BUAC = 1)

Solubility in Water: NEGLIGIBLE.

Appearance and Odor: DARK BROWN, CLEAR FLUIID, MILD PETROLEUM HYDROCARBON ODOR.

Percent Volatiles by Volume: NEGLIGIBLE

Reactivity Data

==

Stability Indicator: YES

Stability Condition To Avoid: MATERIAL IS STABLE AT ROOM TEMPERATURE AND PRESSURE. AVOID HIGH TEMPERATURES AND PRODUCT CONTAMINATION. Materials To Avoid: AVOID CONTACT WITH ACIDS AND OXIDIZING MATERIALS.

Hazardous Decomposition Products: SMOKE, CARBON MONOXIDE, CARBON DIOXIDE, OTHER ALDEHYDE OF INCOMPLETE COMBUSTION. OXIDES OF C, ZN, CA, P, S. HYDROGEN SULFIDE, ALKYL MERCAPTANS AND OTHER SULFIDES.

Hazardous Polv

merization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

Toxicological Information

Toxicological Information: ORAL, DERMAL TOXICITY: NOT DETERMINED. INHALATION: ON RARE OCCASIONS, PROLONGED AND REPEATED EXPPOSURE TO OIL MIST POSES A RISK OF PULMONARY DISEASE SUCH AS CHRONIC LUNG INFLAMMATION. THIS CONDITION IS USUALLY ASYMPTOTIC AS A RESULT OF REPEATED SMAL

L ASPIRATIONS, SHORTNESS OF

BREATH AND COUGH ARE COMMON SYMPTOMS. DERMAL SENSITIZATION: PROLONGED OR TRPEATED CONTSCT MAY MAKE SKIN MORE SENSITIVE TO OTHER SENSITIZERS. CHRONIC TOXICITY, CARCINOGENICITY, REPRODUCTIVE TOXICITY, TERATOGENICITY: NOT DETERMINED. MUTAGENICITY: PRODUCT CONTAINS ZINC ALKYL DITHIOPHOSPHATES (ZDP) (CONTD. SEE "STATE REG.")

Ecological Information

Eco

logical: ENVIRONMENTAL TOXICITY: THIS MATERIAL MAY BE TOXIC TO AQUATIC ORGANISM AND SHOULD BE KEPT OUT OF SEWAGE AND DRAINAGE SYSTEMS AND ALL BODIES OF WATER. ENVIRONMENTAL FATE: NO DATA AVAILABLE. (CONTD. FRO M "WASTE DISPOSAL") AT TIME OF DISPOSAL WHETHER PORDUCT MEETS RCRA CRITERIA FOR HAZARDOUS WASTE. WASTE MANGEMENT SHOULD BE IN COMPLIANCE WITH FEDERAL, STATE, AND LOCAL LAWS.

MSDS Transport Information

Regulatory Information

Sara Title III Information: SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCES: NONE. SECTION 311, 312 HAZARD CATEGORTIZATION: ACUTE (IMMEDIATE HEALTH EFFECTS): YES; CHRONIC(DELAYED HEALTH EFFECTS): NO; FIRE (HAZARD): NO; REACTIVITY (HAZARD): NO; PRESSURE (SUDDEN RELEASE): NO. SECTION 313 TOXIC CHEMICALS: ZINC &It; 0.20%.

State Regulatory Information: (CONTD> FROM "TOXICOLOGICAL") SEVERAL ZDPS
HAVE BEEN REPORTED TO HAVE WEAK MUTAGENIC ACTIVITY IN CULTURED MAMMALIAN
CELLS BUT ONLY IN CONCENTRATIONS THAT WERE TOXIC TO THE TEST CELLS.
MANUFACTURER DO ES NOT BELIEVE THERE IS ANY MUTAGENIC RISK TO WORKERS EXPOSED
TO THIS PRODUCT'S CONCENTRATION LEVEL OF ZDP.

Other Information

Other Information:

NFPA 704: HEALTH: 1(SLIGHT); FIRE: 1 (SLIGHT); REACTIVITY: 0

(MINIMAL); SPECIFIC HAZARD: NONE; PROTECTIVE INDEX: N/A. NPCA-: HEALTH: I (SLIGHT); FIRE: 1 (SLIGHT); REACTIVITY: 0 (MINIMAL); SPECIFIC HAZARD: N/A;

PROTECTIVE INDEX: B. PRECAUTIONARY LABELS: WARNING! MAY CAUSE EYE IRRITATION;

MAY CAUSE SKIN IRRITATION; HOT VAPORS MAY CAUSE RESPIRATORY IRRITATION. (CONTD. FROM "FIRST AID") GIVE TW O GLASSES OF WATER. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON. IF VOMITING OC

CURS, LOWER HEAD BELOW KNEES TO

AVOID ASPIRATION. SEEK MEDICAL ATTENTION.

Transportation Information

Responsible Party Cage: 1RU67

Trans ID NO: 157332

Product ID: GARD ANTI RUST SAE 30 MSDS Prepared Date: 06/30/2000

Review Date: 06/06/2001

MFN: 2

Net Unit Weight: 37 LBS Multiple KIT Number: 0 Unit Of Issue: CN

Container QTY: 1

Type Of Container: CAN

Additional Data: PER MSDS, ITEM I

S NOT REGULATED.

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

=======

Product ID: GARD ANTI RUST SAE 30

Cage: 1RU67

Company Name: UNIMARK OIL CO LLC

Street: 2727 ROE LANE City: KANSAS CITY KS Zipcode: 66103-1543

Health Emergency Phone: 800-451-8346 /800 451-8346

Label Required IND: Y

Date Of Label Review: 06/06/2001

Status Code: A
Year Procured: 2001
Origination Code: F
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Health Hazard: Slight
Contact Hazard: Slight

Fire Hazard:

Slight

Reactivity Hazard: None

Hazard And Precautions: EYE/SKIN CONTACT: CAN CAUSE MILD IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY RESULT IN DERMATITIS. INHALATION: OVEREXPOSURE OF HOT MATERIAL MAY CAUSE NONSPECIFIC DISCOMFORT. INGESTION: RELATIVL EY NON-TOXIC, BUT HAS ASPIRATION HAZARD. ASPIRATION INTO LUNGS MAY CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

Disclaimer (provided with this information by the compiling agenci

es): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instructio

n who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.