Product ID:SOLVENT ADHESIVE MSDS Date:02/16/1995 FSC:8040 NIIN:00-664-4318 Status Code:A MSDS Number: CLGHB === Responsible Party === Company Name: BF GOODRICH THE ADHESIVE PRODUCTS DIV Address:500 MAIN ST **City:AKRON** State:OH ZIP:44318 Country:US Info Phone Num:216-374-3000 Emergency Ph one Num:330-374-5143 Preparer's Name: RYAN MICKELSON CAGE:1HS43 === Contractor Identification === Company Name: SIA ADHESIVES INC Address:123 W BARTGES ST Box:City:AKRON State:OH ZIP:44311-1081 Country:US Phone: 330-374-2786 / 330-374-2900 CAGE:1HS43

Ingred Name:TOLUENE CAS:108-88-3 RTECS #:XS5250000 = Wt:40. OSHA PEL:SEE TABLE Z-2 ACGIH TLV:188 MG/M3;50 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:N-HEXANE CAS:110 -54-3 RTECS #:MN9275000 = Wt:20. OSHA PEL:1800 MG/M3;500 PPM EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:CYCLOHEXANE CAS:110-82-7 RTECS #:GU6300000 < Wt:5. OSHA PEL:1050 MG/M3;300 PPM ACGIH TLV:1030 MG/M3;300 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:ALIPHATIC PETROLEUM DISTILATE CAS:64742-49-0 Code:F = Wt:10.

Ingred Name:BENZENE CAS:71-43-2 RTECS #:CY1400000 &It; Wt:.1 OSHA PEL:SEE 1910.1028 ACGIH TLV:32 MG/M3;10 PPM EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:LEA D CAS:7439-92-1 RTECS #:OF7525000 &It; Wt:.1 ACGIH TLV:0.15 MG/M3 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:CADMIUM CAS:7440-43-9 RTECS #:EU9800000 &It; Wt:.1 OSHA PEL:SEE 1910.1027 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Health Hazards Acute and Chronic:CHRONIC EFFECTS OF OVER EXPOSURE: MAY CAUSE DEFATTING AND DERMATITIS. MAY CAUSE KIDNEY OR LIVER DAMAGE. EXCESSIVE EXPOSURE TO N-HEXANE MAY CAUSE PERIPHERAL NEUROPA THY (A NUMBNESS OF THE FINGERS AND TO ES) THE NEUROTOXIC PROPERTIES OF N-HEXANE ARE POTENTIATED BY EXPOSURE TO MEHTYL EHTYL KETONE AND METHY ISOBYTYL KETONE. NOTICE: REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVER EXPOSU RE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL. Effects of Overexposure: INHALATION: NOSE AND THROAT IRRITATION HEA DACHE, NAUSEA, LOSS OF COORDINATION, DIZZINESSS, UNCONSCIOUSNESS, AND EVEN ASPHYXIATION. SKIN CONTACT: MAY CAUSE DEFATTING OR DERMATITIS. EYE CONTACT: MAY CAUSE IRRITATION, OR CORNEAL CLOUDING. INGESTION: ASPIRATION INTO LUNGS MAY CAUSE CHEMICAL PNEUMONTITIS. Medical Cond Aggravated by Exposure:NONE KNOWN First Aid:INHALATION: REMOVE TO FRESH AIR, IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABL Y MOUTH TO MOUTH. IF BREATHING DIFFICULT GIVE OXYGEN. CALL PHYSICIAN AT ONCE. SKIN CONTACT: REMOVE CONTAMINATE D CLOTHING AND LAUNDER BEFORE REUSE. WASH AFFECTED AREA WITH PLENTY OF SOAP AND WATER. EYE CONTACT: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MIN (HOLD EYE LIDS OPEN) LONGER IF THERE IS INDICATION OF RESIDUAL MATERIAL IN EYE. INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY. = Flash Point:AIR Spec Gravity:0.87515 Evaporation Rate & amp; Reference:8.3 Solubility in Water:LIGHTER THAN WATER Appearance and Odor: SLIGHTLY VISC. TAN LIG W/AROMATIC ODOR Percent Volatiles by Volume:80 Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:SEE ABOVE. Hazardous Decomposition Products: CARBON DIOXIDE, CABON MONOXIDE, SMOKE, ALIPHATICS, AND OTHERS

=== Disposal Considerations ================

Waste Disposal Methods:THIS MATERIAL IF DISCHARGED, IS HAZARDOUS AND MUST BE PROPERLY STORED, TRANSPORTED, AND DISPOSED OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS.

SARA Title III Information: THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNI TY RIGHT TO KNOW ACT OF 1986 AND OF 40 CFR 372. 108-88-3 T OLUENE