

LOCTITE CORPORATION -- 290 THREADLOCKER ADHESIVE/SEALAND, 29031

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 00-111-2762
MSDS Date: 01/16/2000
MSDS Num: CLGHD
Product ID: 290 THREADLOCKER ADHESIVE/SEALAND, 29031
MFN: 01
Kit Part: Y
Responsible Party
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BRO
OK CROSSING
City: ROCKY HILL CT 06067-3910
Info Phone Number: 860-571-5100
Emergency Phone Number: 860-571-5100
Preparer's Name: RYAN MICKELSON
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description
Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: BT
Quantitative Expression: 00000000050CC
UI Container Qty: 0

=====
Ingredients
=====

Cas: 25852-47-5
Name: POLYETHYLENE GLYCOL DIMETHACRYLATE
% low Wt: 90.
% high Wt: 95.

Cas: 80-15-9
RTECS #: MX2450000
Name: CUMENE HYDROPEROXIDE
% low W

t: 3.
% high Wt: 5.
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 81-07-2
RTECS #: DE4200000
Name: SACCHARIN
% low Wt: 1.
% high Wt: 3.
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

Cas: 613-48-9
Name: N,N-DIETHYL-P-TOLUIDINE
% low Wt: .1
% high Wt: 1.
=====

Health Hazards Data
=====

Signs And Symptoms Of Overexposure: MAY CAUSE DERMATITIS
ON PROLONGED CONTACT
IN SENSITIVE INDIVIDUALS.

Medical Cond Aggravated By Exposure: NONE KNOWN

First Aid: INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN
MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST,
OBTAIN MEDICAL ATTENTION. SKIN CONTACT: WASH WITH SOAP AND WATER. EYE
CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER.
=====

Handling and Disposal
=====

Spill Release Procedures: SOAK UP WITH AN INERT ABSORBENT. STORE IN PARTLY
FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Waste Disposal Methods: INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.

Handling And Storage Precautions: AVOID PROLONGED SKIN CONTACT, KEEP AWAY FROM
EYES.

Other Precautions: STORE BELOW 100 DEG F
=====

Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point: =93.3C, 200.F
Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL

=====
Control Measures
=====

Ventilation: USE ADEQUATE VENTILATION
Protective Gloves: NEOPRENE, RUBBER OR BUTYL RUBBER GLOVES
Eye Protection: SAFETY GLASSES OR GOGGLES

=====
Physical/Chemical Properties
=====

Boili
ng Point: >148.9C, 300.F
Spec Gravity: 1.07 @ 80 DEG F
Solubility in Water: SLIGHT
Appearance and Odor: GREEN LIQUID, MILD
Percent Volatiles by Volume: 12.6

=====
Reactivity Data
=====

Stability Indicator: YES
Hazardous Decomposition Products: IRRITATING ORGANIC VAPORS.
Hazardous Polymerization Indicator: NO

=====
MSDS Transport Information
==
=====

=====
HAZCOM Label
=====

Product ID: 290 THREADLOCKER ADHESIVE/SEALAND, 29031
Cage: 05972
Company Name: LOCTITE CORPORATION
Street: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT
Zipcode: 06067-3910
Health Emergency Phone: 860-571-5100
Label Required IND: Y
Date Of Label Review: 07/03/2001
Status Code: A
Origination Code: G
=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United

d

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.