View NSN Online: https://aerobasegroup.com/nsn/6750-01-097-0773

EASTMAN KODAK COMPANY -- 812 1188,PT A,KODAK T-MAX 100 DIRECT POSITIVE (SEE SUPPL) -- 6750-01-097-0773

Product ID:812 1188,PT A,KODAK T-MAX 100 DIRECT POSITIVE (SEE SUPPL)

MSDS Date:03/09/2001

FSC:6750

NIIN:01-097-0773 Status Code:A

Kit Part:Y

MSDS Number: CLHHN === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-477-3194 MSDS:800-242-2424

Emergency Phone Num:716-722-5151 Preparer's Name:NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name:WATER CAS:7732-18-5

RTECS #:ZC0110000 Minumum % Wt:80 Maxumum % Wt:85.

Other REC Limits: NOT PROVIDED

Code:F

Ingred Name:POTASSIUM SULFITE

CAS:10117-38-1

RTECS #:WT3530000

Minumum % Wt:5.

Maxumum % Wt:10.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name: POTASSIUM CARBONATE

CAS:584-08-7

RTECS #:TS7750000

Minumum % Wt:5.

Maxumum % Wt:10.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:NOT PROVIDED

Ingred Name: PENIETIC ACID, PENTA SODIUM SALT

CAS:140-01-2

< Wt:1.

Other REC Limits: NOT PR

OVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:NOT PROVIDED

Ingred Name: HYDROQUINONE

CAS:123-31-9

RTECS #:MX3500000

= Wt:4.

Other REC Limits: NOT PROVIDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

LD50 LC50 Mixture: NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: EXPECTED TO BE A LOW HAZARD FOR USUAL INDUSTRIAL OR COMMERCIAL HANDLING BY TRAIN

PERSONNEL. IN CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITES MAY LIBERATE SULFUR DIOXIDE GAS. SULFUR DIOXIDE GAS IS IRRITATING TO RESPIRATORY TRACT. SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING. EYES: CAUSES IRRITATION. SKIN: CAUSES IRRITATION. MAY CAUSE ALLERGIC SK IN REACTION BASED ON HUMAN EXPERIENCE. MAY CAUSE SKIN DEPIGMENTATION. INGESTION: HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT.

Expl

anation of Carcinogenicity:(IARC): HYDROQUINONE, SULFUR
DIOXIDE,SOME SULFITES, BISULFITES AND METASULFITES, GROUP 3; NOT
CLASSIFIABLE. (ACGIH): HYDROQUINONE, A3; CONFIRMED ANIMAL
CARCINOGEN WITH UNKNOWN RELEVANCE HUMANS. S ODIUM BISULFITE, A4;
NOT CLASSIFIABLE AS HUMAN CARCINOGEN. NATIONAL TOXICOLOGY PROGRAM
(NTP): NONE - OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA):
NONE

- Effects of Overexposure:INHALATION: IN CONTACT WITH STRONG ACIDS OR IF HEATED, SULFITE
- S MAY LIBERATE SULFUR DIOXIDE GAS. SULFUR DIOXIDE
 GAS IS IRRITATING TO RESPIRATORY TRACT. EYES: CAUSES IRRITATION.
 SKIN: CAUSES IRRITATION. MAY CAUSE SKIN DEPIGMENTATION.
 INGESTION: MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT.
- Medical Cond Aggravated by Exposure:SOME ASTHMATICS, HYPERSENSITIVE OR SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING, WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS AND DIARRHEA.

======= First Aid Measures ===============

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF SY MPTOMS OCCUR. SKIN: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF SKIN IRRITATION OR ALLERGIC SKIN REACTION OCCURS, GET MEDICAL ATTENTION. WASH CONTAM INATED CL

OTHING BEFORE REUSE, INGESTION:

ONLY INDUCE VOMITING AT THE INSTRUCTION OF MEDICAL PERSONNEL. CALL PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIO US PERSON.

========== Fire Fighting Measures ===============

Flash Point: NONFLAMMABLE

Extinguishing Media:USE APPROPRIATE AGENT FOR ADJACENT FIRE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE

HAZARDOUS DECOMPOSITION PRODUCTS. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL C ONTAMINATION. Neutralizing Agent:NOT PROVIDED
============= Handling and Storage =============
Ha ndling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES. Other Precautions:AVOID BREATHING MIST AT CONCENTRATIONS GREATER THAN EXPOSURE LIMITS. AVOID CONTACT WITH EYES, SKIN, CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. ROUTINE USE OF NONALKALINE (ACID) TYPE HAND CLEANER AND REGULAR CLEANING OF WORKING SURFACES, GLOVES, ETC. MINIMIZE POSSIBILIT Y OF SKIN REACTION.
====== Exposure Controls/Personal Protection =========
Respiratory Protection:NONE SHOULD BE NEEDED. A RESPIRATOR SHOULD BE WORN IF HAZARDOUS DECOMPOSITION PRODUCTS ARE LIKELY TO BE OR HAVE BEEN RELEASED. RESPIRATOR TYPE: ACID GAS. IF RESPIRATORS ARE USED, A PROGRAM SHOULD BE I NSTITUTED TO ASSURE COMPLIANCE WITH OSHA STANDARD 29 CFR 1910.134. Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. VENTILATION BATES SHOULD BE MATCHED TO
HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS. Protective Gloves
Protective Gloves :WEAR IMPERVIOUS GLOVES AND PROTECTIVE CLOTHING APPROPRIATE FOR RISK OF EXPOSURE Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES). Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER Work Hygienic Practices:NOT PROVIDED
Supplemental Safety and Health CONTD FROM PRODUCT ID: FILM REDEVELOPER. THIS IS A KIT. THE OTHER MSDS

========= Physical/Chemical Properties ==========

SERIAL NUMBER: CLHHP.


NRC/State Lic Num: NOT RELEVANT

HCC:B3

Boi

ng Pt:>100.C, 212.F Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED Decomp Temp:Decomp Text:NOT PROVIDED Vapor Pres:68F: 24MBAR (18 MM HG) Vapor Density:0.6 Spec Gravity:1.13 SH:10.1
/iscosity:NOT PROVIDED Evaporation Rate & Reference:NOT PROVIDED
Solubility in Water:COMPLETE Appearance and Odor:YELLOW ODORLESS, LIQUID. Percent Volatiles by Volume:80-85 WT Corrosion Rate:NOT PROVIDED
======================================
Stability Indicator/Materials to Avoid:YES
RONG ACIDS. Stability Condition to Avoid:NOT PROVIDED Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, SULFUR DIOXIDE.
======================================
oxicological Information:IN F-344 RATS, CHRONIC ORAL ADMINISTRATION OF HYDROQUINONE HAS RESULTED IN THE FORMATION OF BENIGN KIDNEY TUMORS THOUGHT TO BE SECONDARY TO NEPHROPATHY. HYDROQUINONE-INDUCED NEPHROPATHY FOLLOWING ORAL ADMINISTRATION HAS BEEN NO
ED IN THE MALE F-344 RAT, BUT NOT IN OTHER SPECIES OR RAT STRAINS TESTED. ALTHOUGH AN INCREASE IN MONONUCLEAR CELL LEUKEMIA IN F-344 FEMALE RA TS HAS BEEN REPORTED FOLLOWING CHRONIC ORAL ADMINISTRATION OF HYDROQUINONE, THIS FINDING WAS NOT REPRODUCED IN A SUBSEQUENT STUDY.
======================================

Ecological:THE FOLLOWING PROPERTIES ARE ESTIMATED FROM THE COMPONENTS OF THE PREPARATIONS. POTENTIAL TOXICITY: FISH LC50 MG/L:



Disclaimer (provided with this information by the compiling agencies): This inf

ormation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.