View NSN Online: https://aerobasegroup.com/nsn/8030-00-059-2761

MAKOOR PRODUCTS CO INC -- ANTISEIZE COMPOUND MIL-PRF-907E -- 8030-00-059-2761

Product ID:ANTISEIZE COMPOUND MIL-PRF-907E

MSDS Date:08/01/1999

FSC:8030

NIIN:00-059-2761

Status Code:A

MSDS Number: CLJLD === Responsible Party ===

Company Name: MAKOOR PRODUCTS CO INC

Box:492

City:RIVERHEAD

State:NY ZIP:11901 Country:US

Info Phone Num:631-727-4445

Emergency Phone Num:

(800)424-9300

Preparer's Name: HENRY SIMMONS Chemtrec Ind/Phone: (800) 424-9300

CAGE:TO443

=== Contractor Identification ===

Company Name: MAKOOR PRODUCTS CO INC

Box:492

City:RIVERHEAD

State:NY ZIP:11901 Country:US

Phone:631-727-4445

CAGE:TO443

======= Composition/Information on Ingredients ========

Ingred Name:PETROLATUM

CAS:8009-03-8

RTECS #:SE6780000

= Wt:70.

Ingred Name: COPPER

CAS:7440-50-8

RTECS #:GL5325000

= Wt:20.

OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3 EPA Rpt Qty:5000 LBS

DOT Rpt

Qty:5000 LBS

Ingred Name:GRAPHITE
CAS:7782-42-5
RTECS #:MD9659600

CAS:7782-42-5 RTECS #:MD9659600 = Wt:10. OSHA PEL:SEE TABLE Z-3 ACGIH TLV:2 MG/M3

=========== Hazards Identification ==========================

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:EYE CONTACT: IN CASE OF ACCIDENTAL EYE CONTACT
FLUSH WITH WARM FOR 5 TO 10 MINUTES. IF IRRITATION PERSIST GET
MEDICAL ATTENTION. SKIN CONTACT: NOT IRRITATING INHALATION: NOT
LIKELY INGESTION: NOT H ARMFUL, MAY CAUSE DIAR
RHEA.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:IF THE TLV IS EXCEEDED, A HALF MASK CHEMICAL C

ARTRIDGE RESPIRATOR MAY BE WORN UP TO TEN TIMES THE TLV OR THE MAXIMUM USE CONCENTRATION OF THE MASK, WHICHEVER IS LESS.

Ventilation:LOCAL EXHAUST AND/OR MECHANICAL (GENERAL) VENTILATION AS REQUIRED TO KEEP CONCENTRATIONS BELOW OSHA PEL.

Protective Gloves:PVA.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING AS NEEDED TO PREVENT PROLONGED/REPEATED SKIN CONTACT, EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices:AVOID CONTACT WITH EYES, SK

IN OR CLOTHING. DO

NOT BREATHE VAPORS. DO NOT WEAR CONTACT LENSES WHILE WORKING WITH

MATERIAL

Supplemental Safety and Health

======== Physical/Chemical Properties ===========

Boiling Pt:>260.C, 500.F

Spec Gravity:1.3

Solubility in Water: INSOLUBLE

Appearance and Odor: GRAYFISH PASTE, ODOR BLAND

======== Stability and Reactivity Data ===========

MAY REACT WITH STRONG ALKALIS OR STRONG ACIDS, OXIDIZING AGENTS. Stability Condition to Avoid:MAY REACT WIT H STRONG ALKALIS OR STRONG ACIDS, OXIDIZING AGENTS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suit ability of this information to their particular situation.