View NSN Online: https://aerobasegroup.com/nsn/6850-00-181-7594

B & B TRITECH, INC. -- B&B 3100 -- 6850-00-181-7594

============ Product Identification =========================

Product ID:B&B 3100 MSDS Date:04/14/1999

FSC:6850

NIIN:00-181-7594

Status Code:A

MSDS Number: CLJQQ === Responsible Party ===

Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET,

City:HIALEAH

State:FL ZIP:33010 Country:US

Info Phone Num:305-888-5247

Emergency Phone Num:305-888-5247

Chemtrec Ind/Phone :(800)424-9300

CAGE:21361

=== Contractor Identification ===

Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET,

Box:City:HIALEAH

State:FL

ZIP:33010-2310 Country:US

Phone: 305-888-5247

CAGE:21361

======= Composition/Information on Ingredients ========

Ingred Name: SOLVENT NAPTHA (PETROULEUM) HEAVY AROMA

< Wt:40.

Ingred Name: INGREDIENT A

< Wt:5.

**OSHA PEL:25 PPM ACGIH TLV:25 PPM** 

Ingred Name: INGREDIENT B

< Wt:12.

**OSHA PEL:C-25 PPM ACGIH TLV:C-25PPM** 

| ====== Hazards Identification ===============   |
|---|
| Health Hazards Acute and Chronic:MAY CAUSE IRRITATION TO SKIN AND EYES.  OVEREXPOSURE MAY CAUSE BURNING, REDNESS TO EYES; DRYING, CRACKING OR DERMITITIS TO SKIN; IRRITATION TO RESPIRATORY TRACT AND CENTRAL NERVOUS SYSTEM DEPRESSION.  Effects of Overexposure:MAY CAUSE IRRITATION TO SKIN AND EYES.  OVEREXPOSURE MAY CAUSE BURNING, REDNESS TO EYES; DRYING, CRACKING OR DERMITITIS TO SKIN; IRRITATION TO RESPIRATORY TRACT AND CE |
| NTRAL NERVOUS SYSTEM DEPRESSION.  |
| ======================================  |
| First Aid:INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. DERMAL: FLUSH WITH SOAP AND WATER. EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRES H AIR.   |
| ======================================  |
| Flash Point Method:TCC Flash Point:=65.6C, 150.F Extinguishing Media:FOAM, CO2, DRY CHEMICA   |
| Fire Fighting Procedures:FIREFIGHTERS EQUIPMENT Unusual Fire/Explosion Hazard:CARBON DIOXIDE AND CARBON MONOXIDE.   |
| ========= Accidental Release Measures ==========  |
| Spill Release Procedures:ABSORB WITHSAND OR INERT MATERIAL. PREVENT SPREAD OR SPILL. MOP, SQUEEGEE, OR INDUSTRIAL VACUUM. AVOID OPEN FLAMES, SPARKS. AVOID CONTACT WITH SKIN/EYES AND AVOID BREATHING VAPORS. DISPOSE OF IN ACCOR DANCE WITH WITH LOCAL, STATE AND FEDERAL REGULATIONS.   |
| ====== Handling and Storage ===============   |
| Handling and Storage Precautions:AVOID EXTREME TEMPERATURES. AVOID CONTACT WITH SKIN, EYES, CLOTHING. USE WITH ADEQUATE VENTILATION. DO NOT OVER ATOMIZE SPRAY. WASH CONTAMINATED CLOTHING BEFORE USE.  |
| ====== Exposure Controls/Personal Protection ========   |
| Protective Gloves:CHEMICAL GLOVES Eye Protection:SAFETY GOGGLES Other Protective Equipment:APRON, CHEMICAL BOOTS Supplemental Safety and Health   |
| ========= Physi   |

| HCC:T6 Boiling Pt:=76.7C, 170.F Spec Gravity:0.95 Evaporation Rate & Description Rate & D |
|--|
| ========= Stability and Reactivity Data ==========   |
|  |
| Stability Indicator/Materials to Avoid:YES OXIDIZERS ,STRONG ACIDS, STRONG BASES Hazardous Decomposition Products:THERMAL DECOMPOSITION IN PRESENCE OF AIR MAY YIELD CARB ON DIOXIDES AND /OR CARBO.   |
| ======== Disposal Considerations ============  |
| Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.   |
| Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.  |